1984 AUTHOR INDEX

P preceding a page number indicates an abstract of the Annual Meeting, appearing in the May issue.

Abe, H, 556
Abe, M, P87
Abe, Y, P50
Abeysekera, BF, P64
Abi-Mansour, P, P82
Abrams, MJ, 1350
Aburano, T, P100
Ackerman, L, 677
Ackerman, RH, P48, P49, P125
Ackerman, RJ, P115
Adam, MJ, P64
Adam, WE, P12
Adams, D, P111
Adams, DF, P34
Adams, H, P8
Adams, MD, P15
Adams, R, 142, 273, 739, 814, 949, 1059, 1160, 1404
Adamson, DA, 1157
Adatepe, MH, P45
Addas, A, P86
Agnew, JE, 170
Akber, SF, 31
Akuta, K, P130
Al-Ansari, AAK, 538
Alavi, A, 72, P9, P13, P32, P49, P56, P74, P81
Alazraki, N, 303, 978, P43, P47, P51, P95
Alderson, PO, P5, 796, 805, P18, P19, P42, P51, P56, P80, P110
Allan, RM, P68
Allweiss, P, 755
Alpert, JS, P44
Alpert, NM, P4, P48, P49, P68
Amstutz, HC, P52
Anaise, D, 1304
Anderson, L, P8
Anderson, MW, P44
Andersson, AC, P117
Andersson, N, 1023, P104
Anderton, KD, P125
Andre, MP, 38
Anger, K, P58
Angulo, MC, P65
Ansari, AN, 1260
Ansquer, J-C, 149
Aoki, S, P130
Appledorn, CR, P14
Areeda, J, P70
Arliss, JJ, 805
Armstrong, C, P8
Armstrong, M, P41
Arndt, JW, P43
Arnett, C, P32, P63
Arnold, JE, 1052
Asari, H, 1304
Ash, JM, P58
Ashkar, F, P45, P93
Askienazy, S, P8
Atcher, RW, P56
Atkins, D, P90
Atkins, HL, 503, 800, P32, P65, 1260, 1304, 1392, P101, P110
Aubert, B, P102
Axelsson, B, 490
Ayabe, Z, 1394
Azar, M, P66
Aziz, S, 870

Babich, JW, 1003
Bacha, P, P39
Bacharach, SL, P22, P30
Bachvaroff, R, 1304
Badenhorst, PN, P64, P65
Bading, JR, P78
Bagshawe, KD, 96
Bahk, YW, P129
Bairamian, D, P111
Baker, JA, P122
Baker, SP, P44
Baker, W, 303, P43
Balaban, E, P26
Baldeschwieler, JD, P121
Baldwin, RM, P122
Ball, GV, 299
Ball, JD, 166
Bamberger, DM, P100
Bandyopadhyay, D, P98
Bank, N, P76
Barat, JL, P44, 1167, 1269
Barkin, J, P59
Barlai-Kovach, MM, P68, P72, P74, P79
Barnes, E, P118
Baron, JC, P8
Barr, PW, P30
Barrett, HH, 700, P55, P107
Barrett, M, P120
Barrio, JR, 409, 887, P23, P38, P72, P79, 1327, P125, P126
Bartlett, RD, P64, P92
Barton, JB, P103
Basmadjian, GP, P79, P121, P124
Bassir, R, P84, P85
Bateman, JRM, 170
Bateman, T, P4, P29
Bauer, C, P59
Baulieu, F, P111
Baulieu, JL, P111
Baumgartner, WA, 673
Bayer, MF, 402, 1150
Baylink, DJ, 651
Bazin, J-P, 1067
Beach, L, 271, 409, 545, 738, 1273, 1399
Beaumier, PL, 367
Becerra, A, P85
Beck, RN, P108
Becker, V, P110
Beckurts, TE, P78
Beekhuis, H, 478
Begent, RHJ, 96
Beierwaltes, WH, 2, 197, 436, 823, P31, P72, 1287
Bekerman, C, 430, P27
Bekier, A, P94
Bell, RN, 86
Beller, GA, P53, P82
Bellina, CR, 1019
Bellitto, L, P35
Bellon, EM, 1132
Benassi, A, 1019
Bender, W, P36
Bendriem, B, P46
Benedetto, AR, 14, 838
Bennett, F, 49
Bennett, GW, P87, P102
Bennett, LR, 31, P40, P97
Benua, RS, P114
Beppu, Y, P114
Berg, J, 1023, P104
Berger, HJ, P20, P21, 1254
Bergstedt, H, 1023, P104
Bergstrand, G, 1023, P104
Berlyne, G, P19
Berman, D, P4, P21, P29, P60, P67, P70, P83, P84, P85, P86
Bernier, J, 765
Bernstein, DR, P38, P125
Berridge, MS, 1057
Besnard, JC, P111
Besse, P, P44, 1167
Bessent, RG, 1268
Best, MP, P18
Bettin, KM, P100
Bia, M, P75
Bianchi, C, P35
Bianco, J, 838, P44
Bida, GT, P23, 1327, P125
Biello, DR, P18, P45
Biersack, HJ, P32, P37
Bieszk, JA, P70, P102
Bietendorf, J, P60, P70
Bigler, RE, 408, 534, P40
Billingham, MB, 870
Billings, J, 326, P16, P128
Binkert, B, P51
Bischof-Delaloye, A, P17, P108
Bischoff, PG, P76
Bitran, J, 430
Bitter, F, P12
Bitton, RN, P19
Bizais, YJ, P87
Bizios, R, P116
B-Kovach, M, P32
Black, S, P7
Blahd, WH, 673
Blair, RJ, 930
Blasberg, RG, P8, P51
Blattmann, H, P113
Blau, M, 326, 945, P16, P128
Blauenstein, P, P94
Blaufox, MD, 91, 503, 619, P75, P76, 1111, 1127, 1270, P127
Bleifeld, W, P37
Blinder, RA, 544, 545
Bloedow, DC, P127
Bloom, F, P59
Blumhardt, R, 946
Bobba, VR, 21, 160
Bogden, AE, P113
Bolooki, H, P45
Bonakdarpour, A, P51
Bonnevie, O, P60
Bonow, RO, P22, P30
Bonte, FJ, P57
Boonkitticharoen, V, P117
Boonyaprapa, S, P45
Borgstrom, MC, P107
Borsato, N, 540
Bossaller, C, P97
Bottomley, P, P9
Bott-Silverman, C, P81
Botvinick, EH, P36, P80, P84, P86
Boucher, CA, P4, P13, P68
Boudreaux, GJ, P125
Bourdoiseau, M, P8
Bourgeois, P, P74
Bourguet, P, 776
Bouvier, A, P46
Bower, BF, 467
Bower, RB, P71
Boyce, BF, P77
Boyd, M, P92
Braat, SH, P21
Brachman, MB, P67
Brady, SA, P35
Brady, TJ, 506
Brahme, FJ, 38
Braine, H, P65
Brandeis, WE, 773, 989
Brar, HS, 160, P11
Braun, A, 989
Braunstein, D, P19
Braunstein, GD, 755
Braunstein, P, 1047
Bravo, EL, P82
Brendel, AJ, 68, P44, 1167, 1269
Brennan, KM, P69
Brennan, MF, P78
Breuel, HP, P32
Breull, W, P124
Brewer, GJ, P96
Brewer, LA, III, P113
Briandet, P, P45
Brihaye, C, P118
Brill, AB, P24, P31, P65, P87, 1310, P102, P110
Briner, WH, 1367
Brismar, J, 854
Bristow, D, P46
Brodack, JW, P16
Broder, D, 1294
Broelsch, C, 402
Broisch, C, P11
Brooks, RA, P8, 136, P51, P57, P88, P102, P109, P111
Brophy, CM, P28
Brott, TG, P109
Brown, D, P67, P85
Brown, JM, 66
Brown, JP, 367
Brown, LE, 75
Brown, ML, P52, P82, P94, P98
Brown, PH, 21
Brown, TJ, 66
Brown, WN, P130
Brownell, GL, P6, P32, P125
Brucer, M, 132
Brugada, P, P21
Bruggman, T, P65
Bruneau, C, P100, P102
Brunken, R, P12
Bruno, MF, P14
Bryan, M, P108
Bubeck, B, 773
Buchegger, F, P17, P112
Buckwalter, JA, P114
Buddemeyer, E, 788
Budinger, TF, 137, P14, P46, P57, P69, 1260, P109, P119
Buell, U, 441, 940
Bughi, S, P85
Buhle, L, P108
Bulczak-Schmidt, M, P113
Buncher, CR, P62
Bungo, MW, 1003
Bunko, H, 7, 917, P86
Burdine, JA, 692, P13, P91
Burgess, JH, P86
Burnham, CA, P6
Burns, HD, P63, P64, P73, 1222, P126, P127, P129
Burns, RJ, P28, 1050
Burns, RS, P57
Burow, RD, P79
Burt, CT, 101, 237, 371, 506
Burt, RW, 849, P52
Burton, GH, 564, 1271
Bushberg, J, P100
Bushnell, DL, 1053
Butler, TA, P118
Byrd, BL, 1397, P126
Byrom, E, P88

Cabanis, E, P8
Cadranel, S, P58
Cahill, PT, P34
Cahill, SL, 592
Cahoon, JL, P46
Caine, S, P95
Callery, P, 1146
Camargo, EE, P81
Camerani, M, 540
Camin, L, P120
Camin, LL, P15, P24, P129
Camp, VM, 56, P10
Campagnolo, R, P46
Campbell, ML, P128
Canganelli, A, P75
Capello, W, 661, P52

Carey, JE, 197, P72
Carey, L, P34
Caride, VJ, P27, P59, P97
Carlson, C, P40
Carmichael, PG, P104
Carney, K, P130
Carney, WH, 1322
Carpenter, AP, Jr, P129
Carpenter, MA, P82
Carr, T, P7, P34
Carrasquillo, JA, 367
Carrera, G, P25
Carroll, LP, P47
Carroll, RG, P44
Carroll, SE, P34
Carson, B, P50
Carson, RE, P33, P49, P51, P63, P88
Cassady, J, P59
Castel, J-P, 1269
Castellano, G, 608
Castronovo, FP, P40
Catalozzi, K, P77
Cavailloles, F, 1067
Cavellier, J-F, 149
Chamberlain, RA, 632
Chambon, C, P111
Chan, D, 405, P117
Chan, SM, P121
Chanachai, W, P55, P118
Chanana, AD, 1310
Chandeysson, PL, P18
Chang, W, 788
Chapman, CN, 467, P71
Chapman, D, P67, P70
Chatal, J-F, 307
Chausow, A, P88
Chaux, A, P4, P29
Chawluk, J, P9, P56
Chaynsangavej, C, P41
Chehabi, HH, P57
Chen, C-T, P54, P92, P108
Chen, DCP, P11, P18, P43, P101
Chen, H, P18
Chen, I, P118
Chen, Z, P92
Chervu, LR, 91, 270, P60, 1032, 1111, 1270, P127
Chervu, S, 91, 1270
Chesebro, JH, P82
Chesler, DA, 706
Chesney, RW, 281
Chiesa, MR, 1153
Chiesa, NA, P84
Chilcoat, RT, 810
Childs, R, P56, P112
Chilton, HM, 166, 604
Chin, I, P90
Chirakal, R, 1228
Cho, ZH, 901
Chowdhury, S, P98
Christian, PE, 364, P28, P95
Chua, KG, P106
Chugani, DC, P72
Chung, SK, P129
Ciliax, G, 343
Cinotti, L, 149, P68, P100, P102
Civelek, C, P65
Clanton, JA, P7, 913
Clark, O, P19
Clark, WR, Jr, P18
Clarke, LP, P45, P59, P90, P93, P103
Clarke, S, 734
Clarke, SW, 170
Clements, IP, P82
Clements, J, P53, P84
Clifford, CM, P108
Cline, J, 1300
Clinthorne, NH, P90, 1013, P123
Clorius, JH, 81
Coakley, AJ, 1108
Cobb, FR, 747
Coffey, C, 736
Coffey, JL, P39, P126
Cohen, AS, 468
Cohen, MD, 656
Colcher, D, P17, P55, 1197
Cole, WC, P105
Coleman, DL, P43
Coleman, RE, 419, 544, 545, 747, 893, P22, P23, P70, P71, 1367
Colica, CJ, 1209
Colle, JP, P44, 1167
Coller, B, P65
Colletti, P, P11, P36, P95
Collier, BD, 156, P25
Collins, RD, Jr, 299
Collum, C, P48
Comar, D, P8, P46
Conklin, JJ, P93, P96
Connolly, RJ, 537
Contardo, M, 986
Conti, J, P108
Contino, J, P88
Conway, JJ, P25, P76, P118
Coodley, E, 1204
Coolsaet, BLRA, P43
Coombes, RC, P17
Cooney, J, 592, P74
Cooper, AJL, P64
Cooper, JA, P55, P116
Cooper, M, 1146, P108
Cooper, P, P7
Copp, J, 197, P72
Corbett, JR, P15, P61
Corbus, HF, P88, P103
Cordoni-Voutsas, M, P117
Corey, K, 1047
Corpuz, S, P19
Correia, JA, P48, P49, P68
Counsell, RE, P78
Coupal, JH, 840, 1275
Coupal, JI, 1160
Coupal, JJ, 142, 273, 411, 547, 639, 739, 949, 1059, 1404
Covic, J, P6
Cowan, RJ, 166
Cradduck, TD, 632, 1392
Crane, R, 877
Crea, P, 732
Creutzig, H, 402, P11, P27
Crucitti, TW, 1101, 1317
Cruty-Sammartano, MA, P129
Cullum, I, P24
Curie, I, 631
Curless, R, P59
Currie, PJ, P53
Curtet, C, 307
Cuthbert, GF, P95
Czer, L, P29

Dab, I, P115
Dae, MW, P36, P80, P84, P86
Dahlbom, NM, P103
Dail, D, 877
Dakhil, SR, P41
Dale, JK, 419
Dallas, J, P111
Damasio, A, P8
Damasio, H, P8
Dammann, JF, P82
Dann, R, P9, P32, P49, P56
Dannals, FF, P129
Dannals, RF, P57, P63, P64, P73, 1222, P126, P127
Danzy, HM, P55
Darmanata, JI, 211
Das, DK, P98
Das, KM, P60
Datz, FL, 303, 364, P43, 1040, 1151
Davenport, R, 539
Davidson, RA, 207
Davidson, WD, P39
Davis, JA, P80
Davis, L, 837
Davis, SS, P59
Davison, A, P16, 1350
Day, CL, 1183
Dean, CJ, P120
Dean, RT, P15
Dear, WE, P13
Dearborn, C, P120
Debus, J, P57
Decina, P, P110
Deconinck, F, P91
DeGalen, MR, P78
DeGrado, TR, P38, P79, P125
de Hevesy, GC, 118
DeJesus, OT, P73
De Jong, RBJ, P48
Delaet, MH, P58
DeLagardelle, C, P12
Delaloye, B, P17, P108
DeLand, FH, 1, 555, 635, P17, P43, 1274, 1281, 1284, 1285, 1375, 1397
Delano, ML, P15
Delaval, Ph, 776
Dell'Italia, LJ, 14
DeLong, S, 1300
DeLuca, PM, Jr, P10
DeNardo, GL, P9, P40, P105, P111, P123
DeNardo, SJ, P9, P40, P105, P111, P123
den Dulk, K, P21
DePuey, EG, 692, P13, P91, 1254
Derenzo, SE, P14, P46
DeRidder, P, P10, P96
Desai, A, 697, P99
Desir, G, P75
deSouza, ME, P58
Deutsch, E, 1272
Deutsch, SD, P77
Devous, MD, Sr, P57
DeVries, DF, P54
Dewanjee, MK, P52, P80, P98
Dhawan, V, P108
Diamanti, CI, P16
Di Chiro, G, P8, 136, P51, P57, P88, P109, P111
Dick, RD, P96
Dickinson, CZ, 70
Dillon, A, P47
Dimitriou, P, 792
Dimsdale, J, P4
Dinerstein, RJ, P73
Di Paola, R, 1067
DiPiazza, HJ, 1051
Dischino, DD, P23
Dittman, W, 982
Dmuchowski, C, 1287
Doherty, MD, 688
Doherty, PW, P14, P26, P44, P85, P94, 1234, P111, P112, P113
Domstad, PA, 142, 273, 411, 547, 639, 840, 949, 1059, 1160, 1275, 1404
Donadio, C, P35
Dopfer, R, P75
Dorval, ED, P96
Doshi, MN, P129
Dougan, AH, P122
Douglas, A, P38, P79
Douglass, KH, P88, P92
Douillard, J-Y, 307
Downing, D, P100
Dowsett, DJ, P48
Drew, H, P36, P65, P98, P117
Drickman, MV, 673
Dubois, A, P96
Dubovsky, EV, P76
Ducassou, D, 68, P44, 1167, 1269
Duelfer, T, 1222, P126
Dujovne, C, P82
Dukes, AL, P104
DuLeep, KS, 1209
Dunford, DW, 530
Dunn, WL, P20, 1134, 1241
du P. Heyns, A, P64, P65
Durakovic, A, P93, P96
Duroux, P, 149
Dutcher, JP, 1150
Dworkin, HJ, P89

Eadie, AS, 1152
Ebina, A, 352, 447, 1269
Ebling, F, P99
Eccles, S, P120
Eckelman, WC, 214, 472, 532, P57, P93, P119, P122, P128
Edan, G, 776
Edeling, C-J, P60
Edgerton, ER, P5
Edgington, T, 592, P74
Edwards, B, P129
Edwards, CL, 724
Effros, RM, P67
Egger, MJ, P28
Ehara, K, P33
Ehara, M, 1122
Ehrenkaufer, RE, 333
Ehrhardt, J, P8, P117
Ehrlich, L, P42
Eibach, E, P75
Einhaupl, K, 441
Eisenhut, M, 773, 1356
Eisner, RL, 495, P30, P54, 1254, P106
Ekas, RD, P80
Ekman, LG, P78
Ekstrand, KE, 604
Elam, DA, P113
Elgin, D, P95
Eli, PJ, P24, P87
Ellis, KJ, P19, 1260
Ellison, D, P38
Elmaleh, DR, P6, P24, P31, P32, P74, P79, P125
El Nahas, AM, P35
Elson, MK, 538, P100
Elstein, J, P86
Emanuel, RW, P87
Endo, K, P9, 323, P25, P56, P112, P113
Eng, RR, P93
Engelstad, BL, P42
English, D, 913
English, RJ, 495, 1350, P107
Ennis, JT, P48
Ensminger WD, 972
Epps, LA, P127
Epstein, A, P9, P114, P123
Epstein, DM, 1362
Erickson, JJ, P35
Erickson, K, P111
Eriksson, L, P117
Ertle, AR, P116
Eshghi, M, P75
Eshima, D, P16, P127
Esser, PD, 805
Essex, CE, P65
Etani, H, 556
Eugene, J, P69, P79
Evancho, A, P7
Evans, AC, P107
Evans, RG, 637
Even-Sapir, E, P77
Eyer, P, 1287
Eyre, P, P72
Ezekowitz, M, P75

Faber, TL, P15
Fairchild, RG, 1260
Faith, W, 1146
Fallais, Ch, P74
Fallon, JT, P69
Fand, I, P101
Fang, R, P45
Faraj, BA, 56, P10
Fardi, M, P27
Farley, SM, 651
Farrell, TJ, 632, 1392
Faulhaber, PF, P64, P92
Faulkner, D, P19, P36, P42, P71, P80, P86
Fawwaz, RA, 796, P42, P56, P80
Fazio, F, P8, P14
Fearnow, EC, P22, P23
Feiglin, DH, P6, P61, P67, P81
Feine, U, P58, P75
Feinendegen, LE, P78, P110
Feld, TA, 223
Ferens, JM, 367
Ferguson, WR, P19
Ferlin, G, 540
Fernandez, M, 503
Fernandez-Pol, JA, P34
Fernandez-Ulloa, M, 1322, P114
Ferreira, NL, 472
Ferriera, NL, P119
Ferrieri, R, P32
Ferrone, S, 796, P56
Ferry, D, P89
Fetterman, RC, P84
Ficke, DC, 136
Fleschi, C, P8
Flhn, SD, 1080
Filiberti, AW, P44
Filipchuk, N, P61
Findley, S, P22
Fine, E, 619, P76
Fink-Bennett, D, P10, P89, P96
Finn, EJ, P109
Finn, JP, P68
Finn, RD, P33
Firlit, C, P76
Firnau, G, 1228
Fisher, RS, P96, P119
Fitzgerald, RH, P52
Fitzpatrick, TB, 1183
Flach, A, P58
Fleischman, JB, 1343
Fletcher, JW, P34
Floch, J, P51
Floyd, CE, 893, P22, P70, P71
Floyd, W, P101
Flye, M, P75
Flygare, O, 1023, P104
Fogelman, I, P77, 1268
Folstein, MF, P73
Fong, L, P118
Fong, P, P117
Forastiere, AA, P115
Forstrom, LA, P98, P100
Fouad, FM, P82
Fowler, J, P32, P63
Fragu, P, 537
Frais, M, P80
Franchimont, P, 765
Francis, BE, 472, P122
Francis, MD, P80
Franco, J, P92
Frank, GW, P116
Frank, T, 81
Franke, A, P72
Franke, LA, 998, 1116
Frankel, A, P77
Frazee, JG, P49

Frazier, JM, 1094
Freeman, LM, 837, 838, 1157, 1273
Freeman, ML, 677
Freitas, JE, 664, 728, 946, P89
Frenkel, E, P26
Fretzayas, A, 792
Fridrich, L, 1050
Fridrich, R, 668
Fried, A, 142, 273, 411, 547, 739, 947, 1275, 1404
Friedland, RP, P57, P109
Friedman, AM, P73
Friedman, BI, P44
Friedman, J, P60, P70
Friedman, WA, 271
Frieri, M, 859
Fritzberg, AR, 42, P16, P127
Froelich, JW, 1156
Front, D, 461, P77
Frost, JJ, P63, P73, P88, P92, 1222
Fueger, CF, 385
Fuentes, F, 947
Fujimi, K, P66, P96
Fujimoto, Y, P95
Fujita, T, P6, P50, P107
Fukuda, H, P50
Fukukita, H, P103
Fukuma, H, P114
Fumoleau, P, 307
Funk, KM, P104
Furukawa, T, P56
Furunishi, H, P130
Fuster, V, P81

Gabliani, G, P61
Gachon, P, P39
Gaeta, JM, P46, P88
Gagne, G, P26, P42
Galante, M, P19
Gallagher, BM, P15, P24, P112
Galle, P, 149
Gandsman, EJ, P77
Gansow, OA, P56
Ganz, W, P21, P83
Garcia, AM, P42
Garcia, E, P60, P70, P84, P85
Garcia, JE, 575
Garg, A, P78
Garneau, J, P32
Garnett, ES, 1228
Garty, I, 320
Gascho, JA, P53
Gassner, A, 1050
Gates, GF, 613, 1056
Gatley, SJ, P32, P38, P79, P110, P125
Gazet, J-C, P17
Geft, I, P21, P83
Gelbard, AS, P64, P78
Gelezunas, V, P69, P79
Gelfand, MJ, P109
Gelman, RS, P40
Gentili, A, P45, P90
George, EA, P130
Georges, B, P58
Georgi, P, 989
Gerber, FH, 1080
Gerding, DN, P100
Gerson, JI, 810
Gerundini, P, P14
Geyskes, GG, P36
Gharib, H, P94
Gianturco, C, P41
Gibbons, RJ, P82
Gibson, RE, 214, 472, 532, P119, P122
Gibson, RS, P53
Gilardi, MC, P14
Gilbert, SS, 188, P10
Gilday, D, P28, P58
Gilland, DR, P5
Gilson, AJ, P33
Ginsberg, MD, P33
Gitsch, E, 486
Gjedde, A, 134
Glass, EC, 31
Glaubitt, D, P60, P117
Glenn, HJ, P99
Glowniak, JV, 197, 436, P31, P72
Go, RT, P6, P61, P67, P81
Gobuty, AH, P101
Gold, HK, P20, P69
Goldbaum, M, P81
Goldberg, R, P59
Golden, JA, P42, P43
Goldenberg, DM, P17
Goldman, KJ, 1362
Goldman, MJ, 838
Goldsmith, SJ, P81, 1294, P101
Goldstein, HA, 72
Golish, JA, P67
Gomes, JR, P81
Gong, H, P116
Gonzales, J, P7
Goodart, CD, P40
Goodgold, H, 472, P18
Goodman, MM, P24, P31, P122
Goodwin, DA, P16
Gordon, L, P99
Gordon, R, P10, P96
Gorevic, P, P101
Gorkin, J, P76
Gottlieb, GR, 56
Gottschalk, A, P18
Gottschalk, SC, P6, 632
Gould, KL, 831, P80, 1380
Gozum, M, P48
Graham, D, P32
Graham, LS, 31, 639, 739, 840, P22, 1059, 1275, P104
Graham, MM, 759, P50
Graham, S, 273
Grant, CS, P94
Grantham, AS, P51
Graor, RA, P67
Gratz, KF, 402, P11
Gray, KN, P99
Gray, R, P4, P29
Green, AJ, 96
Green, M, P58
Green, MV, P22, P30, P57
Greenberg, A, 519
Greenberg, JH, P32, P49, P62
Greenberg, P, P9
Greene, GL, P122
Greene, MW, 1260
Greene, R, P12
Greenman, G, 661
Greer, KL, 893, P22, P70, 1367
Gregory, RD, P103
Greyson, ND, 423
Griffin, T, P112
Grimm, PD, P9
Gritzali, F, 792
Grob, JPh, P17
Groothuis, DR, P51
Groshar, D, P77
Gross, MD, P13, P28, P29, P78
Grossman, ZD, P18, P67
Grover, M, P37, P38
Grumbach, St, P75
Grunbaum, Z, 759, P23, P94
Grunder, JR, P121
Guille, J, 732, 965
Guilloteau, D, P111
Guiteras, P, P58
Gullberg, GT, P5, P30
Guvenis, A, P54
Guyer, CE, P120
Guzzardi, R, 1019
Gyves, JW, 972

Haagensen, DA, P113
Haber, E, P69
Hack, SN, P89
Hadjian, RJ, P24
Hahn, B, P99
Hakki, A-H, P53, P84
Halama, JR, P79, 1272
Hali, FM, 1108
Halls, J, P11, P36, P95
Halpern, R, P99
Halpern, S, P17, P112
Ham, HR, P58, P97, P115
Hamanaka, D, 323
Hamasaki, T, P71
Hammond, ND, P16
Hanao, J, P90
Handa, H, P50
Hansen, HW, P37, P38
Hanson, J, P89
Hanson, RN, 139, 998, P32, 1116
Hansson, LI, 854
Harbert, JC, 112, 1051
Harcke, HT, 270, P115
Hardeman, MR, 407
Hardoff, R, 1127
Hardy, JG, P59, P83
Hardy, MA, 796, P42, P80
Harf, A, 149, P68, 1053
Harkness, BA, 1013
Harley, DP, P85
Harley, H, P67
Harpen, MD, 539
Harper, G, P41
Harper, PV, P39, P52, P64, P92, P94, P106, P119
Harper, RW, P53
Harris, CC, 893, P22, P23, P70, P71, 1367
Harris, NL, 969
Hartz, RK, P46
Harvey, E, 1146
Harwig, JF, P118
Harwood, SJ, P44
Hasegawa, Y, 1122
Hashimoto, S, P116
Hashizume, T, 1122
Hata, N, 323
Hattner, RS, P42, P43, P71, P84
Hatz, R, 870
Hawkins, RA, P9, P97
Hawman, EG, P70, P102
Haxholdt, H, P60
Hayashi, N, P44
Hayes, D, P17
Hayes, RL, 724
Haynie, TP, P41, P99
Heal, A, P93
Heaphy, J, 978
Heck, I, P37
Heiman, DF, 1212
Heitzman, M, P84
Heller, SL, 1127
Hellman, RS, 156, P25
Hellstrom, I, 367
Hellstrom, KE, 367
Helus, F, 989, P50
Hendee, WR, 679
Hendershott, LR, P34
Hendrix, L, P29
Heneghan, W, P48
Hengst, TC, P108
Henkin, RE, 788, 1156, 1272
Henry, RE, P12
Henze, E, P12, P40
Hergenrother, J, P19
Herlyn, D, P74
Hermann, GA, 1371
Hermann, HJ, 773
Hernandez, T, 230
Herndon, J, P77
Herrera, NE, 1371
Herry, JY, 776
Herscovitch, P, 177, 730, P49
Hershberger, D, P89
Hertzberg, VS, P109
Heyda. DW, P22
Heyman, S, 72
Hichwa, RD, P103
Hidaka, A, P9
Higa, T, P66, P71, P96
Higgins, CB, 581
Hilditch, TE, 1152
Hill, GM, P96
Hill, JC, P89
Hill, TC, 25, 315, 945
Hill, VA, 673
Hilson, AJW, P35
Hines, HH, P105
Hinkle, GH, P113
Hinoue, Y, P97
Hinson, WH, 604
Hirano, H, 1394
Hirano, T, 352, 447, 1269
Hirasa, M, P66, P71, P96
Hiroe, M, P89, P95
Hironaka, FH, P81
Hirosawa, K, P87
Hirose, Y, P46
Hirst, AE, P113
Hisada, K, 7, 917, P86, P97
Hnatowich, DJ, P26, P56, P111, P112, P113
Ho, Y-H, 360
Hoffer, PB, 230, P18, 1152, P100
Hoffman, EJ, P103
Hoffman, TJ, P15
Hofmann, U, P58
Holden, JE, P32, P38, P54, P79, P106, P125
Holder, LE, 865, P43
Hollema, H, 984
Hollman, J, P61
Holloway, RH, P12
Holman, BL, 25, 315, 495, 688, 945, P34, P61, P87, 1350, P106, P107
Holmes, RA, P15, P105, P129
Holt, JA, P122
Hong, JJ, P128
Hong, KS, 901
Horiuchi, K, 323, P112, P113, P123
Horn, M, 1270
Horovitz, I, 320
Horowitz, SF, P81, 1294
Hosie, CJ, 1151
Hosoba, M, P89
Houchens, D, P113
Houle, S, P28
Hourani, M, P45, P90
Houser, TS, P61
Housholder, DF, P41
Howard, WH, III, 575
Howman-Giles, R, P59
Huang, B-L, 360
Huang, S-C, P9, P12, P33, P38, P49, P63, P72, P88, P90, P92
Huberty, JP, P42
Hubner, KF, P126
Huesman, RH, P14, P46, P57, P69, P89
Hundeshagen, H, P11
Hung, CY, P79
Hungerbuhler, JP, P108
Hurtig, H, P56
Hurwitz, GA, P45
Hutak, DP, P66
Hutchins, GD, P104, P110
Hutchison, NJ, P10
Hutton, I, P37, P83
Hydovitz, JD, 539
Hynes, HE, P41

Ibuka, K, 1122
Ibuki, Y, P66, P96
Ice, RD, P121
Ichikawa, T, P5
Ide, M, P4
Ido, T, P125
Iga, C, P42, P80
Iida, Y, 323
Iio, M, P7
Ikekubo, K, 323, P66, P71, P96
Imaoka, S, 1122
Ing, SJ, P113
Inoue, Y, P50
Intenzo, C, 697
Isaacs, GH, P45
Isaacsohn, JL, P72
Isaka, Y, 556
Isawa, T, 352, 447, 1269
Ishibashi, T, P26
Ishido, N, P90
Ishigami, S, 1122
Ishiguro, S, 1122
Ishihara, T, P71, P116
Ishikawa, M, P50
Isitman, AT, 156, P25
Iskandrian, AS, P53, P84
Israel, O, 461, P77
Israelsson, A, 490
Ito, H, P71
Ito, M, P50
Ito, T, P5
Ito, Y, P87
Itoh, S, 540
Itti, R, P111
Iwa, T, 7, P86
Iwai, J, P24
Iwata, R, P125

Jackels, SC, 604
Jacobs, J, 303
Jacobs, L, P36
Jagoda, EM, 214, 472, P119, P122
Jagust, WJ, P57, P109
James, AE, Jr, P7, P35
Janoff, A, 1310
Jansen, DE, P61
Janzso, J, P6
Jaques, S, Jr, P122, P124
Jarden, J, P108
Jarritt, PH, P24, P87
Jaski, BE, P61, P87
Jaszczak, RJ, 747, 893, P22, P23, P70, P71, 1367, P107
Jaw, T-S, 360
Jenkins, C, P95
Jenkins, J, P13
Jennings, CA, P40
Jensen, BA, P73
Jensen, HC, P60
Jerabek, PA, P23
Jewett, DM, 333
Jhingran, S, P77
Jivan, S, P64
Joel, DD, 1310
Johnson, DG, 419
Johnson, DL, 42, P16, P127
Johnson, GR, 947
Johnson, JR, 530
Johnson, LL, P5
Johnson, P, P77, 1003
Johnson, R, P19
Johnson, RP, P25
Johnson, T, P98
Johnston, L, P28
Johnston, RE, P5

Jolesz, F, P34
Joliot, F, 631
Jonckheer, MH, 536
Jones, AG, P16, 1350
Jones, PL, P24, P112
Jones, RH, P22, 1003
Jones, SC, P49, P62
Jordan, K, P22
Judas, R, P22
Juillard, G, P9
Julien, P, P67
Jungerman, JA, P40
Juni, J, P29, P41, P83, P96, 1013, P115, P123

Kaba, D, P110
Kajita, A, P90
Kalff, V, P53
Kalirai, TS, P17
Kambara, H, P45, P61
Kamran, D, P27
Kanai, M, P97
Kanno, I, P46
Kantor, JC, P36
Kaplan, E, 677
Kaplan, GN, P43
Kaplan, ML, 315
Kaplan, WD, P17, P40, P55
Karam, M, P5
Karimeddini, M, P78, P99
Kariyone, S, P26
Karlsberg, R, P79
Karp, JS, P47
Karpathios, T, 792
Kasecamp, W, P65
Kaseman, DS, P64
Kasfiki, A, 792
Kashgarian, M, P75
Kasi, LP, P99
Kasina, S, P16, P127
Kass, R, P29
Kasugai, H, 1122
Kato, R, P86
Kato, Y, P97
Katz, A, 755
Katzenellenbogen, JA, 1212
Kaufman, HM, 156
Kawaguchi, H, P7
Kawai, C, P45, P61
Kawai, H, P103
Kawai, N, P86
Kawaii, K, P123
Kawasaki, S, P95
Kawashima, K, P125
Kay, H, P53
Kaye, MP, P80
Kearfott, KJ, P47, P104
Keen, RE, P38, P79
Keenan, AM, 1197
Keep, PA, 96
Keiss, M, P32
Kelly, MJ, P53
Kempi, V, 292, 944
Kenemoto, N, P4
Kenny, PJ, P33
Keren, R, P77
Kernek, CB, P24
Kernick, CB, 849, P52
Kertesz, A, P7
Kessler, RM, P57
Ketharnavaz, N, P46
Keyes, JW, Jr, 343, 972, P41, 1013
Keynan, A, 320
Keyser, CK, P61
Khaw, BA, 592, P20, P69, P74, 1395
Kickler, T, P98
Kieffer, E, P8
Kiers, A, 1175
Kiesewetter, DO, 1212
Kiess, MC, P4, P13, P79
Kilbourn, MR, P23, 1212
Kim, EE, P41, P101
Kim, I, P88
Kimata, S, P87
Kimball, B, P28
Kimmig, B, 773
Kimura, H, P26
Kimura, K, 556
Kimura, S, P90
King, MA, 142, P14, P44, P85, P94, 1059, 1160, 1234, 1404
Kingston, E, 21
Kipper, MS, 986
Kirchner, PT, P8, 503, P114, P117
Kircos, LT, P71
Kirk, GA, 651
Kirsch, CM, 441
Kirsch, G, P122
Kirshenbaum, JM, 1350
Kirshnamurthy, GT, P11
Kitaura, Y, P66, P96
Kizuka, H, P6, P32, P125
Kleaveland, JP, P13
Klee, G, 637
Klein, HA, 957
Klein, RC, P44
Kleinhans, E, 940
Kleinhaus, U, P77
Kling, A, P57
Klingebiel, Th, P75
Klingensmith, WC, III, 42
Klunenberg, H, P32
Knapp, FF, Jr, P24, P31, P39, P118, P120, P122
Knapp, WH, 989, P50
Kneeland, JB, P34
Knesaurek, K, 632
Knesewitsch, P, 940
Knight, LC, P96, P119
Knittel, B, P57, P69
Knobel, J, 156
Knoll, GF, 1013
Knoop, B, P22
Knop, J, P62
Knopp, R, P80
Knowles, RJR, P34
Knust, EJ, P110
Kobayashi, A, P50
Kobayashi, K, P97
Kodama, S, P45, P61, P91
Koeppe, RA, P32, P54, P104, P110
Koester, A, P65
Kogan, FJ, P12
Kogure, K, P125
Koh, HK, 1183
Kohn, S, 461
Koizumi, K, P67, P97
Kojima, J, 1122
Kollin, J, 1204
Kolodny, GM, P66
Kolozsi, W, P10, P96
Komori, H, P66, P96
Kondo, C, P95
Kondos, G, P45
Konishi, J, 323, P50, P107
Konishi, T, P5
Konno, K, 352, 447, 1269
Kontzen, F, P76
Kopf, A, 1183
Kopin, IJ, P57
Koprowski, H, 307, P74
Koral, KF, 343, 1013, P123
Korein, J, 1047
Kosciuczyk, C, P112
Koss, E, P57
Kosuda, S, P116
Kotler, JA, P12
Koutcher, JA, 101, 237, 371, 506
Kovaleski, B, P92
Kramer, AV, P127
Kraus, AP, 209
Kreider, J, P111
Kreisig, T, 441
Kremer, J, P43
Kremer, M, 307
Kretz, P, P47
Kricheff, I, 1047
Krishnamurthy, GT, 21, 160, P11
Krivokapich, J, P38, P69, P79
Krohn, KA, 367, 779, P23, P63, P66, P74, P94, P119
Kronauge, J, P34
Kroop, SA, P18, P51
Kropp, J, P37
Ku, T, P120
Kubo, A, P116
Kudo, M, P66, P71, P96
Kufe, D, P17, P55
Kuhar, MJ, P73, 1222
Kuhl, DE, P9, P57, P109
Kulkarni, MD, 874, P35
Kulkarni, P, P26
Kuma, K, 323
Kung, HF, P8, 326, 945, P16, P128
Kuni, CC, 42, 166
Kurihara, J, P95
Kusakabe, K, P87, P89, P95
Kushner, M, P49, P56
Kusumoki, M, 556
Kutner, M, 56
Kyle, RW, 575

Lacy, JL, 1003, P104
Laffin, SM, P40
LaFontaine, R, P22, P104
LaFrance, N, P36, P65, P98, P117
Lagergren, C, 1023, P104
Lagunas-Solar, MC, P40, P123
Lahti, D, P41
Laird, JD, P19
Lallone, R, P35
Lam, M, P77
Lamb, JF, P122
Lambrecht, RHD, 338
Lambrecht, RM, 729, 800, P89
Lamki, L, 733, P41
Lancaster, J, 1057
Landon, J, 538
Landrum, W, 303
Landvatter, SW, 1212
Lang, W, 402, P11
Lange, R, 230, P12, P27, P75
Lange, TA, 281
Lange, W, P110
Langrell, K, 21
Langstrom, B, 1222, P126, P127
Lanzer, P, P86
Lapin, SA, P11
Larson, EB, 1080
Larson, KB, 543
Larson, SM, 367, 759, P22, P30, P50, P57, P88, 1197, P111
Larsson, SA, 1023, P104
Lassar, T, P29
Lassen, NA, P8
Lathrop, KA, P39, P64, P92, P94
Latson, LA, 1003
Lauffer, RB, 506
Lavender, JP, 86, P68
Lawrence, PF, P47
Layer, K, P50
Lazzara, R, P79
Le, G, P101
Leachman, RD, P13
Leatherman, LL, P13
LeBlanc, A, P77, 1003
Lebowitz, E, 1260
Leccia, F, P44, 1167, 1269
Lecklitner, ML, 982
Lecomte, JL, P46
Lee, H-B, 619, P75
Lee, HF, P108
Lee, HM, P42
Lee, HN, P48
Lee, HS, 901
Lee, K, P36, P67
Lee, M, P4
Lee, RGL, 25, 315, 945
Lee, VW, 468
Lees, AM, P72
Lees, RS, 947, P72
Leger, A, 537
LeGrand, V, P13, P28, P29, P83
Leinbach, RC, P20, P69
Leinsinger, G, 441
Le Mevel, B, 307
Lemish, I, 49
Lentle, BC, 1320
Leonard, JC, P9
Leong, L, P90, P93, P103
Lepera, F, P89
Leppo, JA, P85
Levine, AS, P28
Levine, G, 1050
Levy, LM, P75, P93, P98
Lew, A, P21, P83
Lew, RA, 1183
Lewis, MH, P15, P90
Lewis, RM, 1003
Lewis, SE, P61
Libanati, CR, 651
Liberatore, FA, P24, P120
Lichtenberg, T, P117
Lieber, A, P43
Lieberman, D, P11
Lieberman, GL, P93
Lieberman, LM, P93
Lieberman, ME, P93
Lieto, RP, 714
Lim, CB, P6, 632
Lim, YL, P53
Lima, MG, P30
Lin, MS, P105
Lin, T-H, 315, P122
Lindfors, KK, 969
Lindgren, U, 281
Line, BR, P41, P55, P116
Link, DC, P56
Link, J, P94
Link, JM, P102, P119
Links, JM, P73, P92, P108
Lipscomb, K, P61
Lipszyc, H, P101
Lister-James, J, 25, 495, 945, P16, 1350
Liteplo, MP, P15, P120, P129
Little, JB, 1158
Little, WC, 14
Liu, P, P13, P28
Liu, RS, P92
Livni, E, P6, P24, P125
Llaurado, JG, P113
Lloyd, D, 800
Lloyd, LK, P76
Lloyd, RV, 1287, P120
Lloyd-Still, JD, P118
Loberg, MD, 1146
Lockyer, T, 1204
Logan, J, P63
Logan, KW, P105
Logic, JR, 299
Logus, JW, 1268
Lolies, P, 56
Lopez-Berestein, G, P99
Lorusso, P, P25
Lotter, MG, P64, P65
Lovett, RD, 25
Low, J, P126
Lowe, L, P99
Lu, C-C, 360
Lucignani, G, P8
Lui, D, P24
Luikens, B, P98
Lukes, SJ, P109
Lund, JO, P60
Lunghi, F, P35
Lynn, MD, 436
Lyons, BJ, P121
Lyons, J, P69, P79
Lyons, KP, P27, P69, P79, 1204
Lyster, DM, P122

Maayan, ML, P19
MacAffee, J, P92
MacDonald, N, P33
MacEwen, GD, P115
Macey, DJ, P105
Mach, JP, P17, P112
Machac, J, P81, 1294
Machido, K, P7
Machulla, HJ, P80, 1335, P110, P124
MacIntyre, WJ, P6, P61, P67, P81, P82
Macy, NJ, P115
Maddahi, J, P21, P60, P70, P83, P84, P85, P86
Madsen, M, P99, P106
Maeda, H, P5
Magarian, RA, P121
Magimel-Pelonnier, V, P44, 1167
Magloire, R, P110
Magyar, L, P12
Maharaj, D, P77
Mahmod, S, 538
Mahoney, DK, P90
Maki, M, P95
Makimoto, K, 323
Makler, PT, Jr, 72, P13, P81
Malhi, BS, 1050
Mali, WPTh, P43
Malik, AB, P116
Malko, JA, P30
Mallette, S, 1287
Malmin, RE, P70, P102
Malmud, LS, 905, P11, P96, P119
Man, SF, 1268
Mancini, J, P28
Mandelkern, MA, P103
Mandell, GA, P115
Mangner, TJ, 197, 436, P31, P72, P123
Mano, H, P7
Manoli, A, P48
Mar, BM, P122
Marani, SK, P80
Marano, AR, P27, P59, P97
Marciano, D, P40
Marcus, CS, 406, P65
Margolin, RA, P57
Marlette, JM, P28
Marsh, C, P77
Marsh, R, P14
Marshall, J, P101, P120
Marshall, R, P12
Marten, DF, P121
Martin, B, P16
Martin, C, 49
Martin, EW, Jr, P113
Martin, NL, P82
Martin, RH, P42
Martin, W, P37, P83
Martin, WRW, 177
Martin-Simmerman, P, 656
Marx, M, P60
Marymont, JH, Jr, P41
Maseri, A, P68
Mashimo, M, 540
Mason, BF, P12
Mason, GR, P67
Massie, JD, 209
Massin, EK, P13

Masters-Thomas, A, P35
Masuda, H, P112
Mathey, D, P37
Mathey, DG, P37
Mathur, B, P78
Mathur, VS, P13
Matioff, J, P4, P29
Matsuda, M, P87
Matsuda, S, P26
Matsumoto, T, 1394
Matsuo, N, P90
Matsushima, H, P86
Matsuura, K, 1394
Matsuzawa, T, P50
Mattera, H, P37
Matteson, RW, P103
Mattis, J, P112
Mattrey, RF, 38
Matzen, P, P60
Maublant, JC, P30, P39, P67, P85
Maurer, AH, 941, P11, P51
Mauro, MA, 207
Mausner, LF, P65, P120
Maxon, HR, P109, P118
Mayans, R, P90, 1013, P123
Mazess, RB, 281, 1151, P106
Mazziotta, JC, P33, P49, P63, P109
McAfee, JG, 223, 385, 503, 922, 930, P18, P26, P42, P67, P121
McCall, M, P16
McCallum, RW, P12, P27, P59, P97
McCann, P, P19
McCarthy, DM, P13, P81
McCartney, WH, P5, 207
McColgan, S, P69, P79
McCook, TA, 419
McCormick, CA, P40
McCready, VR, P17
McCullough, DC, 112
McCullough, RW, P128
McDevitt, RA, P62
McDougall, IR, 249, 402, 736, 870, 1150
McElvany, KD, 1343
McGhie, AI, P37, P83
McGregor, CGA, 870
McIntyre, B, P95
McKay, C, P36
McKenney, S, P65, P99
McKenzie, E, P15, P129
McKillop, JH, P37, P77, P83, P95, 1268
McKusick, KA, P19, P40, P74, 1183
McLaughlin, PR, P28
McMeekin, J, P83
McNally, W, P101
McNamee, P, P84
McTigue, M, P16
Meares, CF, P16
Mees, EJD, P36
Meignan, M, 149, P68, 1053, P100, P102
Meinke, J, P75
Meinken, GE, P65, P101, P110
Meister, A, P64
Meizlish, JL, P20, P21
Mena, H, 66
Mena, I, P30, P39, P67, P85
Meneguetti, JC, P81
Merkel, KD, P52
Mernyk, M, P108
Metcalfe, DD, 859
Metter, EJ, P57, P109
Metz, CE, P54
Meulewaeter, L, 338
Meyer, E, 455
Meyer, JE, 969
Meyers, LJ, 436
Michael, RH, 865
Middleton, RA, P48
Migita, T, 385
Miller, FW, P15
Miller, JH, P115
Miller, TR, 140, P45, 1362
Millet, E, P115
Mills, SL, P123
Milstein, DM, 91, P60
Minato, K, P61, P91
Minnaar, PC, P64, P65
Mintun, MA, 177, 730, P72
Miranda, EP, P18
Mirkin, D, 656
Miron, SD, 1132
Misaki, T, 7, P86
Mishkin, F, 837
Mitnick, RJ, 805
Miura, S, P46
Miyamae, T, 540
Mizejewski, G, 823
Mock, BH, 849, 881, P52
Modic, M, P6
Moerlein, SM, P31, P123
Moitoza, J, 978
Mojzisik, C, P113
Mok, YP, 1322
Moldofsky, PJ, P16
Molliver, ME, P108
Molnar, M, 326, P16, P128
Montz, R, P37, P62
Moore, JG, 364, P28, P95
Moore, PW, 499
Moore, RA, P4, P69
Moore, RM, P68
Moore, SC, 688
Moorhead, JF, P35
Morady, FJ, P80
Moran, E, 1204
Morello, P, 608
Morelock, MM, P24
Moreno, AJ, 66
Moretti, JL, P8, 495
Mori, T, 323, P71
Morii, T, 1122
Morita, R, 323, P44
Morley, JE, 538, P28
Morris, M, P92
Moser, EA, 441
Moskowitz, GM, P75, P93
Motomiya, M, 447
Motta-Hennessy, C, P120
Mountford, PJ, 1108
Moyer, BR, P69
Msaki, P, 490
Muehllehner, G, P47, P54
Mueller, RM, 668
Mueller, S, 402
Mukai, T, P91
Mulhern, CB, Jr, P16
Mullani, NA, 831, P46, P80, P88, 1190, 1380
Muller, D, P12, P101
Muller, S, P11, P106
Muller-Schauenburg, W, P58, P75
Murakami, M, P46
Murata, K, P6, P107
Murphy, KG, 289
Murphy, PH, 692, P91
Murray, DR, P10
Murray, ME, P94
Muskiet, FAJ, 984
Myers, KJ, P107
Myers, L, P31
Myers, MJ, P68
Myers, W, 1388
Myhre, BA, P65
Myschetsky, PS, P60
Nabeshima, K, P90
Nabi, HA, P113
Nagaiwa, K, P103
Nagle, CE, 664, P89
Naidu, RG, P130
Nair, KM, P68
Naito, A, P9
Najafi, A, P56
Nakagawa, T, P5
Nakajima, K, 7, P9, 917, P86, P97
Nakajo, M, 2, 197
Nakamura, M, P4
Nakamura, T, P91
Nakane, Y, P130
Nakano, S, 1122
Nakashima, T, P9, P56, P112, P113
Nalivaika, LA, P44
Nanbu, I, P86
Napoli, C, P61
Nara, S, P95
Narabayashi, I, P90
Natarajan, AT, 407, 830
Natarajan, TK, P5
Neacy, W, P24, P112
Nedelman, MA, P68
Nehlig, A, P8
Nelp, WB, 1080, 1105
Nelson, N, P23, P94
Nelson, RJ, P85
Nelson, TR, P14
Nepola, JV, P51
Nesto, RW, P61, P87
Neto, JE, P81
Netto, MP, P81
Neuhaus, P, 402, P11
Neumann, R, 230
Neville, AM, P17
Newell, KD, P128
Newton, M, P26
Ng, CK, P38, P79, P125
Nichols, K, P45
Nicholson, RL, P7, P34
Nickles, RJ, P10, P104, P110
Nicolaidou, P, 792
Nicolotti, RA, 1343
Niederhuber, JE, 972
Nielsen, AM, P60
Nienaber, C, P37
Niethammer, D, P75
Nieweg, OE, 478
Nigam, S, P120
Nir, I, 461
Nishikawa, J, P7
Nishikawa, K, P114
Nishimura, K, P50, P107
Nishioka, T, P95
Nishiyama, H, 1273
Nishizawa, K, P74
Nohara, R, P45, P61
Nolan, NG, P18
Nolder, C, 343
Noska, M, P17
Notohamiprodjo, G, P110
Nowak, DJ, P30, P54
Nusynowitz, ML, 14, P10
Nygaard, TW, P53

Obara, T, P95
Obata, Y, P86
Ober, BA, P57
Oberdorfer, F, P50
Oberhaensli, RD, 668
Oberle, P, P129
Obunai, R, P87
O'Connell, JW, P36
O'Connell, L, P96
O'Connell, W, P19, P80
O'Connor, MJ, P100
Odeh, N, P119
O'Donnell, JK, P6, P61, P67, P81
O'Duffy, A, P20
Oeff, K, P72
Oei, HV, P36, P43
O'Grady, LF, P74
Ohayon, J, P44, 1167
Ohmomo, Y, P56, P113, P123
Ohta, H, P9, 323, P25, P56, P112, P113
Ohtomo, H, P125
Okada, K, P56, P113
Okada, M, P86
Okada, RD, 706, P13
Okano, Y, 1122
Okerlund, MD, P19, P42, P43
Okunieff, P, P74
Oldendorf, WH, 253
Oliveira, L, 149, P68
Olley, P, P58
Olsen, JO, P113
Olson, M, 1056
O'Mara, RE, 930
O'Morain, C, P60
O'Neil, WW, P13, P29
Ooie, Y, P91
Oppenheim, BE, 635, 928, P14
Orihara, H, P125
Ortega, CJ, P108
Ortendahl, DA, P71
Orzel, JA, 1105
Osbakken, M, P7, P111
Oshima, M, P84
Oster, ZH, P65, 1304, 1310, P110
Ostertag, H, 989, P50
Ostrew, HO, P30
Oszustowicz, RJ, P101
Otsuka, FL, 1343
Ott, RJ, P17, P120
Otto, CA, 75, P120
Ouzounian, TJ, P52
Owen, BA, P31, P122
Oyamada, H, P103, P114

Paans, AMJ, 1175
Pabst, R, P27
Packer, S, 800
Padgett, HC, 542, P40
Page, C, 734
Page, R, P7
Paik, CH, P128
Pak, K, P130
Pakkenberg, H, P57
Palestro, CJ, 1209
Palladino, E, 223, P121
Palmer, DC, P130
Palmer, DW, 949, 1059, 1160
Palmer, EL, 969, P19
Pan, Z-Y, P97
Paoni, RA, P89
Parentesis, PJ, P30
Park, CH, P65, P99, P106
Park, H-M, 849, P24, P52
Parker, JA, P66
Parker, LN, 1204
Parker, RG, P9
Parodi, O, P37, P38
Partain, CL, 70, 874, P35
Pate, BD, P64
Pateisky, N, 486
Patel, J, P99, P106
Patel, KR, P121
Patlak, CS, P8, P51
Patterson, R, 1254
Patton, DD, 1056, P107
Patton, JA, 874, P35
Patz, MA, P129
Pavel, DG, 430, P45
Pavia, D, 170
Paxman, RG, 700, P55
Pearlberg, J, 1058
Pearson, DW, P10, P95
Pehrson, J, 468
Pelc, L, 156
Pendleton, DB, P15, P24
Pennell, R, P51
Penney, BC, P14, 1234
Peppler, WW, 281
Pera, A, P27
Perkins, AC, P83
Perman, W, P106
Perry, JR, P5
Persyk, DE, P106
Perusek, A, P6
Peset, R, 1175
Peters, AM, 86
Peterson, E, P94
Petry, N, P72
Pfeiffer, G, P94
Pflugfelder, PW, P34
Phan, LNB, P128
Phelps, ME, P9, P12, P23, P33, P38, P49, P57, P72, P79, P90, P109
Philipp, K, 486
Philippe, EA, P46
Philp, MS, P65
Pichler, M, 1050
Pichlmayr, R, P11
Pickens, DR, P35
Piepsz, A, P58, P115
Piers, DA, 984
Pietras, R, P45
Piez, CW, P40, P61
Pileggi, F, P81
Pilo, A, 1153
Pimm, MV, P83
Pinch, P, P78
Pinkstaff, C, P6
Pinsky, S, 430, P27, P88
Piraino, D, P6
Piro, MA, 1153
Pitt, A, P53
Pjura, GA, P101
Place, DA, P127
Plankey, M, P20, P21
Plokker, HWM, 1103
Poe, ND, 519
Pohost, GM, 706
Polak, JF, 495, P34, P61, P87, P106, P107
Polcyn, RE, 1053, P110
Poliner, LR, 1003
Pollack, W, 1304
Pommet, R, P102
Poon, C, P120
Port, S, P29, P84
Porter, CD, P36
Porter, CW, 673
Ports, TA, P84
Potocki, JF, 333
Poulsen, SS, P60
Pourcelot, L, P111
Powe, J, P74
Powell, G, P39
Powell, OM, P45
Powers, TA, 70
Powers, WJ, 626
Pozzilli, C, 830
Pozzilli, P, 830
Prach, T, P120
Prato, FS, P34
Preston, DF, P82
Prevena, IC, P32
Prevost, L, P92
Price, RR, P35
Prigent, F, P60, P70
Prohovnik, I, P110
Prokop, EK, P27, P59, P97
Provisor, A, 656
Provoost, AP, P35, P130
Prusiner, SB, P109
Puillaert, CBAJ, P36
Puntillo, R, P58

Quadri, SM, P39
Quadro, RE, P74
Quartararo, L, 230
Quinlan, M, 49
Quinones, J, 823

Rabbani, R, 1287
Rabinovitch, MA, P86
Raese, JD, P57
Raff, U, 679, P14
Ragnaud, JM, 68
Rahimian, J, 31, P88, P103
Rahimtoola, S, P36
Raichle, ME, 177, 730, P49, P72
Rainsbury, RM, P17
Raiszadeh, M, P27
Ralls, PW, P11, P95
Ram, MD, P43
Ramanna, L, P18, P67
Rancurel, G, P8
Rao, SA, 156
Rapaport, F, 1304
Rapin, J, P8
Rapp, J, P10
Rasey, JS, P23, P94
Rattner, Z, 905
Raval, B, P101
Ravert, HT, P63, P64, P73, 1222, P126, P127
Ray, G, P29, P84
Raymond, M, P4, P29
Raynaud, C, P8
Reba, RC, 214, 472, 503, P93, P119, P122, P128
Reding, P, P97
Redish, G, P61
Reed, KA, P128
Reed, KR, 986
Reft, C, P39
Regingtos, R, P9
Regli, F, P108
Reiber, JHC, P62
Reichmann, K, P32
Reifferscheid, P, P58
Reilmann, H, P27
Reiman, RE, P64
Reinsel, MS, P82
Reisman, S, P86
Reivich, M, P9, P32, P49, P56, P62
Rescigno, A, 729
Reske, S-N, P32, P37, P80, 1335, P124
Resnekov, L, P52, P119
Reuter, A, 765
Reyes, CV, 677
Rezai, K, P8
Rho, T, P5
Rhodes, BA, P128
Rhodes, CG, P68
Ricard, S, P8
Riccabona, G, 727
Ricci, T, P126
Rich, S, P45
Richards, P, P120
Richman, AH, 1209
Rieci, AR, P103
Riege, WH, P57, P109
Riggs, BL, P20, 1134, 1241
Ripley, SD, 664
Risius, B, P67
Ritenour, ER, P14
Ritter-Hrncirik, C, P18, P67
Riva, A, 1019
Robb, J, 661
Robbins, MS, P15
Robbins, PS, P11
Robertson, JS, 531, 1156
Robertson, KA, P122
Robinson, GD, Jr, P49
Robinson, RG, P82
Rogers, WL, 343, P90, 1013, P123
Roh, MS, P78
Rookmaker, AEC, 1175
Ropchan, JR, 887, P126
Rose, H, P27
Rosen, G, P114
Rosen, J, P42
Rosen, JM, 796, P56
Rosen, PR, 289, 571, P116
Rosenbaum, EM, P40
Rosenbaum, RC, 859
Rosenberg, RJ, 467, P71, 1101
Rosenblatt, R, 1157, 1273
Rosenbloom, S, P50
Rosenspire, KC, P64
Rosenthal, J, P82
Rosenthal, MS, P10, P104
Rosenthall, L, P86
Roskopf, M, P121
Ross, MR, P39
Rothendler, JA, 706
Rothley, JM, P103
Rothschild, PA, P24
Rottenberg, DA, P108
Roudebush, RL, P52
Roux, G, P102
Rowe, B, P110
Rowe, RW, P87
Rowell, KL, P76
Royal, HD, P66
Rozcovek, A, P68
Rubin, JE, P19
Rubinow, A, 468
Ruckdeschel, J, P41
Rudd, TG, 877, 1080, 1105
Ruddy, TD, P68
Runge, VM, P7
Ruoff, AC, III, 849, P52
Rusckowski, M, P113
Rush, AJ, P57
Russell, AS, 1320
Russell, CD, P76
Russell, CFJ, P19
Russell, JAG, P33
Russo, D, P53
Russo, DJ, P53
Ruth, TJ, P64
Ryan, J, P94
Ryan, JM, P53
Ryan, JW, P52, P106
Ryo, UY, 430, P88
Rzeszotarski, WJ, 214, 472, P119, P122

Saccavini, J-C, 307
Sackheim, HA, P110
Sacks, GA, 874
Sadek, S, P121, P124
Saenger, EL, P62
Sahami, MS, P128
Saiki, Y, P71
Saitta, B, 540
Sajardo, L, P86
Saji, E, P6
Saji, H, P50, P123
Sakahara, H, P9, P56, P112, P113
Sakimura, I, P47, P67
Sakuma, S, P86
Salcedo, E, P81
Saleemi, K, P76
Salem, D, 632
Saliken, J, P42
Salk, RD, P65
Samin, A, P67
Sampliner, RE, P12
Samson, Y, P8
Sanders, R, 140
Sandler, C, P101
Sandler, MA, 1399
Sandler, MP, 70, 874
Sandrew, B, P6
Sands, H, P15, P24, P112
Sasaki, Y, 1122
Sato, K, 1304
Satterlee, WG, 197
Satyamurthy, N, P23, 1327, P125
Sauer, W, 1335, P124
Savala, J, P103
Saw, CB, P59, P90, P93, P103
Sawyer, N, P89
Saxe, AW, P9
Schachtel, BP, P11
Schaefer, JA, 166
Scharf, S, 619, 1127
Schauwecker, DS, 849, P52
Schechtmann, N, P36, P80, P84, P86
Scheffel, U, P65, 1094
Scheibe, PO, 779, P63, P74
Scheinmann, MH, P80
Schelbert, HR, P12, P37, P38
Schellekens, PTA, 407
Scherlag, BJ, P79
Schiepers, CWJ, P55
Schiff, RG, P75, P93
Schlesser, MA, P57
Schlom, J, P17, P55, 1197, P123
Schlusselberg, DS, P90
Schmall, B, 408, 534
Schmidt, DH, P29, P84
Schmiedek, P, 441
Schmitt, H, P80
Schneider, C, P62
Schneider, PB, 64
Schneider, RF, 223, P26, P121
Schneider, RM, 747
Schneider, V, P77
Schnell, P-O, 1023, P104
Schober, O, 402, P11, P22, P97
Schon, S, P80
Schor, S, P19
Schreiner, R, P6
Schreyer, M, P112
Schrieber, G, P100
Schucard, R, P39
Schuemichen, C, P113
Schuier, F, P110
Schulz, EE, 651
Schwaiger, M, P37, P38
Schwartz, M, P92
Schwarzberg, RJ, P5
Schwender, SW, P78
Schwinger, RB, P14, P85, P94, 1234, P112
Scott, AM, 75
Scudder, LE, P65
Seabold, JE, P114
Sebes, JI, 209
Seed, WA, 564, 1271
Seelentag, WW, P94
Seeley, GW, P107
Seevers, R, P27
Seiderer, M, 940
Seifert, C, P99
Seki, H, P97
Selby, JB, 139, 720, 946, 1397
Seldin, DW, P5
Selikson, M, 134
Selin, C, P37, P38
Sellitto, R, P19
Senda, M, P6, P44, P45, P50, P61, P71, P91, P107
Seo, IS, P25, P48
Serafini, A, P45, P59, P90, P93, P103
Seto, M, P97
Sfakianaki, E, P59
Sfakianakis, G, P45, P59, P90, P93
Sgouros, G, P40
Shafer, RB, 538, P28, P100
Shaff, MI, 874
Shah, PK, P21, P83
Shah, RV, P59
Shah, SA, P112
Shane, LB, P101
Shanes, J, P45
Shani, J, P55, P118
Shapiro, B, 2, 197, 436, P31, P72
Shapiro, HR, 1101, 1317
Shapiro, KM, 91
Shatzman, B, P8
Shaw, C, P85
Shealy, D, P112
Shearer, R, 733
Sheeler, LR, P82
Sheff, MF, P128
Sheldon, K, P19
Sheps, SG, P94
Sheridan, MB, P82
Sherman, PS, P120
Shields, AF, 759, P50
Shigematsu, A, 1394
Shigeta, T, P87
Shih, W-J, 142, 273, 411, 547, 639, 739, 840, 949, 1059, 1160, 1275, 1375, 1404
Shimazu, A, 323
Shimizu, Y, P87
Shine, KI, P38, P69, P79
Shiomi, M, 540
Shiue, C-Y, P63, P126
Shkolnik, A, P76
Shoop, J, 737
Shreeve, WW, P78
Shreiner, DP, 944
Shuler, SE, 188, P10, 1150
Shulman, K, 91
Shuman, WP, 728
Siddiqui, A, 656
Siegel, BA, P18
Siegel, JA, 905, 941, P11, P96
Siegel, ME, P11, P36, P47, P48, P67, P95, P101
Sietsema, K, P67
Signore, A, 830
Silberstein, EB, P54, 1300
Silver, FM, P114
Silverstein, EA, P91
Simon, J, P129
Simon, MA, P114
Simon, TR, P26, P30, P48, P90
Simonneau, G, 149, P68
Simoons, ML, P62
Sindelar, AM, P30
Singlenton, N, P92
Sinn, HJ, 849, 989, P50, P52
Sisson, JC, 2, 197, 436, P31, P72, P122, P123, P124
Sizemore, G, P94
Skarzynski, JJ, P99
Skinner, M, 468
Skinner, RWS, P78
Slack, N, P17
Slegers, G, 338
Slutsky, RA, 38, 581
Smit, AJ, 984
Smith, A, P75
Smith, B, P98
Smith, DS, 538
Smith, E, P75
Smith, E, Jr, 281
Smith, R, P19, P56
Smith, SL, 410
Smith, T, 1392
Smith, WE, 700, P55
Snider, P, P27
Snyder, JW, 727
Snyder, SH, P64, P73
Snyman, E, P64
Sobel, A, P100, P102
Sober, AJ, 1183
Sochor, H, P37, P38
Sodoyez, JC, P74
Sodoyez-Goffaux, F, P74
Soffer, MJ, P116
Soine, WH, P120
Sokoloff, L, P8
Solano, SJ, P116
Solis, E, P80
Solis, W, P48
Sollitto, RA, P42, P43
Som, P, P24, P31, P65, 1310, P110, P128
Sorenson, J, 271
Sorenson, JA, 408, 635, 737
Sotobata, I, P86
Soule, HR, 592, P74
Soussaline, F, P46
Soward, A, P53
Specker, B, P62
Spencer, RP, 467, 514, P71, P78, P99, 1101, 1317
Speranza, M, P126
Sperling, M, P118
Spicer, KM, P99
Spicer, MJ, 66
Spielman, S, P84
Spielmann, RP, P37, P62
Spies, SM, P91, P114
Spies, WG, P91
Spira, M, P77
Spitler, LE, P42
Spitzer, VM, 42, 679
Spohr, G, P110
Spoliansky, G, P59
Sprayregen, S, 140
Sridhar, K, P27
Srivastava, PC, P31, P39
Srivastava, SC, 796, P24, P42, P65, P101, P128
Stabin, MG, P39
Stadalnik, RC, 779, P63, P66, P74
Stamos, J, 1013
Stanfield, JA, P23
Stanson, A, 410
Stark, V, P52, P94, P106, P119
Starling, MR, 14, 941
Stauch, M, P12
Stein, MA, P22, P104
Stephens, WH, P35
Stern, HS, 385
Stewart, CA, P47, P48, P67
Stewart, S, P7
Stiner, P, P52
Stocklin, G, P31
Stokely, EM, 270, P15
Straub, R, P128
Strauss, HW, P4, 592, 706, 838, P13, P19, P20, P24, P31, P32, P40, P68, P69, P72, P74, P79, P125
Strauss, LG, 81, 142, 273, 411, 547, 639, 739, 840, 949, 1059, 1160, 1275, 1404
Stritzke, P, P37, P62
Stromqvist, B, 854
Strother, SC, P107
Stumpf, M, P108
Subramanian, G, 223, 930, P26, P121
Subramanyam, V, P15, P129
Suey, C, P9
Sufka, B, P61
Sugimoto, T, P7
Sugimura, C, P90
Sugimura, K, P90
Suissa, S, P86
Suit, HD, P74
Summerville, DA, P61, P87, P107

Sun, TT, P126
Sundoro, BM, 1111, P127
Suntherlingam, M, P99
Susskind, H, 1310
Suzuki, T, P9, P116, P129, P130
Suzuki, Y, P4, P26, P45
Swan, HJC, P21, P60, P83, P84, P86
Swan, L, P69, P79
Swanson, DP, 2, 197, 436, 714
Swanton, RH, P87
Swensen, SJ, P94
Sy, WM, P25, P48
Sychra, J, P45
Symonds, EM, P83
Syverud, JB, P47
Sziklas, JJ, 467, P71, 1101

Taczanowsky, P, P111
Tada, A, 7, 917, P86
Takagi, S, P33
Takagi, Y, P26
Takahashi, S, P46
Takakuwa, H, P66, P96
Takeda, K, P5
Taki, J, 7, P86
Taki, W, P50
Tallia, R, 608
Tamaki, N, P6, P24, P44, P45, P50, P61, P91, P107
Tamaki, S, P45
Tanada, S, P6, P50, P107
Tanahashi, Y, P86
Tanaka, S, 1122
Tanaka, T, P87
Tanasescu, DE, P67
Taplin, GV, 519
Tarazi, RC, P82
Tashkin, DP, P116
Tauxe, WN, P76
Taveras, JM, P48, P49
Taylor, A, Jr, 303, 978, P28, P35, P43
Taylor, RL, P71
Ten Berge, RJM, 407
Tepperman, PS, 423
Ter-Pogossian, MM, 136
Terui, S, P103, P114
Teshima, T, 352, 447, 1269
Tewson, T, 533
Thakur, ML, 922, P65, P99, P106
Thaler, HT, P104
Tholen, DW, 1371
Thomas, FD, 223, 810, P18, P67
Thomas, SR, 503, 1392, P109
Thompson, CJ, P107
Thompson, L, P52
Thompson, WL, 692, P91
Thomson, JA, P95
Thorngren, K-G, 854
Thrall, JH, 732, 972, P41
Thurston, MO, P1[illegible]
Tillisch, J, P12
Tin, GW, P121
Tobes, MC, P122, P123, P124
Tochio, H, P71
Todd-Pokropek, A, P5, P14
Todo, A, P66, P96
Tolman, GL, P24
Tomita, S, P66, P96
Tomoda, H, P4
Tonami, N, 7, 917, P86, P97
Torizuka, K, P6, P9, 323, P24, P25, P44, P45, P50, P56, P61, P66, P71, P91, P107, P112, P113, P123
Torti, F, P16
Toung, JT, P73
Touya, JJ, 31, P88, P103
Tow, DE, 737
Towsley, M, P106
Traisman, ES, P76
Tramonti, G, P35
Tran, A, P8
Trap-Jensen, J, P60
Treuner, J, P75
Treves, S, 571
Triglia, RP, P42
Trochei, M, P59
Troncale, FJ, P59
Troutner, DE, P15
Trow, R, 166
Tsan, M-F, 1094
Tshiamala, P, P97
Tsuda, Y, 556
Tsui, BMW, P5, P107
Tumeh, SS, 1350
Tupper, L, P67
Turek, M, P86
Turley, K, P84
Turner, FE, 21
Turner, KL, P34
Turpin, J, P99
Tweddel, AC, P37, P83
Tweedle, MF, P129
Twitchell, JA, P69
Tyson, IB, P128

Uchida, T, P26
Ueda, H, P87
Ueda, S, P66, P96
Uehling, DT, 1053
Uemura, K, P46
Underwood, DA, P61
Underwood, SR, P87
Uri, G, 661, P52
Uyama, O, 556

Vaalburg, W, 1175
Valentino, F, P6
Valk, PE, 732, 965
Vallabhajosula, S, P101
Vallabhajosyula, B, 91
Vanags, K, P92
Van Aken, M, P35, P130
Vandecasteele, C, 338
van der Linden, W, 292, 944
van der Mark, ThW, 1175
van der Meer, SC, 211
Vandewalle, T, 338
Van Duzee, BF, 166
van Essen, LH, 984
van Heerden, JA, P94
van Kaick, G, 81
VanMoffaert, GJC, P73
Vannier, MW, 139, 637, 1142
Van Nostrand, D, 575
Vanregemorter, J, P91
van Rooij, WJ, 211
van Royen, EA, 211, 407
van Tellingen, C, 1103
Van Train, K, P60, P70, P85
van Zandwijk, N, 211
Vasavada, P5, P114, P118
Vasquez, TE, P27
Velchik, MG, 72, P74
Vera, DR, 779, P63, P66, P74
Verdickt, X, P97
Vernon, P, 564, 1271
Verrey, B, P46
Verzijbergen, F, 1103
Vetter, J, P106
Viel, C, P111
Vincent, JS, P122
Vincent, LM, 207
Vinitski, S, P34
Virupannavar, S, P45
Virzi, F, P113
Vogel, R, P13, P28, P29
Volkert, WA, P15, P129
Volpert, EM, P19
von Fliedner, V, P17
von Schulthess, GK, P94
Votaw, JR, P104
Vrindts-Gevaert, Y, 765
Vuillemin, L, 68
Vuletich, T, P46
Vyska, K, P110

Wackers, FJ, P53, P84
Wagner, HN, Jr, P5, 385, P18, P36, P50, P57, P63, P64, P65, P73, P88, P92, 1094, 1222, P108, P126, P127, P129
Wagner, W, P117
Wahl, J, P53, P84
Wahl, RL, P41, P83, P99, P115
Wahner, HW, 383, P20, P98, 1134, 1241
Wahr, DW, P84
Wake, RH, 632
Wald, A, 957
Waldman, DL, P18
Walker, G, P36
Walker, R, P6
Walker, S, 972
Wallace, EZ, P19
Wallace, RT, P126
Wallace, S, P41
Walport, MJ, 86
Walsh, RA, 14
Waltzer, W, 1304
Walzer, P, P101
Wandall, JH, P60
Wang, TST, 796, P42, P56
Wani, H, P89
Wapenski, JA, P9
Warbick-Cerone, A, P28
Ward, RE, P66
Warner, FJ, P18
Warwick, A, 49
Waseda, N, P71
Washburn, LC, P126
Washer, G, 42
Wasmus, B, P37
Wasmus, G, P37
Wastie, ML, P83
Watanabe, CR, P38, P69
Watanabe, N, P97
Watkins, J, P19
Watson, DD, 408, P53, P82
Watson, EE, P39
Watson, NE, 166
Waud, JM, 405
Waxman, AD, 755, P18, P60, P67, P70, P84, P86
Wayner, RF, P57, P111
Wayner, RT, P88
Webber, MM, P52, P116
Weber, DA, 542, P18
Webster, B, P32
Weckstein, DJ, 214
Wehr, L, P96
Weidner, W, P7
Weil, R, III, 42
Weiner, RE, P82, P121
Weinstein, M, P6
Weir, GJ, Jr, P118
Weisel, RD, P28
Weiss, GH, P8
Weiss, SC, P25, P76, P118
Weiss, T, P21, P83, P84, P85
Weissmann, HS, 140
Welch, MJ, P23, 1212, 1343
Wellens, HJJ, P21
Weller, H, P60
Wellman, HN, 661, 849, 881, P52, 1398
Wells, CP, 1108
Wells, S, P13
Wells, SA, 419
Werre, G, P65
Wessel, H, P118
Wessels, BW, P39
Wester, DW, P15
Westwood, JH, P17
Wetzel, R, P89
Wexler, R, P34
Wharam, M, P50
Wheeler, RH, P115
White, DH, P15
White, J, P26
White, TJ, III, 209
Whychank, S, 1269
Wiarda, KS, 633
Wick, MM, 315
Wicks, R, 326, P16
Wieland, DM, 197, 436, P31, P72, P120, P123, P124
Wiesen, EJ, 1132
Wijns, W, P62
Wilbur, DS, P124
Wilkinson, V, P35
Willerson, JT, P61
Williams, C, P109
Williams, D, P32
Williams, LE, 1395, P121
Williams, W, 160
Williamson, MR, 42
Wilson, AA, P63, P64, P73, P126
Wilson, CG, P59
Wilson, DA, P129
Wilson, PD, P92
Wilson, R, P95
Winkler, C, P32, P37, P80, 1335, P124
Winter, J, P104
Winzelberg, GG, 539
Wirquin, E, P100, P102
Wise, R, P5
Wisenberg, G, P34
Witanowski, LS, P18, P67
Witherspoon, LR, 188, 817, P10, 1150
Wittmer, B, P79
Wittmer, S, P38
Woda, B, P26
Woldring, MG, 1175
Wolf, AP, 800, P32, P33, P63, P126
Wolf, W, P55, P118
Wolfe, CL, P61
Wollmer, P, P68, P117
Wone, C, 68
Wong, DF, P50, P57, P73, P88, P92, 1222, P108, P127
Wong, WH, P46
Woo, DV, P127
Wood, D, P101
Woodle, ES, P63, P66
Woolverton, W, P73
Wooten, WW, P51, 1275, 1404
Wright, DC, P51
Wright, KC, P41
Wu, C-C, 360
Wu, J-l, 315, P122
Wu, LC, P92
Wu, RK, 905
Wu, S-Y, 1204
WuConnolly, L, P83
Wueron, F, P29
Wynchank, S, 1167

Yacoue, L, P84
Yamada, K, P50
Yamaguchi, H, P71
Yamaguchi, N, P5
Yamamoto, K, P6, 323, P24, P31, P44, P65, P110, P128
Yamamoto, S, P86
Yamamoto, YL, 455
Yamasaki, T, P95
Yamauchi, D, P36
Yamauchi, K, P26
Yamazaki, T, P130
Yano, Y, P57, P69, P119
Yasillo, NJ, P108
Yasuda, T, P20, P68, P69
Yeates, K, P59
Yee, CA, P97
Yeh, SDJ, P114
Yeh, SH, P92
Yellin, AE, P48
Yen, C-K, 830
Yerian, KA, P46, P88
Yester, MV, P76
Yoger, R, P76
Yokoyama, A, 323, P25, P56, P112, P113, P123
Yokoyama, K, P97
Yoneda, S, 556
Yonekawa, Y, P50
Yonekura, Y, P6, P24, P31, P44, P45, P50, P61, P91, P107
Yoo, JHK, P116
Yoshida, M, 1394
Yoshida, O, P56, P113
Yoshimoto, N, P7
Yoshioka, S, P50
Yoshizumi, M, P25
Yu, AC, 1204
Yu, CC, P16, P128
Yui, T, P26

Zalutsky, MR, P17, P55
Zamora, PO, P128
Zanelli, CI, P40
Zanzonico, P, 408, 534
Zapf-Longo, C, 223, P121
Zaret, BL, P20, P21
Zemyan, SE, 1222, P126, P127
Zender, M, P103
Zeyman, SE, P64
Zielinski, FW, P113
Zielonka, JS, 156, P25
Ziessman, HA, 732, 972, P41, P115
Zimmer, AM, P114
Zimmerman, R, 1404
Zimmerman, RA, P9, P56
Zimmerman, RE, 411, 688
Zinsmeister, AR, P82
Zollman, PE, P80
Zubal, IG, P87, P102
Zucchelli, GC, 1153
Zuckier, LS, 1032
zum Winkel, K, 773

1984 SUBJECT INDEX

P preceding a page number indicates an abstract of the Annual Meeting, appearing in the May issue.

Abscess
- Community hospital experience with correlative imaging in patients with suspected postoperative intra-abdominal abscesses, P92
- Complementary role of CT and In-111 leukocyte scans in diagnosis of infected hematoma and thrombosis, P101
- Decreased sensitivity of early imaging with In-111 oxine leukocytes in detection of occult infection, 303
- Different actions of deferoxamine and iron on Ga-67 abscess detection in rats, 668
- Isolation, In-111 labeling, and abscess detection efficiency of rabbit polymorphonuclear leukocytes from blood and peritoneal fluid, P100
- Leukocyte labeling in plasma made simple and efficient: preparation and evaluation, P99
- No difference in sensitivity for occult infection between oxine and tropolone labeled In-111 leukocytes when imaged early, P43

Acquired immune deficiency syndrome
- Gallium scans of thorax in patients with acquired immune deficiency syndrome: description and utilization, P101

Adrenal glands
- Adrenal imaging with Tc-99m-labelled low density lipoproteins, P72
- MIBG in evaluation of suspected pheochromocytoma: Mayo clinic experience, P94
- Synthesis and biodistribution of radioiodinated nicotine analogs, P121

Adult respiratory distress syndrome
- Evaluation of In-111 neutrophils in model of adult respiratory distress syndrome, P116

Aerosols
- Clinical assessment of commercial aerosol delivery system for ventilation scanning by comparison with Kr-81m, P117
- Model for assessing bronchial mucus transport, 170
- Pharmacokinetic approach to evaluation of aerosol solutes for lung permeability studies, P18
- Rapid method for assessing ventilation post-perfusion: the use of Tc-99m DTPA aerosol and computer subtraction, P67

Aminodextran
- Synthesis, DTPA coupling and radio labeling of cationic aminodextran, P121

Amiodarone
- Re: thyroid iodine content measured by x-ray fluorescence in amiodarone-induced thyrotoxicosis (reply), 537 (le)
- Re: thyroid iodine content measured by x-ray fluorescence in amiodarone-induced thyrotoxicosis, 537 (le)
- Re: thyroid iodine content measured by x-ray fluorescence in amiodarone-induced thyrotoxicosis (reply), 537 (ie)

Anemia
- Enzyme-linked immunoabsorbent assay for estimating red cell survival of transfused red cells-validation using Cr-51 labeling, P98
- Possible role of anemia in bone marrow uptake of radiocolloid, P99

Aneurysms
- Accuracy of ejection fraction by nuclear stethoscope in left ventricular aneurysm, P81
- Early aneurysm formation following anterior myocardial infarction: better predictor of mortality than left ventricular ejection fraction, P21
- Evaluation of abdominal aortic aneurysms with NMR imaging, P7

Angiography, radionuclide
- Atrial pacing as an alternative to supine excercise (SE) in radionuclide ventriculograhy (RNV), P13
- Gamma camera for medical applications, using multiwire proportional counter, 1003
- Improved sensitivity in diagnosing superior vena caval flow compromise through radionuclide "phase" imaging, P48
- Pulsatile versus steady infusions for hepatic artery chemotherapy, P41
- Radionuclide angiography and blood pool imaging to assess skin ulcer healing prognosis in patients with peripheral vascular disease, P47
- Radionuclide fistulogram in hemodialysis patients, P48
- Relationship of CFR to stress Tl-201 myocardial perfusion (T1) and RNV, P28
- Role of scintiangiography in suspected acute cholecystitis: "hyperemic gallbladder fossa", P95
- Scintigraphic appearance of axillofemoral and femorofemoral bypass grafts, 1101
- "Tourniquet effect", 697

Angioplasty
- Comparison of angiographic and scintigraphic evaluation of success of percutaneous transluminal coronary angioplasty, P29
- Effect of percutaneous transluminal coronary angioplasty on coronary reserve, P29

Antibodies
- Coupling antibody with DTPA . . . alternative to cyclic anhydride, P56
- Factors influencing the uptake of a new monoclonal antibody (LICR-LON-M8) in skeletal metastases from breast carcinoma, P17
- High-level iodination of monoclonal anibody fragments for radiotherapy, 367
- Microdosimetric TLD measurements for tumor associated antibody therapy, P39
- Monoclonal radioimmunoimaging of human melanoma in nude mice, P42
- New approach to bifunctional chelate attachment to antibodies, P56

Arthrography
- Scintigraphic and x-ray arthrographic diagnosis of femoral prosthesis loosening, 661

Aryltrimethylsilanes
- Syntheses of [^{18}F]aryl fluorides by fluorination of aryltrimethylsilanes or arylpentafluorosilicates with [^{18}F]F_2 or [^{18}F]CH_3CO_2F, P126

Atherosclerosis
- Detection of atherosclerotic plaques with In-111 labeled platelets, P82

Attenuation correction
- Attenuation coefficients for Tc-99m photons in water-filled phantoms, determined with gamma camera: variation with energy window, P22
- Estimates of left-ventricular volumes by equilibrium radionuclide ventriculography (ERNV): importance of attenuation and proper background correction, 940 (le)
- Evaluation of various attenuation correction methods for brain imaging in PET, P108
- Object independent attenuation correction in SPECT: eliminating effects of scatter and collimator PSF, P14
- PET attenuation correction using reprojection of measured transmission data, P47
- Re: estimates of left-ventricular volumes by equilibrium radionuclide angiography: importance of attenuation correction, 941 (le)
- Variations in attenuation coefficients for Tc-99m photons with source depth and region-of-interest size, P23

Autoradiography
- Activation autoradiography; new method for determination of endogenous O-18, P125
- Comparative dual tracer studies of β-methyl-(1-C-14)hepta decanoic acid and 15-p-(I-131)-iodophenyl-β-methyl pentadecanoic acid in hypertensive rats, P31

Benign cortical irregularity of the distal femur (BCIDF)
- Bone scintigraphy: differentiating benign cortical irregularity of distal femur from malignancy, 72

Biliary atresia
- Diagnosis of obstructive jaundice in infants: Tc-99m DISIDA in duodenal juice, 360

Biodistribution
- (3-*N*-[^{11}C]methyl)spiperone, ligand binding to dopamine receptors: radiochemical synthesis and biodistribution studies in mice, 1222
- Some factors affecting the uptake of iodoamphetamine, P110

Bladder
- Estimates of dose to bladder during direct radionuclide cystography, 792
- Radiation absorbed dose to the bladder from 2-FDG and other radiopharmaceuticals, P92

Blood-flow
- Accuracy of PET rCBF measurements: effect of transit time delay, P108
- Assessment of tumor blood flow using C-11 butanol, P50
- Comparison of two cerebral perfusion tracers, *N*-isopropyl I-123 *p*-iodoamphetamine and I-123 HIPDM, in human, 25
- Convenient preparation of ^{11}C-methyltriphenylphosphonium iodide for PET imaging of regional myocardial blood flow, P127
- Cryptate complexes of generator produced isotopes for measurement of blood flow, P119
- Diagnostic yield of blood flow and blood pool studies of liver, P66
- Dynamic SPECT with Xe-133: regional cerebral blood flow in patients with unilateral cerebrovascular disease, 441
- Error analysis of integrated projection technique and weighted integration method for measurement of local cerebral blood flow with positron emission tomography, P88

Hepatic-arterial/portal-venous scintiangiogram in alcoholic hepatitis, P67
In vivo determination of bone blood flow, P10
Kinetic and metabolic considerations in use of (I-125) HIPDM as tracer for quantitative measurement of regional cerebral blood flow, P8
Measurement of oxygen metabolism, 123-I-IMP distribution and rCBF-Xe in patients with ischemic vascular disease, P8
Measurement of sequential changes in cerebral blood flow and oxygen metabolism by positron computed tomography with continuous inhalation of O-15 gases, P50
Multiple indicator, residue detection method for measurement of amino acid transport in skeletal muscle in vivo, P78
Myocardial kinetics of hexakis(trimethylphosphite) Tc-99m (I) chloride (Tc-TMP) in rats, rabbits, dogs, cats and pigs, P15
N-[^{11}C]-methyl-p-substituted phentermine analogs as potential brain blood flow agents for positron tomography, P125
N-13 L-glutamate uptake in malignancy: relationship to blood flow, 989
Non-equilibrium technique for measurement of regional cerebral blood flow by positron tomography, P62
Nuclear magnetic resonance blood flow imaging, P35
Peak-counts blood flow model-errors and limitations, P80
Quantitative assessment of absolute CBF values measured by positron computed tomography(PCT) and O-15 water, P49
Quantitative autoradiographic measurement of regional myocardial substrate uptake in hypertensive rats, P24
Quantitative comparison of myocardial blood flow in normal and infarcted hearts by high resolution scintigraphy, P79
Radioiodinated fenetylline (captagon)—new potential brain imaging agent?, P32
Re: brain blood-flow measurement with bolus intravenous $H_2{}^{15}O$, 729 (le)
Re: brain blood-flow measurement with bolus intravenous $H_2{}^{15}O$ (reply), 730 (le)
Re: derivation of gamma-variate relationship for tracer dilution curves, 539 (le)
Re: derivation of gamma-variate relationship for tracer dilution curves (reply), 539 (le)
Re: first-pass measurements of regional blood flow (reply), 831
Re: first-pass measurements of regional blood flow with external detectors, 830 (le)
Regional cerebral blood flow (RCBE) measurements by SPECT analysis of Xe-133 transit: validation of technique and clinical correlation, P8
Regional heterogeneity of myocardial blood flow detected and quantified by Xe-133 washout analysis in patients with CAD, P29
Repeatability of estimates of left-ventricular volume from blood-pool counts, 1050 (le)
Repeatability of estimates of left-ventricular volume from blood-pool counts (reply), 1050 (le)
Re: preparation of sterile Xe-133 in saline for tissue perfusion studies, 1050 (le)
Re: preparation of sterile Xe-133 in saline for tissue perfusion studies (reply), 1051 (le)
Reproducibility study of non-invasive positron CT (PCT) technique using O-15 water for screening relative cerebral blood flow responses due to neurobehavior interventions, P33
Re: quantitative hepatic arterial perfusion scintigraphy and starch microspheres in cancer therapy, 732 (le)
Re: quantitative hepatic arterial perfusion scintigraphy and starch microspheres in cancer therapy (reply), 732 (le)
Scintigraphic follow up of autologous splenic grafts—experimental and clinical study, P27
Single-photon tomographic determination of regional cerebral blood flow in psychiatric disorders, P57
Tomographic gated blood pool studies: parameters for collection and reconstruction, P85
"Tourniquet effect", 697
Use of vasoconstrictors to improve tumor to nontumor blood flow ratio in intraarterial chemotherapy of head and neck cancer, P115
Utilization of sympathectomy: peripheral perfusion scan as objective prognostic indicator, P48
What is correct value for brain:blood partition coefficient for water?, P49

Blood-pool imaging
See also Gated heart studies
Assessment of soft tissue hemangiomas in children utilizing Tc-99m red blood cells, P115
Atrial pacing as an alternative to supine excercise (SE) in radionuclide ventriculograhy (RNV), P13
Combined first pass and gated blood pool radionuclide studies in hemodynamic-cardiac evaluation of patients with low cardiac output, P82
Diagnostic yield of blood flow and blood pool studies of liver, P66
Etiology of cardiogenic shock early after open-heart surgery: assessment by Tc-99m RBC wall motion scintigraphy, P4
Measurement of regional pulmonary blood volume in patients with increased pulmonary blood flow or pulmonary arterial hypertension, P68
New method for Fourier analysis in ECG-gated cardiac blood pool emission computed tomography (ECT), P5
Radionuclide angiography and blood pool imaging to assess skin ulcer healing prognosis in patients with peripheral vascular disease, P47
Scintigraphic appearance of axillofemoral and femorofemoral bypass grafts, 1101
Scintigraphic differentiation of intrahepatic tumors, P11
Tc-99m RBC blood-pool imaging demonstrates umbilical vein in portosystemic shunt, 1317
Varicocelescintigrphy versus x-ray phlebography, P43

Bone
Accuracy of dual-photon absorptiometry compared to computed tomography of spine, P106
Assessment of bone mineral. Part 1, 1134
Assessment of bone mineral. Part 2, 1241
Bone and gallium scanning in the pre-op evaluation of the infected dysvascular foot, P47
Bone and liver images in medullary carcinoma of thyroid gland, 419
Bone density determinations with multiwire gamma camera and I-125 x-rays, P104
Bone scan appearances following bone and bone marrow biopsy, P77
Bone scintigraphy: differentiating benign cortical irregularity of distal femur from malignancy, 72
Bone scintigraphy in initial staging of patients with renal-cell carcinoma, 289
Characteristics of Tc-99m-complexes of large tetraphosphonates, P129
Clinical application of DPA at LS in diagnosis of osteoporosis, P20
Detection of avascular necrosis in adults by single photon emission computed tomography, P25
Does bone measurement on radius indicate skeletal status?, 281
Effect of clomiphene on disuse bone loss, P77
Effect of iatrogenic trauma on bone scintigram: animal study, 978
Evaluation of extremity pain in children using Tc-99m MDP bone scan—a general hospital experience, P24
Evaluation of serial bone imaging in carcinoma of breast: prognostic indicators, P78
External and biopsy determination of preoperative Tc-99m MDP femoral-head labeling in fracture of femoral neck, 854
Growth plate closure: apex view of bone scan, P59
In vivo determination of bone blood flow, P10
Iodine-131 diphosphonates for the palliative treatment of bone metastases: I. Organ distribution and kinetics of I-131 of BDP3 in rats, 1356
MDP skull uptake test: new diagnostic tool, P24
Patterns of skeletal scintigraphy and their relationship to plasma and urinary histamine levels in systemic mastocytosis, 859
Prospective evaluation of femoral head viability following femoral neck fracture, P51
Quantitation of bone mineral by DPA: evaluation of instrument performance, P20
Quantitative assessment of growth plate activity, P115
Re: does bone measurement on radius indicate skeletal status?, 1151 (le)
Re: does bone measurement on radius indicate skeletal status? (reply), 1151 (le)
Relative lesion detection ability of Tc-99m HMDP and Tc-99m MDP, 166
Scintigraphy of infected total hip arthroplasty: canine model, P52
Separation, isolation and partial characterization of Tc(Sn) MDP complexes, P128
Skeletal scintigraphic changes in osteoporosis treated with sodium fluoride, 651
Stress fractures and bone pain, P77
Stress injuries of PARS interarticularis: radiologic classification and indications for radionuclide imaging, P51
Subclinical clubbing of fingers and toes on bone scintigraphy, P25
Three-phase bone studies in hemiplegia with Reflex Sympathetic Dystrophy and effect of disuse, 423
Tl-201 chloride scintigraphy for bone tumors and soft part sarcomas, P114
Twenty-four/four hour ratio of Tc-99m MDP uptake in patients with bone metastases and degenerative changes, P77
Use of dynamic bone scanning in evaluation of wrist and hand pain, P77

Bone marrow
Bone scan appearances following bone and bone marrow biopsy, P77
Possible role of anemia in bone marrow uptake of radiocolloid, P99

Bone mineral
Bone mineral measurements: new clinical tool, 383

Book review
A Clinical Manual of Nuclear Medicine, 946
Animal Models in Radiotracer Design, 1397
Atlas of 2-Dimensional Echocardiography, 947
Atlas of Sectional Anatomy: Head, Neck and Trunk, 1274
Atlas of Topographical Anatomy of the Brain and Surrounding Structures for Neurosurgeons, Neuroradiologists, and Neuropathologists, 271
Basic Physics of Radiotracers, Volumes I and II (CRC Series in Radiotracers in Biology and Medicine), 140
Biological Transport of Radiotracers, 543
Biologic Applications of Radiotracers, 542
Body CT—A Handbook, 1157
Bone Metastasis: Monitoring and Treatment, 1056
Clinical Sonography—A Practical Guide, 1399
Clinical Ultrasound Reviews, Volume 3, 947
Compartmental Models and their Application, 1156
Computed Emission Tomography, 635
Computed Tomography in Radiation Therapy, 736
Computed Tomography of the Thorax, 1058
Computer Tomography of Neck, Chest, Spine, and Limbs (Atlas of Pathological Computer Tomography Volume 3), 838
CRC Handbook of Chemistry and Physics, 64th Edition, 635

Digital Imaging: Clinical Advances in Nuclear Medicine, 408
Emission Computed Tomography: Current Trends, 139
Essentials of Nuclear Medicine, 1156
Exercises in Diagnostic Ultrasonography of the Abdomen, 1157
Exposure from the Uranium Series with Emphasis on Radon and its Daughters, Report No. 77. National Council on Radiation Protection and Measurements, 1273
Freeman and Johnson's Clinical Radionuclide Imaging, Vol. I and II, 1397
Functional Radionuclide Imaging of the Brain (Serono Symposia Publications from Raven Press—Volume 5), 837
Gamuts in Nuclear Medicine, 837
General Processes of Radiotracer Localization, Volume I, 544
General-Processes of Radiotracer Localization, Volume II, 545
Invasive Radiology: Risks and Patient Care, 140
Lasers and Optical Radiation (Environmental Health Criteria 23), 637
Mammography, Thermography, and Ultrasound in Breast Cancer Detection, 737
Manual of Nuclear Medicine Procedures (4th Edition), 946
Medical Imaging of the Liver and Spleen, 1056
NMR Imaging, Proceedings of an International Symposium Resonance Imaging, 410
Non-invasive Bone Measurements: Methodological Problems, 542
Noninvasive Diagnostic Methods in Cardiology, 838
Noninvasive Methods in Atherosclerosis Research (Atherosclerosis Reviews, Vol. 10), 947
Nuclear Magnetic Resonance and Correlative Imaging Modalities, 1272
Nuclear Magnetic Resonance Imaging: Basic Principles, 1156
Nuclear Medicine Annual 1983, 736
Nuclear Medicine—Factors Influencing the Choice and Use of Radionuclides in Diagnosis and Therapy, 1398
Nuclear Medicine In Vitro, Second Edition, 637
Nuclear Medicine: Quantitative Procedures, 139
Nuclear Power: Health Implications of Transuranium Elements, 545
Nuclear Power in American Thought, Decision Bookshelf, Volume 8, 408
Operational Radiation Safety-Training (NCRP Report No. 71), 737
Pediatric Nuclear Medicine (Series—Current Practice in Nuclear Medicine), 270
Pharmacoangiography in the Diagnosis of Tumours, 410
Preparedness and Response in Radiation Accidents, 838
Progress in Radio-Oncology II, 637
Progress in Radiopharmacology 3 (Series: Developments in Nuclear Medicine 2), 270
Radiation-Induced Chromosome Damage in Man, 1158
Radiation Protection of the Patient in Nuclear Medicine, 1273
Radiation: Waves and Particles/Benefits and Risks, 271
Radionuclides Production (Volume I and Volume II: CRC Series in Radiotracers in Biology and Medicine), 1057
Radiotracers for Medical Applications (CRC Series in Radiotracers in Biology and Medicine), 1057
Recent Advances in Brachytherapy Physics, 409
Recent Advances in Nuclear Medicine (Volume 6), 946
Receptor-Binding Radiotracers, Volumes I and II, 139
Reevaluation of Dosimetric Factors: Hiroshima and Nagasaki, 271
Safety and Efficacy of Radiopharmaceuticals, 1272
Technical Advances in Biomedical Physics, 1399
The Clinician's Guide to Diagnostic Imaging, 1056
The Coronary Circulation in Health and Disease, 838
The Physical Principles of Computed Tomography, 270
The Physics of Radiology, 635
The Synthesis of Carbon-11, Fluorine-18, and Nitrogen-13 Labeled Radiotracers for Biomedical Applications, 409
The 1984 Yearbook of Nuclear Medicine, 1397
Ultrasound Annual 1983, 1273
Ultrasound in Obstetrics & Gynecology, 140
Vascular Radionuclide Imaging: A Clinical Atlas, 737
X-Ray Fluorescence (XRF and PIXE) in Medicine, 738

Brain

Accuracy of PET rCBF measurements: effect of transit time delay, P108
Active transport of C-11-methyl-D-glucose and 3-F-18-deoxyglucose in acute ischemic brain disease and Huntington's chorea, studied by PET, P110
Anatomically realistic brain phantom for quantification with positron tomography, P108
Angled-collimator SPECT (A-SPECT): improved approach to cranial single PET, 805
Anterior-posterior and lateral hemispheric alterations in cortical glucose utilization in Alzheimer's disease, P57
Application of "bootstrap" technique to understanding cerebral interregional metabolic relationships, P109
Biodistribution of I-123-iodoamphetamine in man, P108
Bitemporal hypometabolism in Creutzfeldt-Jakob disease measured by positron emission tomography with (F-18)2-fluorodeoxyglucose, P109
Blood-tissue barrier of human brain tumors: correlation of scintigraphic and ultrastructural findings, 461
Brain localization and octanol/water PC-pH profiles of radioiodinated amines: evidences against "pH shift" mechanism, P122
Brain metabolism and memory in age differentiated healthy adults, P57
Brain oxygen utilization measured with O-15 radiotracers and PET, 177
Brain pertechnetate SPECT in perinatal asphyxia, P59
Cerebral metabolic rate of glucose computed by Bayes regression of deoxyglucose PET scans, P92
Characteristics of I-125 4-IQNB and H-3 QNB in vivo and in vitro, 214
Comparison of cerebral regional glucose metabolic relationships in resting and auditory stimulated states, P109
Comparison of [^{18}F]spiroperidol, [^{18}F]benperidol and [^{18}F]haloperidol kinetics in baboon brain, P63
Comparison of I-123 IMP uptake and NMR spectroscopy in the brain following experimental carotid occlusion, P34
Comparison of parameter estimation techniques for quantitation of local cerebral blood flow by serial positron computed tomography, P54
Comparison of two cerebral perfusion tracers, *N*-isopropyl I-123 *p*-iodoamphetamine and I-123 HIPDM, in human, 25
Correlative studies of the brain with PET, NMR, and XCT, P9
Determination of regional blood-tissue transfer constants and initial (plasma) volume in brain and brain tumors using ^{68}Ga-EDTA and dynamic positron emission tomography, P51
Dynamic SPECT with Xe-133: regional cerebral blood flow in patients with unilateral cerebrovascular disease, 441
Effects of age on dopamine receptors measured by positron tomography in the living human brain, P73
Effects of ligand structure on lipophilicity and biodistribution of Tc-99m-amine oxime chelates, P15
Error analysis of integrated projection technique and weighted integration method for measurement of local cerebral blood flow with positron emission tomography, P88
Errors due to instability of input in PET continuous inhalation method for CBF and $CMRO_2$ determination, P48
Evaluation of lumped constant for deoxyglucose and fluorodeoxyglucose in man, P32
Ga-68 ethylenediamine tetraacetic acid imaging of brain tumors by positron tomography, P50
Hypercapnia and cerebral blood flow: approach to testing perfusion reserve, P110
I-123 HIPDM brain imaging with rotating gamma camera and slant-hole collimator, 495
Improved performance from modifications to multidetector SPECT brain scanner, 688
In vivo kinetics of [H-3]spiperone in rat brain, P72
Kinetic and metabolic considerations in use of (I-125) HIPDM as tracer for quantitative measurement of regional cerebral blood flow, P8
Kinetic measurements are necessary for description of brain receptors with PET, P72
Measurement in vivo of dopamine receptor density I: effect of endogenous dopamine on spiroperidol binding, P73
Measurement in vivo of dopamine receptor density II: effect of D-amphetamine on spiroperidol binding, P73
Measurement of oxygen metabolism, 123-I-IMP distribution and rCBF-Xe in patients with ischemic vascular disease, P8
Measurement of sequential changes in cerebral blood flow and oxygen metabolism by positron computed tomography with continuous inhalation of O-15 gases, P50
Missouri University multi-plane imager: high sensitivity rapid dynamic ECT brain imager, P105
N-[^{11}C]-methyl-p-substituted phentermine analogs as potential brain blood flow agents for positron tomography, P125
New Tc-99m brain imaging agents, P16
Non-equilibrium technique for measurement of regional cerebral blood flow by positron tomography, P62
Performance evaluation of SPRINT, single photon ring tomograph for brain imaging, 1013
PET measurement of glucose membrane transport using labeled analogs: distinction of transport from metabolic processes, P32
PET measurements of cerebral metabolism corrected for CSF contributions, P56
PET with F-18 fluorodeoxyglucose measures of local brain activity and memory in schizophrenia and in depression, P57
Positron computed tomography studies of cerebral metabolic responses to complex motor tasks, P33
Quantitative assessment of absolute CBF values measured by positron computed tomography(PCT) and O-15 water, P49
Quantitative evaluation of cerebrospinal fluid shunt flow, 91
Radioiodinated fenetylline (captagon)—new potential brain imaging agent?, P32
Radiosynthesis and pharmacokinetics of high specific activity ^{75,77}Br-bromperidol, potent butyrophenone neuroleptic, P31
Re: brain blood-flow measurement with bolus intravenous $H_2{}^{15}O$, 729 (le)
Re: brain blood-flow measurement with bolus intravenous $H_2{}^{15}O$ (reply), 730 (le)
Re: comparison of two cerebral perfusion tracers, N-isopropyl I-123 p-iodoamphetamine and I-123 HIPDM in human, 945 (le)
Re: comparison of two cerebral perfusion tracers, N-isopropyl I-123 p-iodoamphetamine and I-123 HIPDM in human (reply), 945 (le)

Regional cerebral blood flow (RCBE) measurements by SPECT analysis of Xe-133 transit: validation of technique and clinical correlation, P8
Re: in vivo methods for measuring regional glucose metabolic rate (GlMR), 134 (le)
Re: in vivo methods for measuring regional glucose metabolic rate (GlMR) (reply), 134 (le)
Re: in vivo methods for measuring regional glucose metabolic rate (GlMR) (reply), 136 (le)
Reproducibility study of non-invasive positron CT (PCT) technique using O-15 water for screening relative cerebral blood flow responses due to neurobehavior interventions, P33
Re: receptor binding of F-18 haloperidol and spiroperidol (reply), 534 (le)
Simultaneous estimations of BBB permeability and local CBV in human brain tumors with positron tomography and Ga-68 EDTA, P9
Single-photon tomographic determination of regional cerebral blood flow in psychiatric disorders, P57
Special cut-off gamma cameras for high-resolution SPECT of head, 1023
Specially designed cut-off gamma camera for high resolution SPECT of brain, P104
Stroke, evolution of NMR imaging characteristics, P7
Synthesis and biodistribution of neutral lipid-soluble Tc-99m complexes that cross blood-brain barrier, 326
Synthesis and biodistribution of radioiodinated nicotine analogs, P121
Synthesis and biodistribution studies of [I-131,125]-iodo- and [Se-75]seleno-ergoline derivatives, P124
Synthesis and evaluation of p-iodophentermine as a brain perfusion imaging agent, P32
Tc^{99m} pertechnetate for brain scanning, 385
Test-retest PETT experiment paradigm: subject as his own reference, P33
Three-compartment modeling of C-11 N-methyl spiperone kinetics in human brain, P88
What is correct value for brain:blood partition coefficient for water?, P49

Breast
Analogues of estradiol as potential breast tumor imaging agents, P119
Evaluation of serial bone imaging in carcinoma of breast: prognostic indicators, P78
Factors influencing the uptake of a new monoclonal antibody (LICR-LON-M8) in skeletal metastases from breast carcinoma, P17
Importance of sex-specific quantitative criteria in Tl-201 myocardial scintigraphy, P86
Visualization of human mammary tumor in nude mice with In-111 labeled monoclonal antibody, P74

Bromine-77
Regiospecific incorporation of no-carrier-added radiobromine and radioiodine into aromatic rings via halodegermylation, P123

Budd-Chiari Syndrome
Use of Ga-67 liver imaging for early diagnosis of Budd-Chiari syndrome, 320

Carbon-11
Enzymatic synthesis of (N-13) or (C-11) carbamyl phosphate and their use for labeling metabolites of urea cycle and pyrimidine nucleotide pathway, P64
Metabolic fate of carboxyl-carbon of valine, P64
Radiosynthesis of dopamine receptor-binding radiotracer for positron emission tomography: 3-N-[C-11-methyl]-methylspiperone, P126
Radiosynthesis of opiate receptor-binding radiotracer for positron emission tomography: [C-11 methyl]-methyl-4-[N-(1-oxopropyl)-N-phenylamino]-4-piperidine carboxylate (C-11 4-carbomethoxyfentanyl), P63
Structure localization relationship of different chain length 1-[C-11] betamethyl fatty acids, P125
Synthesis of 3-(C-11-methyl)-nifedipine, potent Ca^{++} channel antagonist, for PET, P64
Three-compartment modeling of C-11 N-methyl spiperone kinetics in human brain, P88

Carbon-11 amines
C-11-labeled octadecylamine, potential agent for positron tomographic pulmonary metabolism studies, P126

Carbon-11 formaldehyde
Enzymatic synthesis of C-11 formaldehyde, 338

Carbon-11 (MTP)
Convenient preparation of ^{11}C-methyltriphenylphosphonium iodide for PET imaging of regional myocardial blood flow, P127

Carbon-14
Kinetics of various I-123- and C-14-fatty acids in diabetic rat myocardium in vivo, P78
Long-term bone retention of C-14 following oral administration of C-14-xylose, P96

Carbon-14 xylose
Long-term bone retention of C-14 following oral administration of C-14-xylose, P96

Carcinoembryonic antigen (CEA)
Analysis of radioimmunodetection of tumors by subtraction technique, 96
Effect of size of radiolabeled antibody and fragments on tumor uptake and distribution in nephrectomized mice, P112
Fibrinopeptide (FPA) radioassay in evaluation of cancer, P10
Hepatic cancer—correlative imaging with radioimmunodetection, NMR, and TCT, P43
SPECT with I-123 labeled $F(AB')_2$ fragments from monoclonal anti-CEA antibodies in colon carcinoma, P17

Cardiovascular nuclear medicine
New vistas in cardiovascular nuclear medicine, 1254

Cerebral blood flow
Acute effects of electroconvulsive therapy on regional cerebral blood flow in psychiatric disorders, P110
Comparison of parameter estimation techniques for quantitation of local cerebral blood flow by serial positron computed tomography, P54
Hypercapnia and cerebral blood flow: approach to testing perfusion reserve, P110
Quantitative I-123-HIPDM SPECT, P109
Requirement for constant arterial radioactivity in the $C^{15}O_2$ steady-state blood-flow model, 455

Cerebral fluid
Radionuclide tests of cerebral fluid shunt patency, 112

Cerebral metabolism
Evaluation of lumped constant for deoxyglucose and fluorodeoxyglucose in man, P32

Cerebrospinal fluid
Quantitative evaluation of cerebrospinal fluid shunt flow, 91
Re: quantitative evaluation of cerebrospinal fluid shunt flow, 1269 (le)
Re: quantitative evaluation of cerebrospinal fluid shunt flow (reply), 1270 (le)

Cesium-130
Myocardial imaging with Cs-130, P119

Chemotherapy
Use of vasoconstrictors to improve tumor to nontumor blood flow ratio in intraarterial chemotherapy of head and neck cancer, P115

Cholecystitis
Acalculous cholecystitis: case with variable cholescintigram, 64
Role of scintiangiography in suspected acute cholecystitis: "hyperemic gallbladder fossa", P95
Sonographic Murphy's sign: another perspective, P11

Cholecystokinin
Cholecystokinin (CCK) FC in patients suspected of ABD, P10
Cholecystokinin functional cholescintigraphic findings in patients with partial cystic duct obstruction cystic duct syndrome, P96
Safety of exogenous (CCK-8) and endogenous (fatty meal) cholecystokinin (CCK) induced gallbladder (GB) dynamics in patients with cholelithiasis, P11

Chromium-51
Enzyme-linked immunoabsorbent assay for estimating red cell survival of transfused red cells-validation using Cr-51 labeling, P98

Cinescintigraphy
Lung clearance mechanisms in obstructive airways disease, 447
Mucociliary clearance mechanism in smoking and nonsmoking normal subjects, 352

Cirrhosis
Altered potassium homeostasis in cirrhosis of liver and Crohn's disease, P97

Cobalt-55 bleomycin
Radiation absorbed doses from Co-57- and Co-55 bleomycin, 478

Cobalt-57 bleomycin
Radiation absorbed doses from Co-57- and Co-55 bleomycin, 478

Cobalt-60
Altered distribution of (R)-quinuclidinyl I-125 4-iodobenzilate after whole body fission neutron or Co-60 irradiation, P93

Collimator
See also Slant-hole collimator; Slant-hole collimator, variable angle
Comparison of performances of standard low energy collimators and medium energy collimator specially designed for imaging with (p,2n) I-123, P102
Design and clinical utilities of fan beam collimator for SPECT system, P5
Effect of collimators on center of rotation in SPECT, 632 (le)
Performance characteristics of planar positron camera with slot collimators, P102
Quantitative uptake measurements of I-131 (364 keV) within the tomographic plane of specially collimated SPECT system, P103
Simulated ECT of left ventricle using rotating slant-hole collimator and two camera positions, 343
SPECT imaging (140-364 keV): influence of photon scattering and penetration on backprojected noise within tomographic plane, P90

Collimator, rotating tomographic
Missouri University multi-plane imager: high sensitivity rapid dynamic ECT brain imager, P105

Collimators
Collimator selection and I-124 contamination determination for I-123 imaging studies, P106

Collimators, slant-hole
I-123 HIPDM brain imaging with rotating gamma camera and slant-hole collimator, 495

Colon
Immunoscintigraphy of colon carcinoma, 307

Compton scatter
Characterization of compton scattering in emission tomography, P14
Monte Carlo evaluation of Compton scatter compensation by deconvolution in SPECT, P71
Subtraction of Compton-scattered photons in SPECT, 490

Computers
Computer model leading to quantification of first pass radionuclide imaging in venous obstruction, P30
Functional imaging of kinetic parameters from time dependent linear response function by dynamic scintigraphy, P62
Underestimation of cardiac diastolic parameters using high phase reconstruction, P30
Validation of factorial analysis in simulation study and in sequential cardiac first-pass acquisitions, P30
Versatile computer simulation of left ventricle, 1362

Computers, software
Accuracy of rotational tomography for predicting absolute Tl-201 concentrations, P70
Advanced interpretive language for imaging protocols, P55
Analysis of regional cardiac performance with higher-order harmonics of Fourier series in coronary artery disease, P91
Assessment of asynchronous relaxation in hypertrophic cardiomyopathy and ischemic heart disease, P45
Automated, computer interpreted radioimmunoassay results, P89
Automated patient report-generation in nuclear medicine, 692
Cerebral metabolic rate of glucose computed by Bayes regression of deoxyglucose PET scans, P92
Computation of glomerular filtration rate with Tc-99m DTPA: in-house computer program, 613
Computer-aided analysis of three-dimensional radiopharmaceutical distributions in serial ECT acquisitions, P90
Computer analysis of radionuclide esophageal transit studies, 957
Distance weighting for improved tomographic reconstructions, P54
Dual isotope technique for in vivo quantitative assessment of intra-arterial drug delivery to hepatic metastases, P41
Electrocardiographic gating of list mode data with positron emission tomography system that utilizes wobbling motion to achieve uniform sampling, P88
Evaluation of mathematical models to assess platelet kinetics, P64
Fully automated contour detection for gated radionuclide ventriculography with slant hole collimator, P89
Ideal flood field images for SPECT uniformity correction, P14
Image reconstruction algorithm for hexagonal bar positron camera, P54
Improved sensitivity in diagnosing superior vena caval flow compromise through radionuclide "phase" imaging, P48
New fast algorithm for evaluation of regions of interest and statistical uncertainty in computed tomography, P89
Noncircular orbits in SPECT, 632 (le)
Noncircular orbits in SPECT (reply), 632 (le)
Optimal temporal convolution smoothing for perception of recurrent display of dynamic image series, P91
PET attenuation correction using reprojection of measured transmission data, P47
Practicality of NEMA performance specification measurements for user-based acceptance testing and routine quality assurance, 679
Probabilistic images: concise image representation technique for multiple parameters, P92
Promising hybrid approach to SPECT attenuation correction, P15
Quantification of Kr-81m ventilation image response to methacholine, P88
Quantification of segmental wall motion by length-based Fourier analysis, 917
Radiopharmaceutical delivery system for controlled arterial concentration in physiologic modeling with computed tomography, P89
Scinticor™: new digital gamma camera, P22
Single photon emission computerized tomography (SPECT) for estimates of liver and spleen volume, 81
Studies of reproducibility, acquisition and analysis of gastric empyting studies in pediatric population, P116
System requirements for computerized scan report generation, P91
Validation of rotating camera based SPECT system for dosimetry applications, P94
Ventilation cine-scintigraphy by parameter estimation, P89
Walsh-Hadamard transform: alternative means of obtaining phase and amplitude maps, 608
Coronary angioplasty
Effects of coronary angioplasty and reperfusion on myocardial flow distribution, P84
Non-invasive testing in evaluation of patients undergoing coronary angioplasty for single vessel coronary disease, P84
Coronary artery disease (CAD)
Analysis of regional cardiac performance with higher-order harmonics of Fourier series in coronary artery disease, P91
Assessment of asynchronous relaxation in hypertrophic cardiomyopathy and ischemic heart disease, P45
Assessment of stenosis severity: correlation of angiography, T1-201 scintigraphy and intracoronary pressure gradients, P29
Atrial pacing as an alternative to supine excercise (SE) in radionuclide ventriculograhy (RNV), P13
Clinical evaluation of Tl-201 SPECT with cardiac short axis display, P61
Detection of atherosclerotic plaques with In-111 labeled platelets, P82
Estimation of probability of coronary disease by quantitative thallium scintigraphy, P62
Evaluation in dogs of new double-dose technique for imaging changes in myocardial perfusion, 706
Gated thallium scintigraphy in the assessment of coronary artery disease, P83
Magnetic resonance imaging in cardiac amyloidosis, P81
Method to identify early ventricular dysfunction using resting gated blood pool scans (GBPS) in patients with coronary artery disease (CAD), P5
Minimal and multivessel coronary artery disease predicted by radionuclide ventriculography, P82
Noninvasive quantitative assessment of pacing induced ischemia in CAD patients using SPECT imaging with Tl-201, P61
Noninvasive quantitative assessment of pacing induced ischemia in coronary artery disease patients using SPECT imaging with Tl-201, P87
Prevalence of high risk Tl-201 scintigraphic findings in patients with coronary artery disease: relation to coronary anatomy and ECG-stress test findings, P53
Prognostic implications of normal exercise thallium-201 images, P53
Prognostic significance of normal quantitative Tl-201 stress scintigraphy in relation to pretest likelihood of coronary artery disease, P53
Quantification of extent and severity of myocardial ischemia in single-vessel disease using stress-redistribution Tl-201 SPECT, P60
Regional heterogeneity of myocardial blood flow detected and quantified by Xe-133 washout analysis in patients with CAD, P29
Relationship of CFR to stress Tl-201 myocardial perfusion (T1) and RNV, P28
Reverse redistribution phenomenon with Tl-201: coronary angiographic and clinical correlation, P54
Specification LV regional wall motion abnormalities in CAD and non-CAD patients by phase analysis of radionuclide ventriculograms, P12
Transient postexercise ischemic dilatation of left ventricle on stress-redistribution Tl-201 scintigrams: marker of severe and extensive coronary artery disease, P84
Value of quantitative stress Tl-201 emission CT for localization of CAD: comparison with qualitative analysis, P61
Creutzfeldt-Jacob disease
Bitemporal hypometabolism in Creutzfeldt-Jakob disease measured by positron emission tomography with (F-18)2-fluorodeoxyglucose, P109
Crohn's disease
Altered potassium homeostasis in cirrhosis of liver and Crohn's disease, P97
Cr-51-EDTA and Tc-99m-DTPA excretion for assessment of small bowel Crohn's disease, P60
Cyclosporin
Diagnosis of cardiac allograft rejection with In-111 platelets in cyclosporin treated rats, P80
Cystography
Estimates of dose to bladder during direct radionuclide cystography, 792
Dopamine receptors
(3-*N*-[^{11}C]methyl)spiperone, ligand binding to dopamine receptors: radiochemical synthesis and biodistribution studies in mice, 1222
Radiolabelled spiroperidol: possible pituitary adenoma imaging agent?, P120
Radiosynthesis and pharmacokinetics of high specific activity ^{75,77}Br-bromperidol, potent butyrophenone neuroleptic, P31
Radiosynthesis of dopamine receptor-binding radiotracer for positron emission tomography: 3-N-[C-11-methyl]-methylspiperone, P126
Re: receptor binding of F-18 haloperidol and spiroperidol (reply), 534 (le)
Dosimetry
Altered distribution of (R)-quinuclidinyl I-125 4-iodobenzilate after whole body fission neutron or Co-60 irradiation, P93
Assessment of systematic errors in the calibration of SPECT systems for I-131 dosimetry estimations in radioimmunotherapy, P93
Design and construction of equipment for point-source, low energy electron microdosimetry measurements, P40
Dosimetric implications of infiltrated injection, P40
Iodine capsules in thyroid therapy: an individually controlled study of I-131 uptake kinetics as compared to liquid administration, P94
Microdosimetric TLD measurements for tumor associated antibody therapy, P39
Radiation absorbed dose estimate for Rb-82 using in vivo measurements in man, P94
Radiation absorbed doses from Co-57- and Co-55 bleomycin, 478
Radiation dose estimates for new myocardial perfusion agent: (E-1-[^{123}I]iodo-penten-5-YL)triphenylphosphonium iodide, P39
Re: preparation of sterile Xe-133 in saline for tissue perfusion studies, 1050 (le)
Re: preparation of sterile Xe-133 in saline for tissue perfusion studies (reply), 1051 (le)
Use of copper filter for dose-calibrator measurements of nuclides emitting K x-rays, 633 (le)
Validation of rotating camera based SPECT system for dosimetry applications, P94
Editorial
Editorial, 1
Thomas P. Haynie, M.D., Editor-elect, 1285
John H. Lawrence, M.D., Recipient of Enrico Fermi Award, 555
Letter from the editor: Reflections: 1975–1984, 1281
Michael E. Phelps, Ph.D., Recipient of the E. O. Lawrence Memorial Award, 1284
Ejection fraction
Accuracy of ejection fraction by nuclear stethoscope in left ventricular aneurysm, P81
Changes in ventricular function during emotional stress and cold exposure, P4
Combined first pass and gated blood pool radionuclide studies in hemodynamic-cardiac evaluation of patients with low cardiac output, P82
Comparison of ejection fraction and pulmonary blood volume ratio as markers of left ventricular dysfunction with single vessel coronary disease before and after PTCA, P13
Determination of right ventricular ejection fraction in children with cystic fibrosis, using Kr-81m, P115
Disproportionate effects of regional hypokinesis

on radionuclide ejection fraction: compensation using attenuation-corrected ventricular volumes, 747
Effect of energy window on LV ejection fraction using ECG-gated energy spectroscopy, P22
Estimation of left ventricular ejection fraction by computerized single cardiac probe system with echocardiogram, P4
Importance of exercise gated blood pool imaging in Chagas disease, P81
Radionuclide Fourier amplitude analysis to predict post-aneurysmectomy ejection fraction, P13
Rest and exercise right ventricular function from gated xenon scans, P37
Right and left ventricular ejection fraction after acute inferior wall myocardial infarction and value of V4R to predict site of obstruction, P21
Scintigraphic characterization of Q-wave and non Q-wave myocardial infarction, P84

Electrocardiogram (ECG) gating
ECG gated NMR-CT for cardiovascular diseases, P7
Electrocardiographic gating of list mode data with positron emission tomography system that utilizes wobbling motion to achieve uniform sampling, P88
Tomographic gated blood pool studies: parameters for collection and reconstruction, P85

Enzymatic synthesis
Enzymatic synthesis of [1-(C-11)]pyruvic acid and L-[1-(C-11)]lactic acid via DL-[1-(C-11)]-alanine, P126
Enzymatic synthesis of [1-^{11}C]pyruvic acid, L-[1-^{11}C]lactic acid and L-[1-^{11}C]alanine via DL-[1-^{11}C]alanine, 887

Errata
Automated patient report-generation in nuclear medicine (reply), 692
Inverse relationship between cardiac accumulation of metal[^{131}I]-iodobenzylguanidine)I-131 MIBG) and circulating catecholamines in suspected pheochromocytoma, 744
Neuroleptic binding sites: specific labeling in mice with [^{18}F]haloperidol, potential tracer for PET (insert), 408
Platelet labeling in plasma made simple and efficient: preparation and evaluation, 904
Subchairman and reviewers of the peripheral vascular papers, 904
Tc-99m galactosyl-meoglycoalbumin: in vitro characterization of receptor-mediated binding, 864
Walsh-Hadamard transform: alternative means of obtaining phase and amplitude maps, 904

Esophageal disease
Role of radionuclide studies in esophageal disease, 1040

Esophageal transit time
Radionuclide esophageal transit of a liquid bolus: reappraisal, P12

Esophagus
Radionuclide esophageal transit of a liquid bolus: reappraisal, P12
Radionuclide quantification of oropharyngeal clearance with and without pharyngitis, P11

Estrogen receptors
Four F-18 estrogens and their selective uptakes in target tissues of immature rats, 1212
[I-125] 17α-iodovinyl 11β-methoxyestradiol: in vivo and in vitro properties of a high-affinity estrogen-receptor radiopharmaceutical, 472
Preparation and evaluation of 17α-[^{125}I] iodovinyl-11β-methoxyestradiol as highly selective radioligand for tissues containing estrogen receptors, 998
Radioiodinated ligands for estrogen receptor: effect of 3-*o*-methylation on tissue distribution, 1116

Exercise
Diagnostic information of Tl-201 myocardial kinetics shortly after termination of exercise, P84
Potentiation of left ventricular function at reduced exercise level: assessment by radionuclide ventriculography, P83
Prognostic utility of intravenous dipyridamole Tl-201 imaging and exercise testing after acute infarction, P85

Extramedullary hematopoiesis
Pelvic extramedullary hematopoiesis, 209

Eye
Detection of ocular melanoma with 4-(3-dimethylaminopropylamino)-7-[^{123}I]iodoquinoline, 800

Fatty acid metabolism
On use of 16-iodohexadecanoic acid as probe for myocardial beta-oxidation of fatty acids, P38
Turnover of lipids labeled by I-123 phenylpentadecanoic acid compared to C-14 palmitic acid, P124

Fatty acids
Comparative dual tracer studies of β-methyl-(1-C-14)hepta decanoic acid and 15-p-(I-131)-iodophenyl-β-methyl pentadecanoic acid in hypertensive rats, P31
Kinetics of various I-123- and C-14-fatty acids in diabetic rat myocardium in vivo, P78
Radioiodinated branched-chain fatty acids: substrates for beta oxidation?, 75
Sustained I-131 phenylpentadecanoic acid uptake in salvaged myocardium, P80

Ferritin
Role of human liver ferritin in Ga-67 localization, P121

Fluorine-18
Dynamic rate constants for F-18-deoxyglucose uptake in normal and tumoral brain tissue, P8
Fitting 4-compartment kinetics with a 3-compartment model, P90
Fluorination of aromatic compounds by cleavage of aryl-tin bonds with F-18 F_2 and CH_3COOF, P64
Four F-18 estrogens and their selective uptakes in target tissues of immature rats, 1212
Synthesis of F-18 labeled hypoxic cell sensitizer, P23

Fluorine-18 aryl fluorides
Syntheses of [^{18}F]aryl fluorides by fluorination of aryltrimethylsilanes or arylpentafluorosilicates with [^{18}F]E_2 or [^{18}F]CH_3CO_2F, P126

Fluorine-18 deoxyglucose
Anterior-posterior and lateral hemispheric alterations in cortical glucose utilization in Alzheimer's disease, P57
Positron computed tomography studies of cerebral metabolic responses to complex motor tasks, P33
Re: in vivo methods for measuring regional glucose metabolic rate (GlMR) (reply), 136 (le)

Fluorine-18 FDG
Biological basis of tumor imaging with radiolabeled glucose analogs, P94
Synthesis of 2-[F-18]fluoro-2-deoxy-D-glucose using glycals: reexamination, 1327

Fluorine-18 FHDA
Synthesis of no carrier added F-18 16-fluorohexadecanoic acid and investigation of its labeled metabolites and its kinetics in heart, P125

Fluorine-18 fluoroalkylsulfonamide
[F-18]N-fluoro-N-alkylsulfonamides: novel reagents for radiofluorination, P23

Fluorine-18 fluorodeoxyglucose
Application of "bootstrap" technique to understanding cerebral interregional metabolic relationships, P109
Assessment of myocardial injury after reperfusion with Tl-201, Tc-99m PPi and F-18 FDG, P38
Bitemporal hypometabolism in Creutzfeldt-Jakob disease measured by positron emission tomography with (F-18)2-fluorodeoxyglucose, P109
Brain metabolism and memory in age differentiated healthy adults, P57
Comparison of cerebral regional glucose metabolic relationships in resting and auditory stimulated states, P109
Experimental and clinical study of cancer diagnosis with (F-18) FDG using PET, P50
Fluorination in aqueous media with elemental fluorine. Synthesis of [F-18]2-FDG, P125
Improved glucose utilization rate calculation by recursive technique, P109
PET with F-18 fluorodeoxyglucose measures of local brain activity and memory in schizophrenia and in depression, P57
Recognition of dilated ventricular cavities in high resolution PET scans using F-18 fluorodeoxyglucose, P111
Re: in vivo methods for measuring regional glucose metabolic rate (GlMR) (reply), 134 (le)
Simple synthesis of F-18-labeled 2-fluoro-2-deoxy-D-glucose, 333

Fluorine-18 haloperidol
Re: receptor binding of F-18 haloperidol and spiroperidol, 532 (le)
Re: receptor binding of F-18 haloperidol and spiroperidol (reply), 533 (le)
Re: receptor binding of F-18 haloperidol and spiroperidol (reply), 534 (le)

Fluorine-18 spiroperidol
Comparison of [^{18}F]spiroperidol, [^{18}F]benperidol and [^{18}F]haloperidol kinetics in baboon brain, P63
Re: receptor binding of F-18 haloperidol and spiroperidol, 532 (le)

Fourier analysis
Accuracy and precision of regional multiharmonic Fourier analysis of gated blood-pool images, 1294
New method for Fourier analysis in ECG-gated cardiac blood pool emission computed tomography (ECT), P5
Quantification of segmental wall motion by length-based Fourier analysis, 917
Radionuclide Fourier amplitude analysis to predict post-aneurysmectomy ejection fraction, P13

Free thyroxine (FT_4)
See Thyroid; Thyroxine (T_4)
Evaluation of immunoextraction procedure for estimation of free thyroxine concentration, 188
Proposed mechanisms whereby T3U, dialyzed fraction (%FT_4) and antibody extracted (AE) T_4 normalize binding protein effects in free T_4 (FT_4) assays do not explain findings in monthyroidally ill (NTL) patients, P10
Re: clinical assessment of a radioimmunoassay for free thyroxine using a modified tracer, 402 (le)
Re: clinical assessment of radioimmunoassay for free thyroxine using modified tracer, 1150 (le)
Re: clinical assessment of radioimmunoassay for free thyroxine using modified tracer (reply), 1150 (le)

Free thyroxine (T_4)
Re: salivary thyroxine as an estimate of free thyroxine, 538 (le)

Gallbladder
Cholecystokinin (CCK) FC in patients suspected of ABD, P10
Cholecystokinin functional cholescintigraphic findings in patients with partial cystic duct obstruction cystic duct syndrome, P96
Congenital absence of gallbladder: another cause of false-positive hepatobiliary imaging, 70
Filling of gallbladder as studied by computer-assisted Tc-99m HIDA scintigraphy, 292
Gallbladder dynamics induced by fatty meal in normal subjects and patients with gallstones, 21
Hepatobiliary scintigraphy in patients receiving hepatic artery infusion chemotherapy, P41
Influence of scan and pathologic criteria on specificity of cholescintigraphy, 728 (le)
Influence of scan and pathologic criteria on specificity of cholescintigraphy (reply), 728 (le)
Re: filling of gallbladder as studied by computer-assisted Tc-99m HIDA scintigraphy, 944 (le)
Re: filling of gallbladder as studied by computer-

assisted Tc-99m HIDA scintigraphy (reply), 944 (le)
Role of scintiangiography in suspected acute cholecystitis: "hyperemic gallbladder fossa", P95
Safety of exogenous (CCK-8) and endogenous (fatty meal) cholecystokinin (CCK) induced gallbladder (GB) dynamics in patients with cholelithiasis, P11
Scintigraphic variations of normal biliary physiology, 160
Sonographic Murphy's sign: another perspective, P11

Gallium-67
Acute response to elastase in sheep lungs measured with Ga-67, 1310
Bone and gallium scanning in the pre-op evaluation of the infected dysvascular foot, P47
Clinical utility of bone and gallium scintigraphy for assessing soft tissue neoplasms in extremities, P114
Clinical utility of Ga-67 pulmonary scans in the diagnosis and treatment of P. Carinii pneumonitis in the setting of acquired immunodeficiency, P42
Community hospital experience with correlative imaging in patients with suspected postoperative intra-abdominal abscesses, P92
Different actions of deferoxamine and iron on Ga-67 abscess detection in rats, 668
Effects of inadvertent administration of antineoplastic agents prior to Ga-67 injection, 430
Efficacy of 67 gallium ECT imaging in lymphoma, infection, and lung carcinoma: comparison with planar imaging, P44
Ga-67 imaging in muscular sarcoidosis, 776
Gallium scan in malignant fibrous histiocytoma, P114
Ga-67 scanning in Sjögren's Syndrome, 299
Ga-67 uptake by liver: studies using isolated rat hepatocytes and perfused livers, 1094
Ga-67 uptake in hepatic angiosarcoma, 677
Influence of MDP on Ga-67 distribution in vivo, P100
Preparation of Ga-67 labeled monoclonal antibodies using deferoxamine as a bifunctional chelating agent, P56
Pulmonary Ga-67 uptake in amiodarone pneumonitis, 211
Role of human liver ferritin in Ga-67 localization, P121
Sensitivity and specificity of Ga-67 pulmonary scans for detection of P. carinii pneumonitis in patients with acquired immunodeficiency syndrome and pulmonary symptoms, P43
SPECT and planar image detection of hot lesions in a chest phantom using Ga-67 and Tc-99m, P51
Studies on the preparation of radiolabelled monoclonal antibodies, P120
Use of Ga-67 liver imaging for early diagnosis of Budd-Chiari syndrome, 320

Gallium-67 citrate
Complicating osteomyelitis imaged with Tc-99m MDP, In-111 granulocytes, and Ga-67 citrate, P52
Complicating osteomyelitis with Tc-99m MDP, In-111 granulocytes, and Ga-67 citrate, 849
Gallium-67 citrate localization in heart secondary to constrictive pericarditis with myocardial fibrosis, 66

Gallium-68 EDTA
Determination of regional blood-tissue transfer constants and initial (plasma) volume in brain and brain tumors using ^{68}Ga-EDTA and dynamic positron emission tomography, P51

Gallium cameras
Feasibility of single photon tomography with Rb-82, P106

Gastric emptying
Gastric emptying of solids. When should we sample?, P59
Relationship of gastroesophageal reflux and gastric emptying in infants and children, 571
Treatment of vomiting and of gastric emptying suppression in primates after gamma irradiation, P96
Visualization of gastric bands on radionuclide gastric emptying studies, P95

Gastric function
Assessment of gastric emptying in normal subjects with sucralfate (carafate) and amphojel, P27
Comparison of Tc-99m liver and liver paté as markers for solid-phase gastric emptying, 364
Do calories or osmolality determine gastric emptying, P28
Gastric ulcer localization: potential use of in vivo labeling, P27
Gastrointestinal transit of pharmaceutical preparations, P59
Histamine delays gastric emptying of solid food in man through histamine, receptors, P27
Scintigraphic assessment of Barrett's esophagus, P12
Studies of reproducibility, acquisition and analysis of gastric empyting studies in pediatric population, P116
Tc-99m colloidal bismuth subcitrate: novel method for evaluation of peptic ulcer disease, P27
Variability of gastric emptying time using standardized radiolabeled meals, P28

Gastroesophageal reflux
Relationship of gastroesophageal reflux and gastric emptying in infants and children, 571
Scintigraphic assessment of Barrett's esophagus, P12

Gastrointestinal bleeding
Intraoperative scintigraphic localization of gastrointestinal bleeding site, 1209

Gated heart studies
See also Blood-pool imaging
Accuracy and precision of regional multiharmonic Fourier analysis of gated blood-pool images, 1294
Analysis of regional cardiac performance with higher-order harmonics of Fourier series in coronary artery disease, P91
Assessment of asynchronous relaxation in hypertrophic cardiomyopathy and ischemic heart disease, P45
Captopril-induced reduction of regurgitation fraction in aortic insufficiency, P37
Changes in ventricular function during emotional stress and cold exposure, P4
Comparison of ejection fraction and pulmonary blood volume ratio as markers of left ventricular dysfunction with single vessel coronary disease before and after PTCA, P13
Disproportionate effects of regional hypokinesis on radionuclide ejection fraction: compensation using attenuation-corrected ventricular volumes, 747
Does regional left ventricular dysfunction occur distant from infarct zone in initial acute transmural myocardial infarction?, P20
Early aneurysm formation following anterior myocardial infarction: better predictor of mortality than left ventricular ejection fraction, P21
Effect of energy window on LV ejection fraction using ECG-gated energy spectroscopy, P22
Estimates of left-ventricular volumes by equilibrium radionuclide ventriculography (ERNV): importance of attenuation and proper background correction, 940 (le)
Estimates of left-ventricular volumes by equilibrium radionuclide ventriculography (ERNV): importance of attenuation and proper background correction (reply), 941 (le)
Etiology of cardiogenic shock early after open-heart surgery: assessment by Tc-99m RBC wall motion scintigraphy, P4
Evaluation of patients with chest pain by radionuclide ventriculography: comparison of phase and 2-harmonic analysis, P45
Exercise radionuclide ventriculography to detect restenosis following coronary angioplasty, P13
Factor analysis in gated cardiac studies, 1067
Fast and reliable automated ventriculography for gated blood-pool studies, P30
Fully automated contour detection for gated radionuclide ventriculography with slant hole collimator, P89
Gated SPECT as means of quantitative assessment of left ventricular wall motion, P44
Gated thallium scintigraphy in the assessment of coronary artery disease, P83
Importance of exercise gated blood pool imaging in Chagas disease, P81
Method to identify early ventricular dysfunction using resting gated blood pool scans (GBPS) in patients with coronary artery disease (CAD), P5
Minimal and multivessel coronary artery disease predicted by radionuclide ventriculography, P82
Non-specificity of left/right ventricular amplitude ratio for mitral insufficiency, P82
Persistent hyperkinesis in normotensive patients after coarctation repair, P82
Quantification of segmental wall motion by length-based Fourier analysis, 917
Re: estimates of left-ventricular volumes by equilibrium radionuclide angiography: importance of attenuation correction, 941 (le)
Re: estimates of left-ventricular volumes by equilibrium radionuclide (reply), 943 (le)
Rest and exercise right ventricular function from gated xenon scans, P37
Specification LV regional wall motion abnormalities in CAD and non-CAD patients by phase analysis of radionuclide ventriculograms, P12
Tomographic gated blood pool studies: parameters for collection and reconstruction, P85
Tomographic phase analysis to detect the site of accessory conduction pathway in Wolff-Parkinson-White syndrome, P86
Variations in attenuation coefficients for Tc-99m photons with source depth and region-of-interest size, P23
Visualization of the thyroid during cardiac imaging, 734 (le)
Walsh-Hadamard transform: alternative means of obtaining phase and amplitude maps, 608

Generators, isotope
Cryptate complexes of generator produced isotopes for measurement of blood flow, P119
Kr-81m for both ventilation and perfusion from one generator, P116

Glomerular filtration rate
See also Kidney
Measurement of glomerular filtration rate using Tc-99m-DTPA and gamma camera: comparison of methods, P76

Glucose metabolic rate (GlMR)
Re: in vivo methods for measuring regional glucose metabolic rate (GlMR), 134 (le)

Gold-195m
Steady state venography using 195m-gold, P48

Granulocytes
Isolation, In-111 labeling, and abscess detection efficiency of rabbit polymorphonuclear leukocytes from blood and peritoneal fluid, P100

Graves' disease
Predicting relapse following medical therapy for Graves' disease, P95

Heart
See also Coronary artery disease (CAD); Myocardium
Aortic ejection fraction: new technique for diagnosing aortic insufficiency, P36
Assessment of metabolic effects of ionophore grisorixin on myocardial cells in culture with 14-C-labelled substrates, P39
Atrial corrected Fourier amplitude ratios for scintigraphic quantitation of valvar regurgitation, P36
Characterizing potential heart agents with isolated perfused heart system, P24
Combined first pass and gated blood pool

radionuclide studies in hemodynamic-cardiac evaluation of patients with low cardiac output, P82
Effect of positive pleural pressure on left ventricular performance, P5
Effects of anoxia and ischemia on thallium exchange in rabbit myocardium, P69
Estimates of left-ventricular volumes by equilibrium radionuclide ventriculography (ERNV): importance of attenuation and proper background correction, 940 (le)
Factor analysis in gated cardiac studies, 1067
Feasibility of single photon tomography with Rb-82, P106
First third filling parameters of left ventricle assessed from gated equilibrium studies in patients with various heart diseases, P45
Gallium-67 citrate localization in heart secondary to constrictive pericarditis with myocardial fibrosis, 66
Measurements of myocardial flow vs. extraction of rubidium under varying physiological conditions, P69
Method to identify early ventricular dysfunction using resting gated blood pool scans (GBPS) in patients with coronary artery disease (CAD), P5
Minimal and multivessel coronary artery disease predicted by radionuclide ventriculography, P82
Myocardial perfusion with rubidium-82: III. Theory relating severity of coronary stenosis to perfusion deficit, 1190
New diastolic filling parameters for evaluation of left ventricular hypertrophies by equilibrium gated studies, P45
New ruthenium radiopharmaceuticals for pancreas and heart, P120
Persistent hyperkinesis in normotensive patients after coarctation repair, P82
Pharmacological characterization of Tc-99m(CN-t-butyl)$_6^+$: potential heart agent, P15
Phase analysis in the Wolff-Parkinson-White syndrome with surgically proven accessory conduction pathways, 7
Quantitative comparison of myocardial blood flow in normal and infarcted hearts by high resolution scintigraphy, P79
Quantitative comparison of transport and phosphorylation of three fluorosugars in isolated rat heart, P79
Radiation dose estimates for new myocardial perfusion agent: (E-1-[^{123}I]iodo-penten-5-YL)triphenylphosphonium iodide, P39
Radioiodinated branched-chain fatty acids: substrates for beta oxidation?, 75
Re: first-pass measurements of regional blood flow (reply), 831
Repeatability of estimates of left-ventricular volume from blood-pool counts, 1050 (le)
Repeatability of estimates of left-ventricular volume from blood-pool counts (reply), 1050 (le)
Reverse redistribution phenomenon with Tl-201: coronary angiographic and clinical correlation, P54
Single photon Rb-82 imaging of remote myocardial infarction, P52
Synthesis, characterization and identification of the hexakis(trimethylphosphite)[Tc-99m]-technetium(I) cation as myocardial imaging agent, P15
Synthesis of no carrier added F-18 16-fluorohexadecanoic acid and investigation of its labeled metabolites and its kinetics in heart, P125
Underestimation of cardiac diastolic parameters using high phase reconstruction, P30

Hemiplegia
Three-phase bone studies in hemiplegia with Reflex Sympathetic Dystrophy and effect of disuse, 423

Hepatic binding protein (HBP)
Tc-99m galactosyl-neoglycoalbumin: in vitro characterization of receptor-mediated binding, 779

Hepatobiliary imaging
Acalculous cholecystitis: case with variable cholescintigram, 64
Cholecystokinin (CCK) FC in patients suspected of ABD, P10
Cholecystokinin functional cholescintigraphic findings in patients with partial cystic duct obstruction cystic duct syndrome, P96
Classification of liver tumors by radionuclide imaging, 402 (le)
Congenital absence of gallbladder: another cause of false-positive hepatobiliary image, 70
Detection, localization and quantitation of partial obstruction of CBD by scintigraphy; correlation with cholangiogram, P11
Discordant hepatic uptake between Tc-99m SC and Tc-99m DISIDA in hypervitaminosis A, 207
Gallbladder dynamics induced by fatty meal in normal subjects and patients with gallstones, 21
Hepatobiliary scintigraphy in patients receiving hepatic artery infusion chemotherapy, P41
Influence of scan and pathologic criteria on specificity of cholescintigraphy, 728 (le)
Influence of scan and pathologic criteria on specificity of cholescintigraphy (reply), 728 (le)
Linearity and energy corrections for scintillation cameras used in quantitative single photon emission computed tomography, P87
Postoperative evaluation of penetrating hepatic trauma and complications, 982
Quantitative analysis by digital computer of Tc-99m N-pyridoxyl-5-methyltryptophan hepatogram in diffuse parenchymal liver diseases, P90
Re: filling of gallbladder as studied by computer-assisted Tc-99m HIDA scintigraphy, 944 (le)
Re: filling of gallbladder as studied by computer-assisted Tc-99m HIDA scintigraphy (reply), 944 (le)
Scintigraphic differentiation of intrahepatic tumors, P11
Scintigraphic variations of normal biliary physiology, 160

Hepatoma
Delayed imaging in study of hepatoma with new hepatobiliary agent, 1122

Hevesy nuclear medicine lecture
Hevesy Nuclear Medicine Lecture, 934

Hip
Scintigraphic and x-ray arthrographic diagnosis of femoral prosthesis loosening, 661

Histamine
Development of sensitive radioassay of histamine for in vitro allergy testing, 56

History
Artificial production of new kind of radio-element, 631
Cerebral death: a rapid and reliable diagnostic adjunct using radioisotopes, 1047
Choriocarcinoma scanning using radiolabeled antibody to chorionic gonadotrophin, 823
Development of new radiopharmaceuticals based on N-substitution of iminodiacetic acid, 1146
^{157}Dy-HEDTA for skeletal imaging, 930
Lung scanning following radioaerosol inhalation, 519
Marie Curie and her contemporaries, 118
Measurement of mean transit time of cerebral circulation by external detection of intravenously injected radioisotope, 253
Radioiodine-125 in Biomedicine: 1959–1984, 1388
Tc^{99m} pertechnetate for brain scanning, 385
Thallium-201 for medical use. Part 3: human distribution and physical imaging properties, 1260
Tumor scanning with ^{67}Ga citrate, 724

Huntington's chorea
Active transport of C-11-methyl-D-glucose and 3-F-18-deoxyglucose in acute ischemic brain disease and Huntington's chorea, studied by PET, P110

Hyperparathyroidism
Re: new perspectives in localizing enlarged parathyroids by technetium-thallium subtraction scan (reply), 540 (le)

Hyperthyroidism
Hyperthyroidism with metastatic follicular thyroid carcinoma, 467

Hypervitaminosis A
Discordant hepatic uptake between Tc-99m SC and Tc-99m DISIDA in hypervitaminosis A, 207

Image reconstruction
Iterative image reconstruction with single-board computer employing hardware acceleration, P90

Imaging
Spatial resolution in imaging systems: equivalent width realistic measure to replace FWHM, P22

Immunoscintigraphy
Immunoscintigraphy of colon carcinoma, 307

Indium-111
Biodistribution of radiolabeled anti-lymphocyte monoclonal antibody in rat, P42
Detrimental effect of In-111 on human lymphocytes?, 830 (le)
Detrimental effect of In-111 on human lymphocytes (reply), 830 (le)
Distribution and imaging of In-111 circulating immune complexes in humans, P100
Distribution and imaging of In-111 labelled circulation immune complexes in humans, P102
In-111 chelate conjugates of human transferrin (HTr) and mouse monoclonal anti human transferrin receptor antibody (αHTrR MoAb)* for tumor imaging, P16
In vivo crossmatching with Tc-99m-RBC's and In-111-oxine-RBC's, P65
In-111 WBC scintigraphy in adult osteomyelitis, P42
Isolation, In-111 labeling, and abscess detection efficiency of rabbit polymorphonuclear leukocytes from blood and peritoneal fluid, P100
Kinetics and biodistribution of In-111 platelets in patients with bone marrow transplants, refractory to platelet transfusions, P65
Methods of measuring splenic blood flow and platelet transit time with In-111-labeled platelets, 86
Monoclonal radioimmunoimaging of human melanoma in nude mice, P42
Potential of palladium-109-labeled antimelanoma monoclonal antibody for tumor therapy, 796
Re: labeling with In-111 has detrimental effects on human lymphocytes, 406 (le)
Re: labeling with In-III has detrimental effects on human lymphocytes (reply), 407 (le)
Uptake of In-111 labeled platelets by normal, nephrotic and transplanted kidneys, P75

Indium-111 antibodies
Behavior of ^{111}In-labeled F(ab')$_2$ fragments (19-9) in patients, P112
Visualization of human mammary tumor in nude mice with In-111 labeled monoclonal antibody, P74

Indium-111 anti CEA monoclonal antibodies
Effect of size of radiolabeled antibody and fragments on tumor uptake and distribution in nephrectomized mice, P112

Indium-111 DTPA
Coupling antibody with DTPA . . . alternative to cyclic anhydride, P56
Variables influencing attachment of bifunctional chelates to antibodies, P56

Indium-111 granulocytes
Complicating osteomyelitis with Tc-99m MDP, In-111 granulocytes, and Ga-67 citrate, 849

Indium-111 leukocytes
Complementary role of CT and In-111 leukocyte scans in diagnosis of infected hematoma and thrombosis, P101
Concentration of In-111-oxine-labeled autologous leukocytes in noninfected and nonrejecting renal allografts, 156
Decreased sensitivity of early imaging with In-111 oxine leukocytes in detection of occult infection, 303
In-111 WBC imaging in musculoskeletal sepsis, P52
Leukocyte labeling in plasma made simple and efficient: preparation and evaluation, P99
No difference in sensitivity for occult infection between oxine and tropolone labeled In-111 leukocytes when imaged early, P43
Re: decreased sensitivity of early imaging with In-111 oxine leukocytes in detection of occult infection, 1150 (le)
Re: decreased sensitivity of early imaging with In-111 oxine leukocytes in detection of occult infection (reply), 1151 (le)
Scintigraphy of infected total hip arthroplasty: canine model, P52
Simultaneous Tc-99m skeletal and In-111 HIP arthrographic scintimaging complementing contrast radiography, P52
Skeletal photopenic lesions in In-111 WBC imaging, 1322
Indium-111 lymphocytes
Chromosomal aberrations in In-111 lymphocytes, 922
Re: labeling with In-111 has detrimental effects on human lymphocytes, 406 (le)
Indium-111 monoclonal antibodies
In-111 monoclonal antibodies: effect of DTPA conjugation on Ab activity and tissue distribution, P113
Monoclonal antibodies and coupling reagents to cell membrane proteins for leukocyte labeling, P26
Sequential imaging of In-111-labeled monoclonal antibody in human mammary tumors hosted in nude mice, 592
Indium-111 monocytes
Potential use of In-111 monocytes as tumor imaging agent, P99
Indium-111 neutrophils
Evaluation of In-111 neutrophils in model of adult respiratory distress syndrome, P116
Indium-111 oxine
Decreased sensitivity of early imaging with In-111 oxine leukocytes in detection of occult infection, 303
111-Indium autologous leucocytes in diagnosis of inflammatory bowel disease, P60
Kinetics of In-111-labeled leukemic cells in patients with acute non-lymphocytic leukemia, P26
Labeling of pseudomonas aeruginosa with In-111-oxine, ϵ^{2}100
Leukemic cell labeling with In-111-oxine, P26
Indium-111 platelets
Detection of atherosclerotic plaques with In-111 labeled platelets, P82
Distribution of In-111 in granulocyte and other cellular elements of blood in human In-111 mixed white cell and platelet preparations, P98
In-111-labeled platelet kinetics in patients with diabetes mellitus, P98
In-111 platelet scintigraphy: carotid atherosclerosis and stroke, 626
Optimum allocation of imaging time and minimum detectable activity in dual isotope blood pool subtraction In-111 platelet imaging, P81
Platelet accumulation in carotid atherosclerotic lesions: semiquantitative analysis with In-111 platelets and Tc-99m HSA, 556
Platelet labeling in plasma made simple and efficient: preparation and evaluation, P65
Quantification of platelet thrombosis on bovine pericardial valve prostheses and reduction of thrombosis with diphosphonate treatment in calves, P80
Tropolonate vs oxine 111-indium platelet labeling: comparison of efficiency, ultrastructure and function, P99
Indium-111 tropolone
Different migratory patterns of blood, splenic, thymic lymphocytes, T and NK cells labeled with In-111 tropolone in rats, P42
Intracellular location of radionuclide in In-111 tropolone polymorphonuclear leukocytes, P98
In-111 tropolone complex for study of lymphocyte kinetics: evidence for induced defect in structure, function and viability, P26
Indium-111 vesicles
Uptake of small unilamellar vesicles by Lewis Lung Carcinoma, P121
Indium-11 oxime
Quantitative kinetics of In-111 autologous and homologous platelets in immune thrombocytopenic purpura, P65
Interferons
Interferons—clinical applications and new technologies, 817
Intestinal absorption
Oral N-isopropyl-p-(I-123) iodoamphetamine: potential marker for enterohepatic absorption studies, P97
Intestinal transit time
Scintigraphic determination of small intestinal transit time in patients with irritable bowel syndrome, P59
Scintigraphic determination of small intestinal transit time of water in man, P97
Iodine-123
Collimator selection and I-124 contamination determination for I-123 imaging studies, P106
Comparison of performances of standard low energy collimators and medium energy collimator specially designed for imaging with (p,2n) I-123, P102
Design and construction of equipment for point-source, low energy electron microdosimetry measurements, P40
Detection of ocular melanoma with 4-(3-dimethylaminopropylamino)-7-[^{123}I]iodoquinoline, 800
Effects of characteristic x-rays on assay of I-123 by dose calibrator, 1367
Enriched Xe-124 for the production of high purity I-123 using a CP-42 cyclotron, P32
Evaluation of intrathroacic goiter with I-123 scintigraphy and NMR imaging, 874
Kinetics of various I-123- and C-14-fatty acids in diabetic rat myocardium in vivo, P78
Radioiodide imaging of pertechnetate "hot" solitary thyroid nodules, P71
Sustained I-131 phenylpentadecanoic acid uptake in salvaged myocardium, P80
Turnover of lipids labeled by I-123 phenylpentadecanoic acid compared to C-14 palmitic acid, P124
Which collimator for SPECT with I-123 and Cu-67?, P105
Iodine-123 BMFA
Discordance between blood flow and fatty acid uptake in myocardium following lactate infusion, P79
Iodine-123 fatty acids
Macrocyclic lactones: versatile source for omega radiohalogenated fatty acid analogs, P122
Iodine-123 HIPDM
Comparison of two cerebral perfusion tracers, *N*-isopropyl I-123 *p*-iodoamphetamine and I-123 HIPDM, in human, 25
I-123 HIPDM brain imaging with rotating gamma camera and slant-hole collimator, 495
Quantitative I-123-HIPDM SPECT, P109
Re: comparison of two cerebral perfusion tracers, N-isopropyl I-123 p-iodoamphetamine and I-123 HIPDM in human, 945 (le)
Re: comparison of two cerebral perfusion tracers, N-isopropyl I-123 p-iodoamphetamine and I-123 HIPDM in human (reply), 945 (le)
Solid phase exchange labeling of I-123-HIPDM, P123
Iodine-123 IMP
Comparison of I-123 IMP uptake and NMR spectroscopy in the brain following experimental carotid occlusion, P34
Re: comparison of two cerebral perfusion tracers, N-isopropyl I-123 p-iodoamphetamine and I-123 HIPDM in human, 945 (le)
Relationship of eye uptake of N-isopropyl-*p*-[^{123}I]iodoamphetamine to melanin production, 315
Iodine-123 insulin
I-123-insulin: new marker for hepatoma, P74
Iodine-123 iodoamphetamine
Biodistribution of I-123-iodoamphetamine in man, P108
Measurement of metabolic extraction of tracers in lung using multiple indicator dilution technique, 31
Oral N-isopropyl-p-(I-123) iodoamphetamine: potential marker for enterohepatic absorption studies, P97
Iodine-123 MIBG
Meta-iodobenzylguanidine scintigraphy: one year experience, P111
Pharmacokinetics of I-123 MIBG. Why and when pheochromocytomas are imaged, P31
Iodine-123 monoclonal antibodies
Chloramine-T radioiodination of monoclonal antibodies with NaI-123 (p,5n), P123
Iodine-125
Bone density determinations with multiwire gamma camera and I-125 x-rays, P104
Preparation and evaluation of 17α-[^{125}I] iodovinyl-11β-methoxyestradiol as highly selective radioligand for tissues containing estrogen receptors, 998
Radioimmunoassay of leukocyte (alpha) interferon and its application to some clinical conditions, 765
Radioiodinated 5-iodothienyl-2-substituted long chain fatty acids for myocardial imaging, P122
Radioiodinated ligands for estrogen receptor: effect of 3-*o*-methylation on tissue distribution, 1116
Synthesis and biodistribution of radioiodinated nicotine analogs, P121
Synthesis and biodistribution studies of [I-131,125]-iodo- and [Se-75]seleno-ergoline derivatives, P124
Iodine-125 cholesteryl iopanoate
Estrogen suppression of I-125-cholesteryl ester uptake in atherosclerotic lesions in rabbit model, P78
Iodine-125 iodovinylestradiol (MIVE$_2$)
Potential for imaging ovarian carcinoma by radioiodinated 11β methoxy 17α-iodovinylestradiol, P122
Iodine-125 iothalamate
Tc-99m glucoheptonate renal uptake: influence of biochemical and physiologic factors, P75
Iodine-125 metaraminol
I-125 metaraminol: new platelet specific labeling agent, P123
Iodine-131
Analysis of "ablation of thyroid remnants" with I-131 in 511 patients from 1947–1984: experience at University of Michigan, 1287
Biodistribution of radiolabeled anti-lymphocyte monoclonal antibody in rat, P42
Design and construction of equipment for point-source, low energy electron microdosimetry measurements, P40
Efficiency of high doses radioiodine for destruction of remaining normal thyroid tissue after total thyroidectomy, P113
Iodine capsules in thyroid therapy: an individually controlled study of I-131 uptake kinetics as compared to liquid administration, P94
Iodine-131 diphosphonates for the palliative treatment of bone metastases: I. Organ distribution and kinetics of I-131 of BDP3 in rats, 1356

Is thyroid scintigraphy necessary before I-131 therapy for hyperthyroidism?, 664
I-131 total-body scan: localization of disseminated gastric adenocarcinoma. Case report and survey of literature, 1204
Quantitative uptake measurements of I-131 (364 keV) within the tomographic plane of specially collimated SPECT system, P103
Regiospecific incorporation of no-carrier-added radiobromine and radioiodine into aromatic rings via halodegermylation, P123
Re: thyroid iodine content measured by x-ray fluorescence in amiodarone-induced thyrotoxicosis, 537 (le)
Sialadenitis following I-131 therapy for thyroid carcinoma, 755
Tc-99m HIDA dosimetry in patients with various hepatic disorders, 905
Thyroid remnant ablation: questionable pursuit of ill-defined goal, 727 (le)
Thyroid remnant ablation: questionable pursuit of ill-defined goal (reply), 727 (le)
Uptake of radioactive iodine in rat intact Graafian follicles, P93

Iodine-131 antibodies
High-level iodination of monoclonal anibody fragments for radiotherapy, 367
Radiolabeled antibodies in gynecologic tumors, P83

Iodine-131 anti CEA polyclonal antibodies
I-131 anti-CEA polyclonal antibody detection of gastrointestinal cancer, P113

Iodine-131 BDP3
Iodine-131 diphosphonates for the palliative treatment of bone metastases: I. Organ distribution and kinetics of I-131 of BDP3 in rats, 1356

Iodine-131 FAB
Scintigraphic studies of F(ab')2 in human tumor xenografts in mice, P74

Iodine-131 hippurate
Clinical evaluation of Tc-99m *N,N'*-bis(mercaptoacetyl)-2,3-diaminopropanoate as replacement for I-131 hippurate, 42

Iodine-131 MIBG
Malignant pheochromocytoma treated by I-131 MIBG, 249
Mechanisms of uptake of norepinephrine and meta-iodobenzylguanidines into cultured human pheochromocytoma cells, P122
Mechanisms of uptake of norepinephrine and meta-iodobenzylguanidine into cultured bovine adrenomedullary cells. Evidence for uptake-one, P124
Metabolism of I-131-meta-iodobenzylguanidine in humans, P123
Meta-[I-131]iodobenzylguanidine uptake in nonsecreting paraganglioma, 984
MIBG in evaluation of suspected pheochromocytoma: Mayo clinic experience, P94
Portrayal of pheochromocytoma and normal human adrenal medulla by *m*-[^{123}I]-iodobenzylguanidine, 436
Radiopharmaceutical treatment of malignant pheochromocytoma, 197
Salivary gland accumulation of meta-[^{131}I]-iodobenzylguanidine, 2
Scintigraphic imaging of neuroblastoma with I-131-meta-iodobenzylguanidine, P75
Scintigraphy of neuroblastoma with I-131 meta-iodobenzylguanidine, 773

Iodine-131 monoclonal antibodies
Monoclonal antibodies and coupling reagents to cell membrane proteins for leukocyte labeling, P26
Quantitation of imaging with I-131-F(ab')$_2$ fragments on monoclonal antibody in patients, P16
Radioimmunoimaging of human lymphomas with I-131 tumor-specific monoclonal antibody, P114

Iodine-131 OIH
Captopril induced renographic alteration in unilateral renal artery stenosis, P36

Iodine-131 sodium iodide
Hyperthyroidism with metastatic follicular thyroid carcinoma, 467

Iodoamphetamine
Some factors affecting the uptake of iodoamphetamine, P110

Iron-59
Comparison of three tests for estimating gastroenteral protein loss, P60

Ischemia
Noninvasive quantitative assessment of pacing induced ischemia in coronary artery disease patients using SPECT imaging with Tl-201, P87
Non-invasive testing in evaluation of patients undergoing coronary angioplasty for single vessel coronary disease, P84

Kidney
See also Glomerular filtration rate; Renal function
Bone scintigraphy in initial staging of patients with renal-cell carcinoma, 289
Captopril induced renographic alteration in unilateral renal artery stenosis, P36
Clinical evaluation of Tc-99m *N,N'*-bis(mercaptoacetyl)-2,3-diaminopropanoate as replacement for I-131 hippurate, 42
Computation of glomerular filtration rate with Tc-99m DTPA: in-house computer program, 613
Effect of maleate induced proximal tubular dysfunction on renal handling of Tc-99m DMSA in rat, P35
Intraperitoneal injection of Tc-99m SC in visualization of peritoneo-vaginalis connection, 68
Investigation of change of renal function following percutaneous nephrolithotomy, P75
In vitro magnetic relaxation times of ischemic and reperfused rabbit kidney, 38
Measurement of glomerular filtration rate using Tc-99m-DTPA and gamma camera: comparison of methods, P76
N,N'-bis(*S*-benzoylmercaptoacetamido) ethylenediamine and propylenediamine ligands as renal function imaging agents. I. Alternate synthetic methods, 223
Predicting effects of dietary manipulation in chronic renal disease, P35
Radionuclide measurement of renal function: comparison of methods, P76
Renal function in patients with renovascular hypertension following inhibition of angiotensin converting enzyme, P36
Role of nuclear medicine in clinical urology and nephrology, 619
Scintigraphic evaluation of the viability of cold perserved kidneys before transplantation, 1304
Scintigraphic evaluation of urinary system in case of severe renal trauma, 1053 (le)
Spectrum of Ga-67 renal activity in patients with no evidence of renal disease, 575
Steroid osteopathy, P25
Synthesis and evaluation of N_2S_2 complexes of Tc-99m as renal function agents, P16
^{99m}Tc-aprotinin: new tracer for kidney morphology and function, P35
Tc-99m DMSA uptake by metastatic carcinoma of prostate, 733 (le)
Tc-99m glucoheptonate renal uptake: influence of biochemical and physiologic factors, P75
Tc-99m-labeled para aminohippuric acid analog: new renal agent, P127
Tc-99m *P*-aminohippuric acid analog: new renal agent, 1111
Three-kidney rat, P130
Ureteral peristalsis in pediatric urology, P58

Kidney transplants
Comparison of renal allograft biopsy diagnosis and temporal quantitation of Tc-99m sulfur colloid in clinically suspected AG rejection, P130
Concentration of In-111-oxine-labeled autologous leukocytes in noninfected and nonrejecting renal allografts, 156
Regional evaluation of renal dynamics in post transplant kidneys with Tc-99m DTPA and scinti-camera, P130
Scintigraphic evaluation of the viability of cold perserved kidneys before transplantation, 1304
Three-kidney rat, P130
Uptake of In-111 labeled platelets by normal, nephrotic and transplanted kidneys, P75

Kinetics
Quantitative analysis by digital computer of Tc-99m N-pyridoxyl-5-methyltryptophan hepatogram in diffuse parenchymal liver diseases, P90

Krypton-81
Determination of right ventricular ejection fraction in children with cystic fibrosis, using Kr-81m, P115

Krypton-81m
Assessment of right ventricular function by intravenous infusion of Kr-81m, P37
Clinical assessment of commercial aerosol delivery system for ventilation scanning by comparison with Kr-81m, P117
Clinical comparison of new Tc-99m DTPA delivery system with Kr-81m, P68
Determination of regional esophageal transit in children by means of Kr-81m, P58
Effect of vasodilators on pulmonary perfusion defects in asthma using sequential Kr-81m perfusion imaging, P116
Kr-81m for both ventilation and perfusion from one generator, P116
Krypton 81m ventilation/perfusion ratios measured in lateral decubitus in pulmonary embolism, P68
Re: computation of venticular-perfusion studies ratio with Kr-81m in pulmonary embolism (reply), 1053 (le)
Re: computation of ventilation-perfusion studies ratio with Kr-81m in pulmonary embolism, 1052 (le)

Lesions
Platelet accumulation in carotid atherosclerotic lesions: semiquantitative analysis with In-111 platelets and Tc-99m HSA, 556
ROC demonstrated improvement in lesion detectability using asymmetric photopeak windows, P104

Leukocytes
111-Indium autologous leucocytes in diagnosis of inflammatory bowel disease, P60
In-111 tropolone complex for study of lymphocyte kinetics: evidence for induced defect in structure, function and viability, P26

Leukocytes, labeled
Decreased sensitivity of early imaging with In-111 oxine leukocytes in detection of occult infection, 303
Monoclonal antibodies and coupling reagents to cell membrane proteins for leukocyte labeling, P26
Re: labeling with In-111 has detrimental effects on human lymphocytes, 406 (le)

Liver
Altered potassium homeostasis in cirrhosis of liver and Crohn's disease, P97
Bone and liver images in medullary carcinoma of thyroid gland, 419
Classification of liver tumors by radionuclide imaging, 402 (le)
Detection and clinical significance of extrahepatic abdominal perfusion using Tc-99m MAA hepatic arterial perfusion scintigraphy, P41
Detection of an extrahepatic portal shunt by perrectal portal scintigraphy with Tc-99m RBC, 540 (le)
Diagnostic yield of blood flow and blood pool studies of liver, P66
Dual isotope technique for in vivo quantitative assessment of intra-arterial drug delivery to hepatic metastases, P41

Ga-67 uptake by liver: studies using isolated rat hepatocytes and perfused livers, 1094
Ga-67 uptake in hepatic angiosarcoma, 677
Hepatic-arterial/portal-venous scintiangiogram in alcoholic hepatitis, P67
Hepatobiliary scintigraphy in patients receiving hepatic artery infusion chemotherapy, P41
Hepatoscintiangiography of normal liver and its alteration in hepatomas and liver abscess, P129
Kinetics and biodistribution of In-111 platelets in patients with bone marrow transplants, refractory to platelet transfusions, P65
Measuring functioning hepatocytes using Tc-99m galactosylneoglycoalbumin, P74
New non-invasive method of evaluating portal-systemic shunting by computer quantitation of hepatic and pulmonary activity after rectal delivery of Xe-133, P67
Postoperative evaluation of penetrating hepatic trauma and complications, 982
Pulsatile versus steady infusions for hepatic artery chemotherapy, P41
Single photon emission computerized tomography (SPECT) for estimates of liver and spleen volume, 81
Tc-99m-galactosyl-neoglycoalbumin liver imaging: potential application in liver transplantation, P66
Use of Ga-67 liver imaging for early diagnosis of Budd-Chiari syndrome, 320
Use of paramagnetic substance, colloidal manganese sulfide, as NMR contrast material in rats, 604
Use of Tc-99m-galactosyl-neoglycoalbumin to determine hepatic blood flow, P66

Lung
Ability of chest radiography to predict widespread scintigraphic ventilation abnormalities in patients with suspected PE, P19
Acute response to elastase in sheep lungs measured with Ga-67, 1310
Assessment of mucous flow and ciliary action using radioaerosol in patients with tracheobronchoplasty or radiotherapy, P116
C-11-labeled octadecylamine, potential agent for positron tomographic pulmonary metabolism studies, P126
Clearance of aerosolized Tc-99m DTPA from normal vs. acutely smoke-injured dog lungs, P18
Clinical utility of Ga-67 pulmonary scans in the diagnosis and treatment of P. Carinii pneumonitis in the setting of acquired immunodeficiency, P42
Computation of ventilation-perfusion ratio with Kr-81m in pulmonary embolism, 149
Determination of efficacy of nuclear medicine procedures, P62
Effect of vasodilators on pulmonary perfusion defects in asthma using sequential Kr-81m perfusion imaging, P116
Feasibility of internal irradiation of a lobe of the lung with P-32 loaded microspheres. I. Stability of microspheres in animal studies, P113
Improved diagnostic accuracy of lung perfusion imaging using Tc-99m MAA SPECT, P67
Influence of posture and positive end-tidal expiratory pressure on clearance of Tc 99m-DTPA from lungs, P67
Kr-81m for both ventilation and perfusion from one generator, P116
Krypton 81m ventilation/perfusion ratios measured in lateral decubitus in pulmonary embolism, P68
Lung clearance mechanisms in obstructive airways disease, 447
Lung scanning following radioaerosol inhalation, 519
Measurement of metabolic extraction of tracers in lung using multiple indicator dilution technique, 31
Measurement of regional pulmonary blood volume in patients with increased pulmonary blood flow or pulmonary arterial hypertension, P68
Model for assessing bronchial mucus transport, 170
Mucociliary clearance mechanism in smoking and nonsmoking normal subjects, 352
On significance of estimating thallium lung uptake images in patients with acute myocardial infarction, P87
Pharmacokinetic approach to evaluation of aerosol solutes for lung permeability studies, P18
Pulmonary Ga-67 uptake in amiodarone pneumonitis, 211
Quantitation of lung water by NMR imaging: preliminary study, P34
Rapid method for assessing ventilation post-perfusion: the use of Tc-99m DTPA aerosol and computer subtraction, P67
Thallium scintigraphy in experimental toxic pulmonary edema: relationship to extravascular pulmonary fluid, 581
Tropolonate vs oxine 111-indium platelet labeling: comparison of efficiency, ultrastructure and function, P99
Tumor microembolism: pulmonary perfusion pattern, 877

Lymph nodes
Lymphoscintigraphy in melanoma patients using Tc-99m dextran, P40

Lymphocytes
Biodistribution of radiolabeled anti-lymphocyte monoclonal antibody in rat, P42
Detrimental effect of In-111 on human lymphocytes?, 830 (le)
Re: labeling with In-III has detrimental effects on human lymphocytes (reply), 407 (le)

Lymphoma
Scintigraphic findings in large-cell lymphoma of the spleen, 969

Lymphoscintigraphy
Lymphoscintigraphy in melanoma patients using Tc-99m dextran, P40
Quantitative comparison of two radiocolloids for lymphoscintigraphy, P40
Scintigraphic evaluation of lymphatic draining pathways in patients treated with pectoralis major and deltopectoralis myocutaneous flaps for oropharyngeal cancer, P114

Magnesium-28
Production of Mg-28 for medical applications by spallation, P120

Mastocytosis
Patterns of skeletal scintigraphy and their relationship to plasma and urinary histamine levels in systemic mastocytosis, 859

Melanin
Relationship of eye uptake of N-isopropyl-*p*-[^{123}I]iodoamphetamine to melanin production, 315

Melanomas
Monoclonal radioimmunoimaging of human melanoma in nude mice, P42
Prognosis in stage 1 malignant melanoma: seven-year follow-up study of splenic radiocolloid uptake as predictor of death, 1183

In memoriam
Norman "Jeff" Holter (1914-1983), 132

Metabolism
See also Cerebral metabolism; Fatty acid metabolism
Assessment of metabolic effects of ionophore grisorixin on myocardial cells in culture with 14-C-labelled substrates, P39
Brain oxygen utilization measured with O-15 radiotracers and PET, 177
Discordance between blood flow and fatty acid uptake in myocardium following lactate infusion, P79
Metabolic fate of L-[N-13]glutamate in normal isolated myocardium, P79
PET measurement of glucose membrane transport using labeled analogs: distinction of transport from metabolic processes, P32
15(*p*-[^{123}I]iodophenyl)penadecanoic acid as tracer of lipid metabolism: comparison with [1-^{14}C]palmitic acid in murine tissues, 1335
Quantitative autoradiographic measurement of regional myocardial substrate uptake in hypertensive rats, P24
Recovery of glucose metabolism in reperfused canine myocardium demonstrated by positron-CT, P37
Re: in vivo methods for measuring regional glucose metabolic rate (GlMR) (reply), 134 (le)
Re: radiation absorbed doses from Fe-52, Fe-55, and Fe-59 used to study ferrokinetics, 530 (le)
Re: radiation absorbed doses from Fe-52, Fe-55, and Fe-59 used to study ferrokinetics (reply), 531 (le)

Monoclonal antibodies
Activity and protein levels in studies of monoclonal antibody imaging, 1395 (le)
Activity and protein levels in studies of monoclonal antibody imaging (reply), 1395 (le)
Biokinetics of radioiodinated antibreast carcinoma monoclonal antibody and fragment in humans, P17
Development of a model system to evaluate methods for radiolabeling monoclonal antibodies, 1343
Effect of size of radiolabeled antibody and fragments on tumor uptake and distribution in nephrectomized mice, P112
Evaluation of I-123 and In-111 labeled anti-platelet monoclonal antibody for scintigraphic localization of in vivo thrombi, P65
In-111 monoclonal antibodies: effect of DTPA conjugation on Ab activity and tissue distribution, P113
Localization of radiolabeled anti-DNA monoclonal antibodies in murine systemic lupus erythematosus, P99
Modification of lypophilic groups and replacement of phosphorus by arsenic to study the effect on myocardial specificity of radioiodinated phosphonium cations, P31
Monoclonal antibodies to amyloid subunit proteins for in vivo radioimmunodetection of amyloid diseases, P101
Monoclonal antibody localization and imaging of human mammary carcinoma grown at various sites in nude mouse, P112
Novel approach for testing immunointegrity of radiolabeled antibodies, P55
Optimization of antibreast carcinoma monoclonal antibody as tumor imaging agent, P55
Potential of palladium-109-labeled antimelanoma monoclonal antibody for tumor therapy, 796
Preparation of Ga-67 labeled monoclonal antibodies using deferoxamine as a bifunctional chelating agent, P56
Properties of Tc-99m monoclonal antibodies, P128
Radioimmunoimaging of human lymphomas with I-131 tumor-specific monoclonal antibody, P114
Radioimmunoscintigraphy of human colon cancer xenografts in mice with radioiodinated monoclonal antibody B72.3, 1197
Scintigraphic studies of F(ab')2 in human tumor xenografts in mice, P74
Simple in vitro method of evaluating monoclonal antibody binding to tumor tissue, P113
Studies on the preparation of radiolabelled monoclonal antibodies, P120
Use of radiolabeled monoclonal antibodies for cell labeling in vivo, P26
Variables influencing attachment of bifunctional chelates to antibodies, P56
Yttrium-90 monoclonal antibody as potential agent for radioimmunotherapy, P111

Mucociliary clearance
Re: mucociliary clearance mechanism in smoking and nonsmoking normal subjects, 1268 (le)
Re: mucociliary clearance mechanism in smoking and nonsmoking normal subjects (reply), 1269 (le)

Muscles
Uptake of Tc-99m MDP in muscle anticipating clinical evidence of carcinomatous myopathy, 1320
Mycardium
Synthesis of 3-(C-11-methyl)-nifedipine, potent Ca^{++} channel antagonist, for PET, P64
Myocardial infarction
Comparison of peak filling rate of left ventricular pre and post coronary bypass graft in patients with and without myocardial infarction, P45
Does regional left ventricular dysfunction occur distant from infarct zone in initial acute transmural myocardial infarction?, P20
Early aneurysm formation following anterior myocardial infarction: better predictor of mortality than left ventricular ejection fraction, P21
Early in vivo detection of acute canine myocardial ischemia by NMR, P34
ECG gated NMR-CT for cardiovascular diseases, P7
Frequency, etiology, and significance of septal involvement in acute inferior myocardial infarction, P21
Infarct size after reperfusion by simultaneous intracoronary In-111-monoclonal antimyosin and Tc-99mpyrophosphate; comparison by gamma scintigraphy, P69
Macrocyclic lactones: versatile source for omega radiohalogenated fatty acid analogs, P122
Myocardial imaging with Cs-130, P119
On significance of estimating thallium lung uptake images in patients with acute myocardial infarction, P87
Prediction of infarct volume in patients undergoing reperfusion therapy by Tc-99m antimyosin SPECT, P20
Prognostic utility of intravenous dipyridamole Tl-201 imaging and exercise testing after acute infarction, P85
Right and left ventricular ejection fraction after acute inferior wall myocardial infarction and value of V4R to predict site of obstruction, P21
Scintigraphic characterization of Q-wave and non Q-wave myocardial infarction, P84
Tl-201 evidence that anterior ST segment depression during early acute inferior myocardial infarction reflects septal or posterolateral ischemic injury, P83
Myocardial ischemia
Effects of anoxia and ischemia on thallium exchange in rabbit myocardium, P69
Evaluation of patients with chest pain by radionuclide ventriculography: comparison of phase and 2-harmonic analysis, P45
Macrocyclic lactones: versatile source for omega radiohalogenated fatty acid analogs, P122
Metabolic borderzone in acutely ischemic canine myocardium demonstrated by positron-CT, P38
Myocardial imaging with Cs-130, P119
Preoperative determination of reversibility of wall motion abnormalities using F-18 fluorodeoxyglucose and N-13 ammonia positron tomography, P12
Prognostic implications of normal exercise thallium-201 images, P53
Recovery of glucose metabolism in reperfused canine myocardium demonstrated by positron-CT, P37
Sustained I-131 phenylpentadecanoic acid uptake in salvaged myocardium, P80
Myocardial perfusion
Evaluation in dogs of new double-dose technique for imaging changes in myocardial perfusion, 706
Maximizing myocardial perfusion with combined dipyridamole and phenylephrine, P69
Measurement of regional myocardial perfusion with Xe-133, P68
Myocardial perfusion by dynamic positron emission tomography using O-15-water, P69
Myocardial perfusion with rubidium-82: III. Theory relating severity of coronary stenosis to perfusion deficit, 1190
Sources of overestimation in quantification by SPECT of uptakes in myocardial phantom, 788
Myocardium
See also Heart
Assessment of metabolic effects of ionophore grisorixin on myocardial cells in culture with 14-C-labelled substrates, P39
Characteristics of I-125 4-IQNB and H-3 QNB in vivo and in vitro, 214
Characterizing potential heart agents with isolated perfused heart system, P24
Comparative dual tracer studies of β-methyl-(1-C-14)hepta decanoic acid and 15-p-(I-131)-iodophenyl-β-methyl pentadecanoic acid in hypertensive rats, P31
Comparative study of myocardial perfusion imaging by Tl-201 SPECT and N-13 ammonia positron CT, P6
Convenient preparation of ^{11}C-methyltriphenylphosphonium iodide for PET imaging of regional myocardial blood flow, P127
Determination of left ventricular mass in man using SPECT, P61
Diagnostic information of Tl-201 myocardial kinetics shortly after termination of exercise, P84
Discordance between blood flow and fatty acid uptake in myocardium following lactate infusion, P79
Effects of anoxia, pyruvate, and lactate on distribution on N-13 glutamate in myocardium, P38
Effects of coronary angioplasty and reperfusion on myocardial flow distribution, P84
False-positive perfusion defects and image distortions of 180 degree acquired Tl-201 myocardial SPECT images with and without attenuation correction, P61
Importance of sex-specific quantitative criteria in Tl-201 myocardial scintigraphy, P86
Improvement of SPECT imaging for myocardial perfusion studies using median filter preprocessing technique, P14
Interstitial phase of thallium transport, P79
Kinetics of various I-123- and C-14-fatty acids in diabetic rat myocardium in vivo, P78
Measurement of regional myocardial perfusion with Xe-133, P68
Metabolic fate of L-[N-13]glutamate in normal isolated myocardium, P79
Myocardial dysfunction following motor vehicle accidents, P85
Myocardial imaging with Cs-130, P119
Myocardial kinetics of hexakis(trimethylphosphite) Tc-99m (I) chloride (Tc-TMP) in rats, rabbits, dogs, cats and pigs, P15
New Tc-99m myocardial imaging agent, hexakis (t-butylisonitrile)-technetium(I)[Tc-99m TBI]: initial experience in human, 1350
On use of 16-iodohexadecanoic acid as probe for myocardial beta-oxidation of fatty acids, P38
Quantitative analysis of Tl-201 myocardial emission computed tomography, P86
Quantitative autoradiographic measurement of regional myocardial substrate uptake in hypertensive rats, P24
Quantitative stress-redistribution planar Tl-201 scintigraphy: assessment of extent of hypoperfused myocardium by relationship to angiographic findings, P85
Radioiodinated 5-iodothienyl-2-substituted long chain fatty acids for myocardial imaging, P122
Re: first-pass measurements of regional blood flow (reply), 831
Reverse Tl-201 redistribution pattern in streptokinase reperfused myocardium: sign of reestablished flow to partially viable myocardium, P21
Sources of overestimation in quantification by SPECT of uptakes in myocardial phantom, 788
Structure localization relationship of different chain length 1-[C-11] betamethyl fatty acids, P125
Synthesis, characterization and identification of the hexakis(trimethylphosphite)[Tc-99m]-technetium(I) cation as myocardial imaging agent, P15
Tc-99m PPi in diagnosis of acute cardiac rejection in the rat with effect of cyclosporine, 870
Turnover of lipids labeled by I-123 phenylpentadecanoic acid compared to C-14 palmitic acid, P124
NEMA
Suggested revision of NEMA standards, 814
Nephritis
Radionuclide scintigraphy of bacterial nephritis, P76
Neuroblastoma
Calcification and uptake of Tc-99m diphosphonates in neuroblastomas, 656
Scintigraphy of neuroblastoma with I-131 meta-iodobenzylguanidine, 773
Neutrophils, radiolabeled
Neutrophil labeling techniques using chemotaxis radioassay, 913
Nitrogen-13
Metabolic fate of L-[N-13]glutamate in normal isolated myocardium, P79
Multiple indicator, residue detection method for measurement of amino acid transport in skeletal muscle in vivo, P78
Nitrogen-13 and xenon-133 ventilation studies, 1175
Nitrogen-13 glutamate
N-13 L-glutamate uptake in malignancy: relationship to blood flow, 989
Norepinephrine
Mechanisms of uptake of norepinephrine and meta-iodobenzylguanidine into cultured bovine adrenomedullary cells. Evidence for uptake-one, P124
Nuclear magnetic resonance
Approximation and noise errors of measured T_1 in NMR imaging: case of double-spin-echo model, P105
Comparative evaluation of NMR and nuclear medicine in disc space infection—pilot study, P6
Comparison of I-123 IMP uptake and NMR spectroscopy in the brain following experimental carotid occlusion, P34
Contrast agents and spectroscopic probes in NMR, 506
Correlation between malignant phenotype of virus transformed cells and decreased proton relaxation times, P34
Correlative studies of the brain with PET, NMR, and XCT, P9
Early in vivo detection of acute canine myocardial ischemia by NMR, P34
Evaluation of intrathroacic goiter with I-123 scintigraphy and NMR imaging, 874
In vitro magnetic relaxation times of ischemic and reperfused rabbit kidney, 38
In vivo monitoring of line 168 mammary tumors by topical NMR, P111
Multinuclear NMR studies of naturally occurring nuclei, 237
NMR characteristics of rat mammary tumors, P111
Nuclear magnetic resonance blood flow imaging, P35
Principles of imaging by nuclear magnetic resonance, 371
Principles of nuclear magnetic resonance, 101
Quantitation of lung water by NMR imaging: preliminary study, P34
Respiratory gating of magnetic resonance images, P7
Stroke, evolution of NMR imaging characteristics, P7
Use of paramagnetic substance, colloidal manganese sulfide, as NMR contrast material in rats, 604
Validation of T_1 relaxation times on NMR imaging system: can it be done?, P34

Nuclear medicine equipment
Nuclear medicine-equipment acquisition protocol, P101
Nuclear stethoscope
Accuracy of ejection fraction by nuclear stethoscope in left ventricular aneurysm, P81
Estimation of left ventricular ejection fraction by computerized single cardiac probe system with echocardiogram, P4
Opiate receptors
Radiosynthesis of opiate receptor-binding radiotracer for positron emission tomography: [C-11 methyl]-methyl-4-[N-(1-oxopropyl)-N-phenylamino]-4-piperidine carboxylate (C-11 4-carbomethoxyfentanyl), P63
Osteomyelitis
Complicating osteomyelitis imaged with Tc-99m MDP, In-111 granulocytes, and Ga-67 citrate, P52
Complicating osteomyelitis with Tc-99m MDP, In-111 granulocytes, and Ga-67 citrate, 849
In-111 WBC scintigraphy in adult osteomyelitis, P42
Should single-phase radionuclide bone imaging be used in suspected osteomyelitis?, 1080
Osteonecrosis
Detection of avascular necrosis in adults by single photon emission computed tomography, P25
Osteoporosis
New evidence for sodium fluoride in osteoporosis, 720
Re: does bone measurement on radius indicate skeletal status?, 1151 (le)
Skeletal scintigraphic changes in osteoporosis treated with sodium fluoride, 651
Oxygen-15
New quantitative method for measuring oxygen extraction fraction: human studies, P33
Positron imaging of intravenous O-15 water for cerebral blood flow, P49
Requirement for constant arterial radioactivity in the $C^{15}O_2$ steady-state blood-flow model, 455
Oxygen-18
Activation autoradiography; new method for determination of endogenous O-18, P125
Oxygen metabolism
Statistical error in measurement of oxygen utilization with ^{15}O-equilibrium method, P49
Pancreas
CA19-9: promising tumor marker for pancreatic carcinoma, P9
New ruthenium radiopharmaceuticals for pancreas and heart, P120
Parathyroid
Comparison of Tl-201 subtraction scintigraphy with sonograhy and x-ray CT in localization of parathyroid adenoma, P44
Experience with technetium-thallium subtraction imaging of parathyroid lesions, P19
High sensitivity localization of parathyroid tumors by nuclear imaging in 50 proven cases, P19
Is there role for dual tracer imaging in detection of parathyroid disease?, P19
Parathyroid scans and thyroid uptake of Tl-201 of subjects in chronic hemodialysis, P19
Re: new perspectives in localizing enlarged parathyroids by technetium-thallium subtraction scan, 539 (le)
Re: new perspectives in localizing enlarged parathyroids by technetium-thallium subtraction scan (reply), 540 (le)
Technetium-thallium subtraction images for location of parathyroid adenomata, 1268 (le)
Parkinson's disease
PET imaging of dopamine receptors in MPTP-induced parkinsonism, P57
Pediatric nuclear medicine
Assessment of soft tissue hemangiomas in children utilizing Tc-99m red blood cells, P115
Count-based method to calculate right ventricular volumes in children; in vitro and clinical validation, P58
Determination of regional esophageal transit in children by means of Kr-81m, P58
Determination of right ventricular ejection fraction in children with cystic fibrosis, using Kr-81m, P115
Effective image filtration of pediatric single photon emission tomograms, P58
Growth plate closure: apex view of bone scan, P59
Persistent hyperkinesis in normotensive patients after coarctation repair, P82
Relationship of gastroesophageal reflux and gastric emptying in infants and children, 571
Ureteral peristalsis in pediatric urology, P58
Pelvis
Pelvic extramedullary hematopoiesis, 209
Perfusion
Clinical impact of perfusion scintigraphy with dipyridamole, P86
Perfusion, lung
Tumor microembolism: pulmonary perfusion pattern, 877
Pericarditis
Gallium-67 citrate localization in heart secondary to constrictive pericarditis with myocardial fibrosis, 66
Pernicious anemia
Schilling evaluation of pernicious anemia: current status, 1032
Phantom
Anatomically realistic brain phantom for quantification with positron tomography, P108
Development of new phantom for evaluation of SPECT performance, P103
Phase analysis
Non-specificity of left/right ventricular amplitude ratio for mitral insufficiency, P82
Phase analysis in the Wolff-Parkinson-White syndrome with surgically proven accessory conduction pathways, 7
Tomographic phase analysis to detect the site of accessory conduction pathway in Wolff-Parkinson-White syndrome, P86
Pheochromocytomas
^{131}I-metaiodobenzylguanidine treatment of malignant pheochromocytomas, P72
Malignant pheochromocytoma treated by I-131 MIBG, 249
Mechanisms of uptake of norepinephrine and meta-iodobenzylguanidines into cultured human pheochromocytoma cells, P122
Pharmacokinetics of I-123 MIBG. Why and when pheochromocytomas are imaged, P31
Portrayal of pheochromocytoma and normal human adrenal medulla by *m*-[^{123}I]-iodobenzylguanidine, 436
Salivary gland accumulation of meta-[^{131}I]-iodobenzylguanidine, 2
Phosphorus-32
Feasibility of internal irradiation of a lobe of the lung with P-32 loaded microspheres. I. Stability of microspheres in animal studies, P113
pH shift
Brain localization and octanol/water PC-pH profiles of radioiodinated amines: evidences against "pH shift" mechanism, P122
Platelets
Diagnosis of cardiac allograft rejection with In-111 platelets in cyclosporin treated rats, P80
Distribution of In-111 in granulocyte and other cellular elements of blood in human In-111 mixed white cell and platelet preparations, P98
Evaluation of I-123 and In-111 labeled anti-platelet monoclonal antibody for scintigraphic localization of in vivo thrombi, P65
Evaluation of mathematical models to assess platelet kinetics, P64
In-111-labeled platelet kinetics in patients with diabetes mellitus, P98
In-111 platelet scintigraphy: carotid atherosclerosis and stroke, 626
Kinetics and biodistribution of In-111 platelets in patients with bone marrow transplants, refractory to platelet transfusions, P65
Methods of measuring splenic blood flow and platelet transit time with In-111-labeled platelets, 86
Platelet labeling in plasma made simple and efficient: preparation and evaluation, P65
Quantification of platelet thrombosis on bovine pericardial valve prostheses and reduction of thrombosis with diphosphonate treatment in calves, P80
Quantitative kinetics of In-111 autologous and homologous platelets in immune thrombocytopenic purpura, P65
Uptake of In-111 labeled platelets by normal, nephrotic and transplanted kidneys, P75
Pneumonitis
Pulmonary Ga-67 uptake in amiodarone pneumonitis, 211
Polymorphonuclear leukocytes
Intracellular location of radionuclide in In-111 tropolone polymorphonuclear leukocytes, P98
Portal systemic circulation
Posttherapeutic change in portal-systemic circulation investigated by Tl-201 per-rectal administration, P97
Portosystemic shunt
Tl-201 per rectum: noninvasive method for evaluating portosystemic shunt, P97
Positron tomography
Accuracy of PET rCBF measurements: effect of transit time delay, P108
Active transport of C-11-methyl-D-glucose and 3-F-18-deoxyglucose in acute ischemic brain disease and Huntington's chorea, studied by PET, P110
Anatomically realistic brain phantom for quantification with positron tomography, P108
Anterior-posterior and lateral hemispheric alterations in cortical glucose utilization in Alzheimer's disease, P57
Application of "bootstrap" technique to understanding cerebral interregional metabolic relationships, P109
Assessment of tumor blood flow using C-11 butanol, P50
Bitemporal hypometabolism in Creutzfeldt-Jakob disease measured by positron emission tomography with (F-18)2-fluorodeoxyglucose, P109
Blood sampling schemes for determination of PET functional images, P103
Brain metabolism and memory in age differentiated healthy adults, P57
Brain oxygen utilization measured with O-15 radiotracers and PET, 177
Characterization of compton scattering in emission tomography, P14
C-11-labeled octadecylamine, potential agent for positron tomographic pulmonary metabolism studies, P126
Comparative study of myocardial perfusion imaging by Tl-201 SPECT and N-13 ammonia positron CT, P6
Comparison of cerebral regional glucose metabolic relationships in resting and auditory stimulated states, P109
Comparison of parameter estimation techniques for quantitation of local cerebral blood flow by serial positron computed tomography, P54
Correlative studies of the brain with PET, NMR, and XCT, P9
Cryptate complexes of generator produced isotopes for measurement of blood flow, P119
Determination of regional blood-tissue transfer constants and initial (plasma) volume in brain and brain tumors using ^{68}Ga-EDTA and dynamic positron emission tomography, P51
Dynamic rate constants for F-18-deoxyglucose uptake in normal and tumoral brain tissue, P8
Effects of age on dopamine receptors measured by positron tomography in the living human brain, P73
Electrocardiographic gating of list mode data with positron emission tomography system that utilizes wobbling motion to achieve uniform sampling, P88
Error analysis of integrated projection technique and weighted integration method for

measurement of local cerebral blood flow with positron emission tomography, P88
Evaluation of cerium activated gadolinium orthosilicate as detector for PET, P103
Evaluation of lumped constant for deoxyglucose and fluorodeoxyglucose in man, P32
Evaluation of scatter in PET scanners, P102
Evaluation of various attenuation correction methods for brain imaging in PET, P108
Experimental and clinical study of cancer diagnosis with (F-18) FDG using PET, P50
Factors affecting estimation of rate constants of fluorodeoxyglucose model from positron emission tomography data, P63
Feasibility of single photon tomography with Rb-82, P106
Fitting 4-compartment kinetics with a 3-compartment model, P90
Fluorination of aromatic compounds by cleavage of aryl-tin bonds with F-18 F_2 and CH_3COOF, P64
Ga-68 ethylenediamine tetraacetic acid imaging of brain tumors by positron tomography, P50
Headtome III: high quantitation and high resolution brain positron emission tomograph, P46
High resolution positron emission tomography using 3 mm wide bismuth germanate crystals, P46
Image reconstruction algorithm for hexagonal bar positron camera, P54
Imaging opiate receptors with positron emission tomography, P73
Improved glucose utilization rate calculation by recursive technique, P109
Kinetic measurements are necessary for description of brain receptors with PET, P72
Measurement in vivo of dopamine receptor density II: effect of D-amphetamine on spiroperidol binding, P73
Measurement of oxygen metabolism, 123-I-IMP distribution and rCBF-Xe in patients with ischemic vascular disease, P8
Measurement of regional pulmonary blood volume in patients with increased pulmonary blood flow or pulmonary arterial hypertension, P68
Measurement of sequential changes in cerebral blood flow and oxygen metabolism by positron computed tomography with continuous inhalation of O-15 gases, P50
Metabolic borderzone in acutely ischemic canine myocardium demonstrated by positron-CT, P38
Myocardial imaging with Cs-130, P119
Myocardial perfusion by dynamic positron emission tomography using O-15-water, P69
N-[^{11}C]-methyl-p-substituted phentermine analogs as potential brain blood flow agents for positron tomography, P125
New quantitative method for measuring oxygen extraction fraction: human studies, P33
Non-equilibrium technique for measurement of regional cerebral blood flow by positron tomography, P62
Noninvasive alternatives to arterial blood sampling in PET, P104
Performance characteristics of newly developed whole-body multislice positron computed tomograph, P107
Performance characteristics of the University of Texas TOFPET-I PET camera, P46
Performance of position-sensitive bar detector, P47
PET attenuation correction using reprojection of measured transmission data, P47
PET imaging of dopamine receptors in MPTP-induced parkinsonism, P57
PET measurements of cerebral metabolism corrected for CSF contributions, P56
PET with F-18 fluorodeoxyglucose measures of local brain activity and memory in schizophrenia and in depression, P57
Physical characterization of time-of-flight positron emission tomography system for whole-body quantitative studies, P46
Positron computed tomography studies of cerebral metabolic responses to complex motor tasks, P33
Positron imaging feasibility studies: short term uptake of thymidine in normal and neoplastic tissues, P50
Preoperative determination of reversibility of wall motion abnormalities using F-18 fluorodeoxyglucose and N-13 ammonia positron tomography, P12
Quantitative assessment of absolute CBF values measured by positron computed tomography(PCT) and O-15 water, P49
Radiation dosimetry for Zn-63 for IV, oral and jejunal tube administration using a compartment model, P40
Radiosynthesis of dopamine receptor-binding radiotracer for positron emission tomography: 3-N-[C-11-methyl]-methylspiperone, P126
Re: brain blood-flow measurement with bolus intravenous $H_2{}^{15}O$ (reply), 730 (le)
Recognition of dilated ventricular cavities in high resolution PET scans using F-18 fluorodeoxyglucose, P111
Recovery of glucose metabolism in reperfused canine myocardium demonstrated by positron-CT, P37
Re: first-pass measurements of regional blood flow (reply), 831
Re: in vivo methods for measuring regional glucose metabolic rate (GlMR), 134 (le)
Reproducibility study of non-invasive positron CT (PCT) technique using O-15 water for screening relative cerebral blood flow responses due to neurobehavior interventions, P33
Requirement for constant arterial radioactivity in the $C^{15}O_2$ steady-state blood-flow model, 455
Re: receptor binding of F-18 haloperidol and spiroperidol (reply), 533 (le)
Re: time-of-flight positron-emission tomography status relative to conventional PET (reply), 137 (le)
Short-term thymidine uptake in normal and neoplastic tissues: studies for PET, 759
Simultaneous estimations of BBB permeability and local CBV in human brain tumors with positron tomography and Ga-68 EDTA, P9
Single photon Rb-82 imaging of remote myocardial infarction, P52
Statistical error in measurement of oxygen utilization with ^{15}O-equilibrium method, P49
Structure localization relationship of different chain length 1-[C-11] betamethyl fatty acids, P125
Synthesis of 3-(C-11-methyl)-nifedipine, potent Ca^{++} channel antagonist, for PET, P64
Testing quantitation in PET, P107
Test-retest PETT experiment paradigm: subject as his own reference, P33
Use of median polish for daily quality assurance of a multiplanar PET, P104
Wedge-shaped BGO scintillation crystal for PET, 901
What is correct value for brain:blood partition coefficient for water?, P49

Prostate
In vivo detection of prostatic carcinoma with antibodies against prostatic acid phosphatase, P17
Tc-99m DMSA uptake by metastatic carcinoma of prostate, 733 (le)

Pulmonary edema
Thallium scintigraphy in experimental toxic pulmonary edema: relationship to extravascular pulmonary fluid, 581

Pulmonary embolism
Ability of chest radiography to predict widespread scintigraphic ventilation abnormalities in patients with suspected PE, P19
Computation of ventilation-perfusion ratio with Kr-81m in pulmonary embolism, 149
Determination of efficacy of nuclear medicine procedures, P62
Improved diagnostic accuracy of lung perfusion imaging using Tc-99m MAA SPECT, P67
Kr-81m for both ventilation and perfusion from one generator, P116
Krypton 81m ventilation/perfusion ratios measured in lateral decubitus in pulmonary embolism, P68
Re: computation of venticular-perfusion studies ratio with Kr-81m in pulmonary embolism (reply), 1053 (le)
Re: computation of ventilation-perfusion studies ratio with Kr-81m in pulmonary embolism, 1052 (le)
Restoration of perfusion after streptokinase or heparin therapy in patients with pulmonary emboli, P18

Quality assurance
Practicality of NEMA performance specification measurements for user-based acceptance testing and routine quality assurance, 679
Use of median polish for daily quality assurance of a multiplanar PET, P104

Quality control
Analytical performance of the ARIA II automatic system for TSH assay, 1153 (le)
Relationship of instrument parameters to performance within a survey peer group, 1371
Uniformity correction and quality control in scintillation cameras, 1392 (le)

Quantitative analysis
Quantitative analysis of left-ventricular function using GSPECT, 1167
Quantitative assessment of growth plate activity, P115

Radiation dose
Altered distribution of (R)-quinuclidinyl I-125 4-iodobenzilate after whole body fission neutron or Co-60 irradiation, P93
Automatic radiopharmaceutical dose loader and calibrator for nuclear medicine injections, P93
Beta particle dose to major airways from inhaled gas, P39
Calibration phantom for absolute quantitation of radionuclide uptake by SPECT, P105
Design and construction of equipment for point-source, low energy electron microdosimetry measurements, P40
Detrimental effect of In-111 on human lymphocytes (reply), 830 (le)
Long-term bone retention of C-14 following oral administration of C-14-xylose, P96
Radiation absorbed dose estimate for Rb-82 using in vivo measurements in man, P94
Radiation absorbed dose from Tc-99m diethylenetriaminepentaacetic acid (DTPA), 503
Radiation absorbed dose to the bladder from 2-FDG and other radiopharmaceuticals, P92
Radiation dosimetry for Zn-63 for IV, oral and jejunal tube administration using a compartment model, P40
Re: labeling with In-III has detrimental effects on human lymphocytes (reply), 407 (le)
Re: radiation absorbed doses from Fe-52, Fe-55, and Fe-59 used to study ferrokinetics, 530 (le)
Re: radiation absorbed doses from Fe-52, Fe-55, and Fe-59 used to study ferrokinetics (reply), 531 (le)
Transfer of thallous ion to and from gastrointestinal sections, P92

Radioaerosol
Lung scanning following radioaerosol inhalation, 519

Radioassay
Development of sensitive radioassay of histamine for in vitro allergy testing, 56

Radiofluorination
Aromatic radiofluorination with [^{18}F]fluorine gas: 6-[^{18}F]fluoro-L-dopa, 1228

Radiohalogenation
Regiospecific incorporation of no-carrier-added radiobromine and radioiodine into aromatic rings via halodegermylation, P123

Radioimmunoassay
Analytical performance of the ARIA II automatic system for TSH assay, 1153 (le)

Assessment of systematic errors in the calibration of SPECT systems for I-131 dosimetry estimations in radioimmunotherapy, P93
Automated, computer interpreted radioimmunoassay results, P89
CA19-9: promising tumor marker for pancreatic carcinoma, P9
Comparison of immunoreactive serum trypsinogen and lipase in cystic fibrosis, P118
Evaluation of immunoextraction procedure for estimation of free thyroxine concentration, 188
Fibrinopeptide (FPA) radioassay in evaluation of cancer, P10
Performance evaluation of the kineticount 48 gamma counter and solid phase reagents for T_4 and free T_4, P117
Perifusional techniques for screening antibodies (Ab) in living tissue, P9
Proposed mechanisms whereby T3U, dialyzed fraction (%FT_4) and antibody extracted (AE) T_4 normalize binding protein effects in free T_4 (FT_4) assays do not explain findings in monthyroidally ill (NTL) patients, P10
Radioimmunoassay of leukocyte (alpha) interferon and its application to some clinical conditions, 765
Radioimmunoassay of tumor markers in serum of patients with renal carcinoma, P117
Radiometric assay for bacterial growth detection and quantitative antibiotic testing, P117
Re: clinical assessment of a radioimmunoassay for free thyroxine using a modified tracer (reply), 405 (le)
Re: clinical assessment of radioimmunoassay for free thyroxine using modified tracer, 1150 (le)
Re: clinical assessment of radioimmunoassay for free thyroxine using modified tracer (reply), 1150 (le)
Sensitive human thyroglobulin RIA to define clearly presence or absence of functioning thyroid tissue, 49
Vitamin B-12 radioassay in diagnosis of vitamin B-12 deficiency, P118

Radioimmunodetection
Analysis of radioimmunodetection of tumors by subtraction technique, 96
Hepatic cancer—correlative imaging with radioimmunodetection, NMR, and TCT, P43
In vivo detection of prostatic carcinoma with antibodies against prostatic acid phosphatase, P17
Modification of lypophilic groups and replacement of phosphorus by arsenic to study the effect on myocardial specificity of radioiodinated phosphonium cations, P31

Radioimmunoimaging
Radioimmunoimaging of pneumocystis carinii infection in rats, P101

Radioimmunoscintigraphy
Radioimmunoscintigraphy of human colon cancer xenografts in mice with radioiodinated monoclonal antibody B72.3, 1197

Radioimmunotherapy
Which collimator for SPECT with I-123 and Cu-67?, P105
Yttrium-90 monoclonal antibody as potential agent for radioimmunotherapy, P111

Radiopharmaceutical chemistry
Evaluation of potential adsorbents for the $^{191}Os/^{191m}Ir$ radionuclide generator system, P118
Standardization of carbodiimide-mediated coupling of DTPA to IgG and IgG2a antibodies for radiometal labeling, P118

Radiopharmaceutical research
Submission of I.N.D. applications for radiopharmaceutical research: when and why, 714

Radiopharmaceuticals
New automated high pressure reaction vessel for preparation of radiopharmaceuticals, P126

Receiver operating characteristic (ROC) analysis
Estimation of probability of coronary disease by quantitative thallium scintigraphy, P62
Improved intrinsic resolution: does it make difference?, 230
Overestimation of test performance by ROC analysis: effect of small sample size, P107
Re: improved intrinsic resolution: does it make difference?, 1152 (le)
Re: improved intrinsic resolution: does it make difference? (reply), 1152 (le)
Relationship of instrument parameters to performance within a survey peer group, 1371

Receiver operator characteristic (ROC) analysis
ROC demonstrated improvement in lesion detectability using asymmetric photopeak windows, P104

Reflex Sympathetic Dystrophy Syndrome
Three-phase bone studies in hemiplegia with Reflex Sympathetic Dystrophy and effect of disuse, 423

Regional wall motion
Does regional left ventricular dysfunction occur distant from infarct zone in initial acute transmural myocardial infarction?, P20
Early aneurysm formation following anterior myocardial infarction: better predictor of mortality than left ventricular ejection fraction, P21
ECG-gated blood pool tomography in determination of left ventricular volume, ejection fraction, and wall motion, P87
Gated SPECT as means of quantitative assessment of left ventricular wall motion, P44
Importance of exercise gated blood pool imaging in Chagas disease, P81
Preoperative determination of reversibility of wall motion abnormalities using F-18 fluorodeoxyglucose and N-13 ammonia positron tomography, P12
Specification LV regional wall motion abnormalities in CAD and non-CAD patients by phase analysis of radionuclide ventriculograms, P12

Renal carcinoma
Radioimmunoassay of tumor markers in serum of patients with renal carcinoma, P117

Renal function
See also Kidney
Effect of radiopharmaceutical choice on determination of relative renal function in rats with unilateral renal obstruction, P35
Radionuclide fistulogram in hemodialysis patients, P48
Radionuclide measurement of renal function: comparison of methods, P76
Role of nuclear medicine in clinical urology and nephrology, 619

Renal hypertension
Renal function in patients with renovascular hypertension following inhibition of angiotensin converting enzyme, P36

Respiratory organ motion
Cinematic display of respiratory organ motion with impedance techniques, 1127

Rhenium
Stereoisomeric complexes of technetium and rhenium with penicillamine, P127

Rubidium
Measurements of myocardial flow vs. extraction of rubidium under varying physiological conditions, P69

Rubidium-82
Feasibility of single photon tomography with Rb-82, P106
Myocardial perfusion with rubidium-82: III. Theory relating severity of coronary stenosis to perfusion deficit, 1190
Radiation absorbed dose estimate for Rb-82 using in vivo measurements in man, P94
Single photon Rb-82 imaging of remote myocardial infarction, P52

Ruthenium-97
Design and construction of equipment for point-source, low energy electron microdosimetry measurements, P40
New ruthenium radiopharmaceuticals for pancreas and heart, P120

Salivary glands
Salivary gland accumulation of meta-[^{131}I]-iodobenzylguanidine, 2
Sialadenitis following I-131 therapy for thyroid carcinoma, 755

Sarcoma
Clinical utility of bone and gallium scintigraphy for assessing soft tissue neoplasms in extremities, P114
Gallium scan in malignant fibrous histiocytoma, P114
Ga-67 uptake in hepatic angiosarcoma, 677
Prediction of response to preoperative radiotherapy in soft tissue tumors by thallium and pyrophosphate scanning, P74
Tl-201 chloride scintigraphy for bone tumors and soft part sarcomas, P114

Scintigraphy
See also Immunoscintigraphy; Lymphoscintigraphy
Bone scintigraphy in initial staging of patients with renal-cell carcinoma, 289
Correlation of scintigraphic phase maps with intraoperative epicardial/endocardial maps in patients with activation disturbances, P80
Filling of gallbladder as studied by computer-assisted Tc-99m HIDA scintigraphy, 292
Meta-iodobenzylguanidine scintigraphy: one year experience, P111
Re: quantitative hepatic arterial perfusion scintigraphy and starch microspheres in cancer therapy, 732 (le)

Scintigraphy, lymph
Intraoperative lymph scintigraphy during radical surgery for cervical cancer, 486

Scintigraphy, portal
Detection of an extrahepatic portal shunt by perrectal portal scintigraphy with Tc-99m RBC, 540 (le)

Scintillation cameras
Attenuation coefficients for Tc-99m photons in water-filled phantoms, determined with gamma camera: variation with energy window, P22
Bone density determinations with multiwire gamma camera and I-125 x-rays, P104
Development of new phantom for evaluation of SPECT performance, P103
Effect of energy window on LV ejection fraction using ECG-gated energy spectroscopy, P22
Effects of asymmetric photopeak windows on flood field uniformity and spatial resolution for scintillation cameras, P22
Electronic "diaphragm" for gamma camera, with adjustable zooming and offset, 1019
Gain drift characteristics of photomultiplier tubes, P106
Gamma camera for medical applications, using multiwire proportional counter, 1003
Implementation of low cost digital data acquisition system for scintillation cameras, P91
Improved intrinsic resolution: does it make difference?, 230
Linearity and energy corrections for scintillation cameras used in quantitative single photon emission computed tomography, P87
Performance of position-sensitive bar detector, P47
Performance testing rotating gamma camera SPECT systems, P5
Practicality of NEMA performance specification measurements for user-based acceptance testing and routine quality assurance, 679
Re: improved intrinsic resolution: does it make difference?, 1152 (le)
Re: improved intrinsic resolution: does it make difference? (reply), 1152 (le)
Scinticor™: new digital gamma camera, P22
Simulation of orientation dependent, global changes in camera sensitivity in ECT, P102
Special cut-off gamma cameras for high-resolution SPECT of head, 1023
Specially designed cut-off gamma camera for high resolution SPECT of brain, P104

Study of anger camera sensitivity and linearity as function of spatial orientation, P70
Subtraction of Compton-scattered photons in SPECT, 490
Uniformity correction and quality control in scintillation cameras, 1392 (le)

Scrotal imaging, radionuclide
Correlation of diagnostic ultrasound and radionuclide imaging in scrotal disease, P43

Selenium-75
Synthesis and biodistribution studies of [I-131,125]-iodo- and [Se-75]seleno-ergoline derivatives, P124

Serum thyroglobulin
Serum thyroglobulin, monitor of differentiated thyroid carcinoma in patients receiving thyroid hormone suppression therapy, 673

Shin splints
Specific scintigraphic pattern of "shin splints in the lower leg", 865

Sickle cell disease
Tc-99m diphosphonate and sulfur colloid uptake by spleen in sickle disease: interrelationship and clinical correlates, 1300

Single photon emission computed tomography (SPECT)
Accuracy of rotational tomography for predicting absolute Tl-201 concentrations, P70
Angled-collimator SPECT (A-SPECT): improved approach to cranial single PET, 805
Assessment of detector sensitivity and uniformity during SPECT rotation, P103
Assessment of systematic errors in the calibration of SPECT systems for I-131 dosimetry estimations in radioimmunotherapy, P93
Attenuation coefficients for Tc-99m photons in water-filled phantoms, determined with gamma camera: variation with energy window, P22
Brain pertechnetate SPECT in perinatal asphyxia, P59
Calibration phantom for absolute quantitation of radionuclide uptake by SPECT, P105
Cerebral metabolic rate of glucose computed by Bayes regression of deoxyglucose PET scans, P92
Clinical evaluation of Tl-201 SPECT with cardiac short axis display, P61
Comparative study of myocardial perfusion imaging by Tl-201 SPECT and N-13 ammonia positron CT, P6
Comparison of planar images and SPECT with Bayesean preprocessing for the demonstration of facial anatomy and craniomandibular disorders, P71
Computer-aided analysis of three-dimensional radiopharmaceutical distributions in serial ECT acquisitions, P90
Consequences of multiplexing and limited view angle in coded-aperture imaging, P55
Definition of hepatic tumors microcirculation by SPECT, 972
Design and clinical utilities of fan beam collimator for SPECT system, P5
Detection of avascular necrosis in adults by single photon emission computed tomography, P25
Determination of left ventricular mass in man using SPECT, P61
Development of new phantom for evaluation of SPECT performance, P103
Distance weighting for improved tomographic reconstructions, P54
Dual label single photon emission tomography: new method to assess redistribution in regional coronary blood flow after nitroglycerin, P28
Dynamic SPECT with Xe-133: regional cerebral blood flow in patients with unilateral cerebrovascular disease, 441
ECG-gated blood pool tomography in determination of left ventricular volume, ejection fraction, and wall motion, P87
Effect of collimators on center of rotation in SPECT, 632 (le)
Efficacy of 67 gallium ECT imaging in lymphoma, infection, and lung carcinoma: comparison with planar imaging, P44
Estimation of SPECT statistical reliability, P70
Evaluation of lumped constant for deoxyglucose and fluorodeoxyglucose in man, P32
Evaluation of SPECT system performance by quantatively comparing planar and reconstructed spatial resolutions, P107
False-positive perfusion defects and image distortions of 180 degree acquired Tl-201 myocardial SPECT images with and without attenuation correction, P61
Gated SPECT as means of quantitative assessment of left ventricular wall motion, P44
High resolution positron tomography using PCR-I, P6
Ideal flood field images for SPECT uniformity correction, P14
Improved diagnostic accuracy of lung perfusion imaging using Tc-99m MAA SPECT, P67
Improved performance from modifications to multidetector SPECT brain scanner, 688
Improved SPECT quantification using compensation for scattered photons, 893
Improvement of SPECT imaging for myocardial perfusion studies using median filter preprocessing technique, P14
Kinetic and metabolic considerations in use of (I-125) HIPDM as tracer for quantitative measurement of regional cerebral blood flow, P8
Linearity and energy corrections for scintillation cameras used in quantitative single photon emission computed tomography, P87
Magnetic resonance imaging in cardiac amyloidosis, P81
MDP skull uptake test: new diagnostic tool, P24
Measurement of oxygen metabolism, 123-I-IMP distribution and rCBF-Xe in patients with ischemic vascular disease, P8
Missouri University multi-plane imager: high sensitivity rapid dynamic ECT brain imager, P105
Monte Carlo evaluation of Compton scatter compensation by deconvolution in SPECT, P71
Motion detection and correction in Tl-201 SPECT imaging: simple, practical method, P70
New method for Fourier analysis in ECG-gated cardiac blood pool emission computed tomography (ECT), P5
New Tc-99m brain imaging agents, P16
Noncircular orbits in SPECT, 632 (le)
Noncircular orbits in SPECT (reply), 632 (le)
Non-equilibrium technique for measurement of regional cerebral blood flow by positron tomography, P62
Noninvasive quantitative assessment of pacing induced ischemia in CAD patients using SPECT imaging with Tl-201, P61
Noninvasive quantitative assessment of pacing induced ischemia in coronary artery disease patients using SPECT imaging with Tl-201, P87
Object independent attenuation correction in SPECT: eliminating effects of scatter and collimator PSF, P14
Performance characteristics of the University of Texas TOFPET-I PET camera, P46
Performance evaluation of SPRINT, single photon ring tomograph for brain imaging, 1013
Performance index: method for quantitative evaluation of filters used in clinical SPECT, P88
Physical characterization of time-of-flight positron emission tomography system for whole-body quantitative studies, P46
Prediction of infarct volume in patients undergoing reperfusion therapy by Tc-99m antimyosin SPECT, P20
Promising hybrid approach to SPECT attenuation correction, P15
Quantification of extent and severity of myocardial ischemia in single-vessel disease using stress-redistribution Tl-201 SPECT, P60
Quantitative analysis of left-ventricular function using GSPECT, 1167
Quantitative I-123-HIPDM SPECT, P109
Quantitative uptake measurements of I-131 (364 keV) within the tomographic plane of specially collimated SPECT system, P103
Radiopharmaceutical delivery system for controlled arterial concentration in physiologic modeling with computed tomography, P89
Re: brain blood-flow measurement with bolus intravenous $H_2{}^{15}O$, 729 (le)
Re: comparison of two cerebral perfusion tracers, N-isopropyl I-123 p-iodoamphetamine and I-123 HIPDM in human, 945 (le)
Re: comparison of two cerebral perfusion tracers, N-isopropyl I-123 p-iodoamphetamine and I-123 HIPDM in human (reply), 945 (le)
Regional cerebral blood flow (RCBE) measurements by SPECT analysis of Xe-133 transit: validation of technique and clinical correlation, P8
Re: in vivo methods for measuring regional glucose metabolic rate (GlMR), 134 (le)
Scatter correction for SPECT, 928
Scintigraphic appearance of focal fatty infiltration of liver using SPECT, P96
Simulation of orientation dependent, global changes in camera sensitivity in ECT, P102
Single photon emission computerized tomography (SPECT) for estimates of liver and spleen volume, 81
Single-photon tomographic determination of regional cerebral blood flow in psychiatric disorders, P57
Sources of overestimation in quantification by SPECT of uptakes in myocardial phantom, 788
Special cut-off gamma cameras for high-resolution SPECT of head, 1023
Specially designed cut-off gamma camera for high resolution SPECT of brain, P104
SPECT imaging (140-364 keV): influence of photon scattering and penetration on backprojected noise within tomographic plane, P90
SPECT imaging with long bore collimator: loss in sensitivity vs improved contrast resolution, P106
SPECT quantification of myocardial mass with Tl-201: comparison of 180° vs 360° acquisitions, P107
SPECT with I-123 labeled $F(AB')_2$ fragments from monoclonal anti-CEA antibodies in colon carcinoma, P17
Subtraction of Compton-scattered photons in SPECT, 490
Synthesis and biodistribution of neutral lipid-soluble Tc-99m complexes that cross blood-brain barrier, 326
Synthesis of 3-(C-11-methyl)-nifedipine, potent Ca^{++} channel antagonist, for PET, P64
Testing quantitation in PET, P107
Tomographic gated blood pool studies: parameters for collection and reconstruction, P85
Tomographic phase analysis to detect the site of accessory conduction pathway in Wolff-Parkinson-White syndrome, P86
Triangular SPECT system for brain and body organ 3-D imaging: design concept and preliminary imaging result, P6
Two algorithms for use with orthogonal-view coded-aperture system, 700
Two-dimensional filtering of SPECT images using Metz and Wiener filters, P14
Two-dimensional filtering of SPECT images using the Metz and Wiener filters, 1234
Validation of rotating camera based SPECT system for dosimetry applications, P94
Value of quantitative stress Tl-201 emission CT for localization of CAD: comparison with qualitative analysis, P61
Wedge-shaped BGO scintillation crystal for PET, 901
Which collimator for SPECT with I-123 and Cu-67?, P105

Sjögren's Syndrome
Ga-67 scanning in Sjögren's Syndrome, 299

Skin
Plasma L-dopa in diagnosis of patients with melanoma, P10
Re: preparation of sterile Xe-133 in saline for tissue perfusion studies, 1050 (le)
Re: preparation of sterile Xe-133 in saline for tissue perfusion studies (reply), 1051 (le)
Slant-hole collimator
Angled-collimator SPECT (A-SPECT): improved approach to cranial single PET, 805
Simulated ECT of left ventricle using rotating slant-hole collimator and two camera positions, 343
Sodium fluoride
New evidence for sodium fluoride in osteoporosis, 720
Skeletal scintigraphic changes in osteoporosis treated with sodium fluoride, 651
Spleen
Kinetics and biodistribution of In-111 platelets in patients with bone marrow transplants, refractory to platelet transfusions, P65
Methods of measuring splenic blood flow and platelet transit time with In-111-labeled platelets, 86
Possible role of anemia in bone marrow uptake of radiocolloid, P99
Scintigraphic findings in large-cell lymphoma of the spleen, 969
Scintigraphic follow up of autologous splenic grafts—experimental and clinical study, P27
Tc-99m diphosphonate and sulfur colloid uptake by spleen in sickle disease: interrelationship and clinical correlates, 1300
Starch microspheres
Re: quantitative hepatic arterial perfusion scintigraphy and starch microspheres in cancer therapy, 732 (le)
Statistics
Influence of scan and pathologic criteria on specificity of cholescintigraphy, 728 (le)
Influence of scan and pathologic criteria on specificity of cholescintigraphy (reply), 728 (le)
Stoichiometry
Stoichiometric Tc 99m RBC labeling using stable kit solutions of stannous chloride and EDTA, 881
Stress fractures
Stress fractures and bone pain, P77
Tc-99m MDP
Twenty-four/four hour ratio of Tc-99m MDP uptake in patients with bone metastases and degenerative changes, P77
Technetium-99 DTPA
Cr-51-EDTA and Tc-99m-DTPA excretion for assessment of small bowel Crohn's disease, P60
Technetium-99m
Adrenal imaging with Tc-99m-labelled low density lipoproteins, P72
Breast-milk radioactivity after Tc-99m DTPA aerosol/Tc-99m MAA lung study, 1108
Experience with technetium-thallium subtraction imaging of parathyroid lesions, P19
Gel chromatographic behavior of Tc-99m compounds in aqueous solution, P129
In vivo tumor localization of technetium-labeled metalothionein/monoclonal antibody conjugates, P24
Preparation of a stable ^{99m}Tc complex of F(ab')$_2$-DTPA and its biodistribution in mice, P128
Properties of Tc-99m monoclonal antibodies, P128
SPECT and planar image detection of hot lesions in a chest phantom using Ga-67 and Tc-99m, P51
Synthesis and evaluation of N_2S_2 complexes of Tc-99m as renal function agents, P16
Synthesis, characterization and identification of the hexakis(trimethylphosphite)[Tc-99m]-technetium(I) cation as myocardial imaging agent, P15
Tc-99m colloidal bismuth subcitrate: novel method for evaluation of peptic ulcer disease, P27
Tc-99m exchange labeling of sensitive molecules, P127
Technetium-99 in generator systems, 499
Technetium-thallium subtraction images for location of parathyroid adenomata, 1268 (le)
Technetium-99m albumin microspheres
Quantitative comparison of myocardial blood flow in normal and infarcted hearts by high resolution scintigraphy, P79
Technetium-99m antimyosin
Prediction of infarct volume in patients undergoing reperfusion therapy by Tc-99m antimyosin SPECT, P20
Technetium-99m BAT
In vivo stability of Tc-99m BAT complexes, P128
New Tc-99m brain imaging agents, P16
Synthesis and biodistribution of neutral lipid-soluble Tc-99m complexes that cross blood-brain barrier, 326
Technetium-99m DADS
Clinical evaluation of Tc-99m *N,N'*-bis(mercaptoacetyl)-2,3-diaminopropanoate as replacement for I-131 hippurate, 42
N,N'-bis(*S*-benzoylmercaptoacetamido) ethylenediamine and propylenediamine ligands as renal function imaging agents. I. Alternate synthetic methods, 223
Technetium-99m dextran
Lymphoscintigraphy in melanoma patients using Tc-99m dextran, P40
Technetium-99m diphosphonate
Calcification and uptake of Tc-99m diphosphonates in neuroblastomas, 656
Heterotopic bone formation (myositis ossificans) and lower-extremity swelling mimicking deep-venous disease, 1105
Tc-99m diphosphonate and sulfur colloid uptake by spleen in sickle disease: interrelationship and clinical correlates, 1300
Technetium-99m DISIDA
Diagnosis of obstructive jaundice in infants: Tc-99m DISIDA in duodenal juice, 360
Postoperative evaluation of penetrating hepatic trauma and complications, 982
Technetium-99m DMPE
Use of oxalic acid as accelerator in preparation of Tc-99m(DMPE)$_2$Cl$^+$, P129
Technetium-99m DMSA
Effect of maleate induced proximal tubular dysfunction on renal handling of Tc-99m DMSA in rat, P35
Tc-99m DMSA uptake by metastatic carcinoma of prostate, 733 (le)
Technetium-99m DTPA
Captopril induced renographic alteration in unilateral renal artery stenosis, P36
Clearance of aerosolized Tc-99m DTPA from normal vs. acutely smoke-injured dog lungs, P18
Clinical comparison of new Tc-99m DTPA delivery system with Kr-81m, P68
Computation of glomerular filtration rate with Tc-99m DTPA: in-house computer program, 613
Influence of posture and positive end-tidal expiratory pressure on clearance of Tc 99m-DTPA from lungs, P67
Investigation of change of renal function following percutaneous nephrolithotomy, P75
Measurement of glomerular filtration rate using Tc-99m-DTPA and gamma camera: comparison of methods, P76
Newly designed Tc(V)-99m dimercaptosuccinic acid; agent of high accuracy for diagnosis of head and neck and soft tissue tumors, P112
Radiation absorbed dose from Tc-99m diethylenetriaminepentaacetic acid (DTPA), 503
Radiation absorbed dose from Tc-99m diethylenetriaminepentaacetic acid (DTPA), 1392 (le)
Radiation absorbed dose from Tc-99m diethylenetriaminepentaacetic acid (DTPA) (reply), 1392
Regional evaluation of renal dynamics in post transplant kidneys with Tc-99m DTPA and scinti-camera, P130
Studies of reproducibility, acquisition and analysis of gastric empyting studies in pediatric population, P116
Three-kidney rat, P130
Uterovaginal fistula detected by Tc-99m DTPA scintigraphy, 1394 (le)
Technetium-99m glucoheptonate
Steroid osteopathy, P25
Tc-99m glucoheptonate renal uptake: influence of biochemical and physiologic factors, P75
Technetium-99m HIDA
Filling of gallbladder as studied by computer-assisted Tc-99m HIDA scintigraphy, 292
Pharmacokinetic approach to evaluation of aerosol solutes for lung permeability studies, P18
Re: filling of gallbladder as studied by computer-assisted Tc-99m HIDA scintigraphy, 944 (le)
Tc-99m HIDA dosimetry in patients with various hepatic disorders, 905
Technetium-99m HMDP
Relative lesion detection ability of Tc-99m HMDP and Tc-99m MDP, 166
Technetium-99m HSA
Platelet accumulation in carotid atherosclerotic lesions: semiquantitative analysis with In-111 platelets and Tc-99m HSA, 556
Technetium-99m IDA
Gallbladder dynamics induced by fatty meal in normal subjects and patients with gallstones, 21
Scintigraphic variations of normal biliary physiology, 160
Visualization of hepatic adenoma with Tc-99m di-isopropyl IDA, 986
Technetium-99m MAA
Colloid molecular weight estimation by gel chromatography/acrylamide gel electrophoresis, P120
Detection and clinical significance of extrahepatic abdominal perfusion using Tc-99m MAA hepatic arterial perfusion scintigraphy, P41
Pulsatile versus steady infusions for hepatic artery chemotherapy, P41
Re: quantitative hepatic arterial perfusion scintigraphy and starch microspheres in cancer therapy, 732 (le)
Re: quantitative hepatic arterial perfusion scintigraphy and starch microspheres in cancer therapy (reply), 732 (le)
Restoration of perfusion after streptokinase or heparin therapy in patients with pulmonary emboli, P18
Significance of site of injection in unexpected right-to-left shunting, 1103
Technetium-99m MDP
Bone scintigraphy: differentiating benign cortical irregularity of distal femur from malignancy, 72
Clinical utility of bone and gallium scintigraphy for assessing soft tissue neoplasms in extremities, P114
Complicating osteomyelitis imaged with Tc-99m MDP, In-111 granulocytes, and Ga-67 citrate, P52
Complicating osteomyelitis with Tc-99m MDP, In-111 granulocytes, and Ga-67 citrate, 849
Effect of iatrogenic trauma on bone scintigram: animal study, 978
Evaluation of extremity pain in children using Tc-99m MDP bone scan—a general hospital experience, P24
Evaluation of serial bone imaging in carcinoma of breast: prognostic indicators, P78
External and biopsy determination of preoperative Tc-99m MDP femoral-head labeling in fracture of femoral neck, 854
Quantitative assessment of growth plate activity, P115
Relative lesion detection ability of Tc-99m HMDP and Tc-99m MDP, 166
Separation, isolation and partial characterization of Tc(Sn) MDP complexes, P128

Should single-phase radionuclide bone imaging be used in suspected osteomyelitis?, 1080
Uptake of Tc-99m MDP in muscle anticipating clinical evidence of carcinomatous myopathy, 1320

Technetium-99m NGA
Measuring functioning hepatocytes using Tc-99m galactosylneoglycoalbumin, P74
Tc-99m galactosyl-neoglycoalbumin: in vitro characterization of receptor-mediated binding, 779
Tc-99m-galactosyl-neoglycoalbumin liver imaging: potential application in liver transplantation, P66
Use of Tc-99m-galactosyl-neoglycoalbumin to determine hepatic blood flow, P66
Validation of kinetic model for receptor-mediated uptake of Tc-99m-galactosyl-neoglycoalbumin, P63

Technetium-99m oxine
Effects of ligand structure on lipophilicity and biodistribution of Tc-99m-amine oxime chelates, P15

Technetium-99m PAHIDA
Tc-99m-labeled para aminohippuric acid analog: new renal agent, P127
Tc-99m *P*-aminohippuric acid analog: new renal agent, 1111

Technetium-99m penicillamine
Stereoisomeric complexes of technetium and rhenium with penicillamine, P127

Technetium-99m pertechnetate
Estimates of left-ventricular volumes by equilibrium radionuclide angiography: importance of attenuation correction, 14
Estimates of left-ventricular volumes by equilibrium radionuclide ventriculography (ERNV): importance of attenuation and proper background correction (reply), 941 (le)
Is thyroid scintigraphy necessary before I-131 therapy for hyperthyroidism?, 664
I-131 total-body scan: localization of disseminated gastric adenocarcinoma. Case report and survey of literature, 1204
Quantitative evaluation of cerebrospinal fluid shunt flow, 91
Radioiodide imaging of pertechnetate "hot" solitary thyroid nodules, P71
Re: estimates of left-ventricular volumes by equilibrium radionuclide (reply), 943 (le)
Tc-99m HIDA dosimetry in patients with various hepatic disorders, 905
Tc^{99m} pertechnetate for brain scanning, 385

Technetium-99m phosphonates
Characteristics of Tc-99m-complexes of large tetraphosphonates, P129

Technetium-99m PMT
Delayed imaging in study of hepatoma with new hepatobiliary agent, 1122
Quantitative analysis by digital computer of Tc-99m N-pyridoxyl-5-methyltryptophan hepatogram in diffuse parenchymal liver diseases, P90

Technetium-99m PPi
Assessment of myocardial injury after reperfusion with Tl-201, Tc-99m PPi and F-18 FDG, P38
Tc-99m PPi in diagnosis of acute cardiac rejection in the rat with effect of cyclosporine, 870

Technetium-99m pyrophosphate
Amyloid goiter: preoperative scintigraphic diagnosis using Tc-99m pyrophosphate, 468
Infarct size after reperfusion by simultaneous intracoronary In-111-monoclonal antimyosin and Tc-99mpyrophosphate; comparison by gamma scintigraphy, P69
Prediction of response to preoperative radiotherapy in soft tissue tumors by thallium and pyrophosphate scanning, P74

Technetium-99m red blood cells
Assessment of soft tissue hemangiomas in children utilizing Tc-99m red blood cells, P115
Clinical evaluation of angiotensin II perfused Tc-99m RBC imaging on hepatoma after transcatheter arterial embolization therapy, P66
Detection of an extrahepatic portal shunt by perrectal portal scintigraphy with Tc-99m RBC, 540 (le)
Etiology of cardiogenic shock early after open-heart surgery: assessment by Tc-99m RBC wall motion scintigraphy, P4
In vivo crossmatching with Tc-99m-RBC's and In-111-oxine-RBC's, P65
Measurement of splenic function with heat-damaged RBCs: effect of heating conditions, 965
Optimization and evaluation of the in vitro method for labeling RBC in whole blood with Tc-99m, P128
Scintigraphic appearance of axillofemoral and femorofemoral bypass grafts, 1101
Stoichiometric Tc-99m RBC labeling using stable kit solutions of stannous chloride and EDTA, 881
Tc-99m RBC blood-pool imaging demonstrates umbilical vein in portosystemic shunt, 1317

Technetium-99m sulfur colloid (SC)
Comparison of renal allograft biopsy diagnosis and temporal quantitation of Tc-99m sulfur colloid in clinically suspected AG rejection, P130
Comparison of Tc-99m liver and liver paté as markers for solid-phase gastric emptying, 364
Computer analysis of radionuclide esophageal transit studies, 957
Discordant hepatic uptake between Tc-99m SC and Tc-99m DISIDA in hypervitaminosis A, 207
Do calories or osmolality determine gastric emptying, P28
Intraperitoneal injection of Tc-99m SC in visualization of peritoneo-vaginalis connection, 68
Possible role of anemia in bone marrow uptake of radiocolloid, P99
Scintigraphic findings in large-cell lymphoma of the spleen, 969

Technetium-99m TBI
New Tc-99m myocardial imaging agent, hexakis (t-butylisonitrile)-technetium(I)[Tc-99m TBI]: initial experience in human, 1350

Technetium-99m TMP
Myocardial kinetics of hexakis(trimethylphosphite) Tc-99m (I) chloride (Tc-TMP) in rats, rabbits, dogs, cats and pigs, P15

Technetium-99m (V)-DMS
New imaging agent for medullary carcinoma of thyroid, 323
Scintigraphic evaluation of soft tissue tumors with Tc(V)-99m dimercaptosuccinic acid, new tumor seeking radiopharmaceutical, P25

Technetium DTPA
Pharmacokinetic approach to evaluation of aerosol solutes for lung permeability studies, P18

Technetium HIDA
Re: filling of gallbladder as studied by computer-assisted Tc-99m HIDA scintigraphy (reply), 944 (le)

Thallium-201
Accuracy of rotational tomography for predicting absolute Tl-201 concentrations, P70
Assessment of myocardial injury after reperfusion with Tl-201, Tc-99m PPi and F-18 FDG, P38
Assessment of stenosis severity: correlation of angiography, T1-201 scintigraphy and intracoronary pressure gradients, P29
Atrial pacing as an alternative to supine excercise (SE) in radionuclide ventriculograhy (RNV), P13
Clinical evaluation of Tl-201 SPECT with cardiac short axis display, P61
Comparison of Tl-201 subtraction scintigraphy with sonograhy and x-ray CT in localization of parathyroid adenoma, P44
Determination of left ventricular mass in man using SPECT, P61
Diagnostic information of Tl-201 myocardial kinetics shortly after termination of exercise, P84
Discordance between blood flow and fatty acid uptake in myocardium following lactate infusion, P79
Effects of anoxia and ischemia on thallium exchange in rabbit myocardium, P69
Estimation of probability of coronary disease by quantitative thallium scintigraphy, P62
Evaluation in dogs of new double-dose technique for imaging changes in myocardial perfusion, 706
Evaluation of radionuclide scintigraphy, echography, and serum thyroglobulin in diagnosis of thyroid nodules, P71
False-positive perfusion defects and image distortions of 180 degree acquired Tl-201 myocardial SPECT images with and without attenuation correction, P61
Frequency, etiology, and significance of septal involvement in acute inferior myocardial infarction, P21
Gated thallium scintigraphy in the assessment of coronary artery disease, P83
Grading severity of stress Tl-201 defects: angiographic correlates, P86
High sensitivity localization of parathyroid tumors by nuclear imaging in 50 proven cases, P19
Importance of sex-specific quantitative criteria in Tl-201 myocardial scintigraphy, P86
Improvement of SPECT imaging for myocardial perfusion studies using median filter preprocessing technique, P14
Interstitial phase of thallium transport, P79
Is there role for dual tracer imaging in detection of parathyroid disease?, P19
Magnetic resonance imaging in cardiac amyloidosis, P81
Motion detection and correction in Tl-201 SPECT imaging: simple, practical method, P70
Noninvasive quantitative assessment of pacing induced ischemia in CAD patients using SPECT imaging with Tl-201, P61
Noninvasive quantitative assessment of pacing induced ischemia in coronary artery disease patients using SPECT imaging with Tl-201, P87
On significance of estimating thallium lung uptake images in patients with acute myocardial infarction, P87
Parathyroid scans and thyroid uptake of Tl-201 of subjects in chronic hemodialysis, P19
Posttherapeutic change in portal-systemic circulation investigated by Tl-201 per-rectal administration, P97
Prediction of response to preoperative radiotherapy in soft tissue tumors by thallium and pyrophosphate scanning, P74
Prevalence of high risk Tl-201 scintigraphic findings in patients with coronary artery disease: relation to coronary anatomy and ECG-stress test findings, P53
Prognostic implications of normal exercise thallium-201 images, P53
Prognostic significance of normal quantitative Tl-201 stress scintigraphy in relation to pretest likelihood of coronary artery disease, P53
Prognostic utility of intravenous dipyridamole Tl-201 imaging and exercise testing after acute infarction, P85
Quantification of extent and severity of myocardial ischemia in single-vessel disease using stress-redistribution Tl-201 SPECT, P60
Quantitative analysis of Tl-201 myocardial emission computed tomography, P86
Quantitative stress-redistribution planar Tl-201 scintigraphy: assessment of extent of hypoperfused myocardium by relationship to angiographic findings, P85
Relationship of CFR to stress Tl-201 myocardial perfusion (T1) and RNV, P28
Re: new perspectives in localizing enlarged parathyroids by technetium-thallium subtraction scan, 539 (le)

Re: new perspectives in localizing enlarged parathyroids by technetium-thallium subtraction scan (reply), 540 (le)
Reverse redistribution phenomenon with Tl-201: coronary angiographic and clinical correlation, P54
Reverse Tl-201 redistribution pattern in streptokinase reperfused myocardium: sign of reestablished flow to partially viable myocardium, P21
Scintigraphic characterization of Q-wave and non Q-wave myocardial infarction, P84
Simulated ECT of left ventricle using rotating slant-hole collimator and two camera positions, 343
SPECT quantification of myocardial mass with Tl-201: comparison of 180° vs 360° acquisitions, P107
Technetium-thallium subtraction images for location of parathyroid adenomata, 1268 (le)
Thallium scintigraphy in experimental toxic pulmonary edema: relationship to extravascular pulmonary fluid, 581
Tl-201 chloride scintigraphy for bone tumors and soft part sarcomas, P114
Tl-201 evidence that anterior ST segment depression during early acute inferior myocardial infarction reflects septal or posterolateral ischemic injury, P83
Tl-201 portography: noninvasive method for evaluating portosystemic shunt, P97
Tl-201 scintigraphy in assessing hemodynamic significance of isolated coronary artery stenosis, P53
Transfer of thallous ion to and from gastrointestinal sections, P92
Transient postexercise ischemic dilatation of left ventricle on stress-redistribution Tl-201 scintigrams: marker of severe and extensive coronary artery disease, P84
Usefulness of Tl-201 imaging in diagnosis of metastases from differentiated thyroid carcinoma, P95
Utilization of sympathectomy: peripheral perfusion scan as objective prognostic indicator, P48
Value of quantitative stress Tl-201 emission CT for localization of CAD: comparison with qualitative analysis, P61

Therapeutic nuclear medicine
Acute and long-term effects of radioiodine therapy on serum levels of calcitonin, P72
Assessment of gastric emptying in normal subjects with sucralfate (carafate) and amphojel, P27
Efficiency of high doses radioiodine for destruction of remaining normal thyroid tissue after total thyroidectomy, P113
Feasibility of internal irradiation of a lobe of the lung with P-32 loaded microspheres. I. Stability of microspheres in animal studies, P113
High-level iodination of monoclonal anibody fragments for radiotherapy, 367
In vivo tumor localization of technetium-labeled metalothionein/monoclonal antibody conjugates, P24
Iodine capsules in thyroid therapy: an individually controlled study of I-131 uptake kinetics as compared to liquid administration, P94
Perifusional techniques for screening antibodies (Ab) in living tissue, P9
Radiopharmaceutical treatment of malignant pheochromocytoma, 197
Thyroid remnant ablation: questionable pursuit of ill-defined goal, 727 (le)
Thyroid remnant ablation: questionable pursuit of ill-defined goal (reply), 727 (le)
Yttrium-90 monoclonal antibody as potential agent for radioimmunotherapy, P111

Thrombosis
Complementary role of CT and In-111 leukocyte scans in diagnosis of infected hematoma and thrombosis, P101
Distribution of In-111 in granulocyte and other cellular elements of blood in human In-111 mixed white cell and platelet preparations, P98
Evaluation of I-123 and In-111 labeled anti-platelet monoclonal antibody for scintigraphic localization of in vivo thrombi, P65
In-111 platelet scintigraphy: carotid atherosclerosis and stroke, 626
Quantification of platelet thrombosis on bovine pericardial valve prostheses and reduction of thrombosis with diphosphonate treatment in calves, P80

Thyroglobulin
Sensitive human thyroglobulin RIA to define clearly presence or absence of functioning thyroid tissue, 49

Thyroid
Acute and long-term effects of radioiodine therapy on serum levels of calcitonin, P72
Amyloid goiter: preoperative scintigraphic diagnosis using Tc-99m pyrophosphate, 468
Analysis of "ablation of thyroid remnants" with I-131 in 511 patients from 1947–1984: experience at University of Michigan, 1287
Bone and liver images in medullary carcinoma of thyroid gland, 419
Detrimental effect of In-111 on human lymphocytes?, 830 (le)
Efficiency of high doses radioiodine for destruction of remaining normal thyroid tissue after total thyroidectomy, P113
Evaluation of intrathroacic goiter with I-123 scintigraphy and NMR imaging, 874
Evaluation of radionuclide scintigraphy, echography, and serum thyroglobulin in diagnosis of thyroid nodules, P71
Hyperthyroidism with metastatic follicular thyroid carcinoma, 467
Is thyroid scintigraphy necessary before I-131 therapy for hyperthyroidism?, 664
Medullary thyroid carcinoma: radiotracers in therapy and evaluation of primary or metastatic sites, 514
New imaging agent for medullary carcinoma of thyroid, 323
Parathyroid scans and thyroid uptake of Tl-201 of subjects in chronic hemodialysis, P19
Proposed mechanisms whereby T3U, dialyzed fraction (%FT_4) and antibody extracted (AE) T_4 normalize binding protein effects in free T_4 (FT_4) assays do not explain findings in monthyroidally ill (NTL) patients, P10
Radioiodide imaging of pertechnetate "hot" solitary thyroid nodules, P71
Re: clinical assessment of a radioimmunoassay for free thyroxine using a modified tracer, 402 (le)
Re: clinical assessment of a radioimmunoassay for free thyroxine using a modified tracer (reply), 405 (le)
Re: new perspectives in localizing enlarged parathyroids by technetium-thallium subtraction scan, 539 (le)
Re: salivary thyroxine as an estimate of free thyroxine (reply), 538 (le)
Re: thyroid iodine content measured by x-ray fluorescence in amiodarone-induced thyrotoxicosis, 536 (le)
Re: thyroid iodine content measured by x-ray fluorescence in amiodarone-induced thyrotoxicosis (reply), 537 (le)
Re: thyroid iodine content measured by x-ray fluorescence in amiodarone-induced thyrotoxicosis, 537 (le)
Re: thyroid iodine content measured by x-ray fluorescence in amiodarone-induced thyrotoxicosis (reply), 537 (le)
Serum thyroglobulin, monitor of differentiated thyroid carcinoma in patients receiving thyroid hormone suppression therapy, 673
Serum thyrotropin levels in patients with suppressed pituitary function, P118
Sialadenitis following I-131 therapy for thyroid carcinoma, 755
Thyroid remnant ablation: questionable pursuit of ill-defined goal, 727 (le)
Thyroid remnant ablation: questionable pursuit of ill-defined goal (reply), 727 (le)
Usefulness of Tl-201 imaging in diagnosis of metastases from differentiated thyroid carcinoma, P95
Visualization of the thyroid during cardiac imaging, 734 (le)

Thyroxide (T_4)
Performance evaluation of the kineticount 48 gamma counter and solid phase reagents for T_4 and free T_4, P117

Thyroxine (T_4)
See also Free thyroxine (T_4); Thyroid
Re: clinical assessment of a radioimmunoassay for free thyroxine using a modified tracer, 402 (le)
Re: clinical assessment of a radioimmunoassay for free thyroxine using a modified tracer (reply), 405 (le)
Re: salivary thyroxine as an estimate of free thyroxine, 538 (le)
Re: salivary thyroxine as an estimate of free thyroxine (reply), 538 (le)

Time-of-flight information
Generalized deconvolution algorithm for image reconstruction in PET with time-of-flight information (TOFPET), P54

Time-of-flight tomography
Re: time-of-flight positron-emission tomography status relative to conventional PET, 136 (le)
Re: time-of-flight positron-emission tomography status relative to conventional PET (reply), 137 (le)

Tomography
See also Positron tomography; Single-photon emission computed tomography (SPECT)
Effects of 180° acquisition on tomographic image quality, P30

Tracer kinetic modeling
Fitting 4-compartment kinetics with a 3-compartment model, P90

Trimethylsilylphenethylamines
Syntheses and radiobrominations of some trimethylsilylphenethylamines, P124

Tumors
Analysis of radioimmunodetection of tumors by subtraction technique, 96
Assessment of tumor blood flow using C-11 butanol, P50
Biological basis of tumor imaging with radiolabeled glucose analogs, P94
Blood-tissue barrier of human brain tumors: correlation of scintigraphic and ultrastructural findings, 461
CA19-9: promising tumor marker for pancreatic carcinoma, P9
Classification of liver tumors by radionuclide imaging, 402 (le)
Comparison of radiolabeled bromomisonidazole and misonidazole as probes for hypoxic tissue, P23
Comparison of Tl-201 subtraction scintigraphy with sonograhy and x-ray CT in localization of parathyroid adenoma, P44
Definition of hepatic tumors microcirculation by SPECT, 972
Detection of ocular melanoma with 4-(3-dimethylaminopropylamino)-7-[^{123}I]iodoquinoline, 800
Determination of regional blood-tissue transfer constants and initial (plasma) volume in brain and brain tumors using ^{68}Ga-EDTA and dynamic positron emission tomography, P51
Dual isotope technique for in vivo quantitative assessment of intra-arterial drug delivery to hepatic metastases, P41
Effects of inadvertent administration of antineoplastic agents prior to Ga-67 injection, 430
Evaluation of radionuclide scintigraphy, echography, and serum thyroglobulin in diagnosis of thyroid nodules, P71
Experimental and clinical study of cancer diagnosis with (F-18) FDG using PET, P50
Fibrinopeptide (FPA) radioassay in evaluation of cancer, P10
Ga-68 ethylenediamine tetraacetic acid imaging of brain tumors by positron tomography, P50

Gallium scan in malignant fibrous histiocytoma, P114
Improved sensitivity in diagnosing superior vena caval flow compromise through radionuclide "phase" imaging, P48
In-111 chelate conjugates of human transferrin (HTr) and mouse monoclonal anti human transferrin receptor antibody (αHTrR MoAb)* for tumor imaging, P16
In vivo monitoring of line 168 mammary tumors by topical NMR, P111
MIBG in evaluation of suspected pheochromocytoma: Mayo clinic experience, P94
New imaging agent for medullary carcinoma of thyroid, 323
Newly designed Tc(V)-99m dimercaptosuccinic acid; agent of high accuracy for diagnosis of head and neck and soft tissue tumors, P112
N-13 L-glutamate uptake in malignancy: relationship to blood flow, 989
NMR characteristics of rat mammary tumors, P111
NMR characterization of pituitary tumors, P7
Optimization of antibreast carcinoma monoclonal antibody as tumor imaging agent, P55
Plasma L-dopa in diagnosis of patients with melanoma, P10
Radioimmunoassay of leukocyte (alpha) interferon and its application to some clinical conditions, 765
Radioimmunoassay of tumor markers in serum of patients with renal carcinoma, P117
Radiolabeled antibodies in gynecologic tumors, P83
Scintigraphic differentiation of intrahepatic tumors, P11
Scintigraphic evaluation of lymphatic draining pathways in patients treated with pectoralis major and deltopectoralis myocutaneous flaps for oropharyngeal cancer, P114
Scintigraphic evaluation of soft tissue tumors with Tc(V)-99m dimercaptosuccinic acid, new tumor seeking radiopharmaceutical, P25
Sequential imaging of In-111-labeled monoclonal antibody in human mammary tumors hosted in nude mice, 592
Short-term thymidine uptake in normal and neoplastic tissues: studies for PET, 759
Simple in vitro method of evaluating monoclonal antibody binding to tumor tissue, P113
Simultaneous estimations of BBB permeability and local CBV in human brain tumors with positron tomography and Ga-68 EDTA, P9
Tc-99m HIDA dosimetry in patients with various hepatic disorders, 905
Tumor microembolism: pulmonary perfusion pattern, 877
Uptake of small unilamellar vesicles by Lewis Lung Carcinoma, P121
Usefulness of Tl-201 imaging in diagnosis of metastases from differentiated thyroid carcinoma, P95
Use of vasoconstrictors to improve tumor to nontumor blood flow ratio in intraarterial chemotherapy of head and neck cancer, P115

Tumor-seeking agents
Behavior of ^{111}In-labeled F(ab')$_2$ fragments (19-9) in patients, P112
Biological basis of tumor imaging with radiolabeled glucose analogs, P94
Chloramine-T radioiodination of monoclonal antibodies with NaI-123 (p,5n), P123
Comparison of radiolabeled bromomisonidazole and misonidazole as probes for hypoxic tissue, P23
Detection and clinical significance of extrahepatic abdominal perfusion using Tc-99m MAA hepatic arterial perfusion scintigraphy, P41
Factors influencing the uptake of a new monoclonal antibody (LICR-LON-M8) in skeletal metastases from breast carcinoma, P17
Hepatic cancer—correlative imaging with radioimmunodetection, NMR, and TCT, P43
High sensitivity localization of parathyroid tumors by nuclear imaging in 50 proven cases, P19
I-123-insulin: new marker for hepatoma, P74
In-111 chelate conjugates of human transferrin (HTr) and mouse monoclonal anti human transferrin receptor antibody (αHTrR MoAb)* for tumor imaging, P16
In-111 monoclonal antibodies: effect of DTPA conjugation on Ab activity and tissue distribution, P113
In vivo detection of prostatic carcinoma with antibodies against prostatic acid phosphatase, P17
In vivo tumor localization of technetium-labeled metalothionein/monoclonal antibody conjugates, P24
Newly designed Tc(V)-99m dimercaptosuccinic acid; agent of high accuracy for diagnosis of head and neck and soft tissue tumors, P112
Pharmacokinetics of I-123 MIBG. Why and when pheochromocytomas are imaged, P31
Positron imaging feasibility studies: short term uptake of thymidine in normal and neoplastic tissues, P50
Potential of palladium-109-labeled antimelanoma monoclonal antibody for tumor therapy, 796
Potential use of In-111 monocytes as tumor imaging agent, P99
Preparation and evaluation of 17α-[^{125}I] iodovinyl-11β-methoxyestradiol as highly selective radioligand for tissues containing estrogen receptors, 998
Preparation of a stable ^{99m}Tc complex of F(ab')$_2$-DTPA and its biodistribution in mice, P128
Preparation of Ga-67 labeled monoclonal antibodies using deferoxamine as a bifunctional chelating agent, P56
Radioiodinated ligands for estrogen receptor: effect of 3-*o*-methylation on tissue distribution, 1116
Radiolabeled antibodies in gynecologic tumors, P83
Radiopharmaceutical treatment of malignant pheochromocytoma, 197
Role of human liver ferritin in Ga-67 localization, P121
Scintigraphic evaluation of soft tissue tumors with Tc(V)-99m dimercaptosuccinic acid, new tumor seeking radiopharmaceutical, P25
Scintigraphic imaging of neuroblastoma with I-131-meta-iodobenzylguanidine, P75
Scintigraphic studies of F(ab')2 in human tumor xenografts in mice, P74
Scintigraphy of neuroblastoma with I-131 meta-iodobenzylguanidine, 773
Uptake of small unilamellar vesicles by Lewis Lung Carcinoma, P121
Use of radiolabeled monoclonal antibodies for cell labeling in vivo, P26
Variables influencing attachment of bifunctional chelates to antibodies, P56
Visualization of human mammary tumor in nude mice with In-111 labeled monoclonal antibody, P74

Ulcer
Comparison of labels for carafate in gastric ulcer model, P119

Venography
Heterotopic bone formation (myositis ossificans) and lower-extremity swelling mimicking deep-venous disease, 1105
Steady state venography using 195m-gold, P48
Varicocelescintigrphy versus x-ray phlebography, P43

Ventilation-perfusion studies
Automated quantitative analysis of ventilation-perfusion lung scintigrams, 564
Krypton 81m ventilation/perfusion ratios measured in lateral decubitus in pulmonary embolism, P68
Re: automated quantitative analyses of ventilation perfusion lung scintigrams (reply), 1271 (le)
Re: automated quantitative analysis of ventilation/perfusion lung scintigrams, 1270 (le)

Ventilation studies
Ability of chest radiography to predict widespread scintigraphic ventilation abnormalities in patients with suspected PE, P19
Aerosol delivered radiolabeled antibodies to ectopic lung carcinoma antigens in scintigraphic tumour detection, P18
Clinical assessment of commercial aerosol delivery system for ventilation scanning by comparison with Kr-81m, P117
Comparison of Tc-99m DTPA aerosol with radioactive gas ventilation imaging in patients with suspected PE, P18
Computation of ventilation-perfusion ratio with Kr-81m in pulmonary embolism, 149
Kr-81m for both ventilation and perfusion from one generator, P116
Nitrogen-13 and xenon-133 ventilation studies, 1175
Quantification of Kr-81m ventilation image response to methacholine, P88
Rapid method for assessing ventilation post-perfusion: the use of Tc-99m DTPA aerosol and computer subtraction, P67
Re: computation of venticular-perfusion studies ratio with Kr-81m in pulmonary embolism (reply), 1053 (le)
Re: computation of ventilation-perfusion studies ratio with Kr-81m in pulmonary embolism, 1052 (le)
Respiratory gating by impedance plethysmography, 1142
Restoration of perfusion after streptokinase or heparin therapy in patients with pulmonary emboli, P18
Ventilation cine-scintigraphy by parameter estimation, P89
Ventilator-driven xenon ventilation studies, 810
Xe-133 rebreathing system for ventilation studies on ventilator-assisted patients, 1132

Ventricular function
Changes in ventricular function during emotional stress and cold exposure, P4
Estimation of left ventricular ejection fraction by computerized single cardiac probe system with echocardiogram, P4

Ventriculography
Comparison of peak filling rate of left ventricular pre and post coronary bypass graft in patients with and without myocardial infarction, P45
Count-based method to calculate right ventricular volumes in children; in vitro and clinical validation, P58
Determinants of global left ventricular peak diastolic filling rate during rest and exercise in normal volunteers, P44
Estimates of left-ventricular volumes by equilibrium radionuclide angiography: importance of attenuation correction, 14
Evaluation of patients with chest pain by radionuclide ventriculography: comparison of phase and 2-harmonic analysis, P45
Exercise radionuclide ventriculography to detect restenosis following coronary angioplasty, P13
Fast and reliable automated ventriculography for gated blood-pool studies, P30
First third filling parameters of left ventricle assessed from gated equilibrium studies in patients with various heart diseases, P45
New diastolic filling parameters for evaluation of left ventricular hypertrophies by equilibrium gated studies, P45
Potentiation of left ventricular function at reduced exercise level: assessment by radionuclide ventriculography, P83
Validation of normal and pathologic right ventricular function using ultra-short-lived krypton-81m, P37

Vitamin B_{12}
Vitamin B-12 radioassay in diagnosis of vitamin B-12 deficiency, P118

Wilson's disease
Cu-64 uptake test for evaluation of zinc therapy in Wilson's disease, P96
Wolff-Parkinson-White syndrome
Phase analysis in the Wolff-Parkinson-White syndrome with surgically proven accessory conduction pathways, 7
Tomographic phase analysis to detect the site of accessory conduction pathway in Wolff-Parkinson-White syndrome, P86
Xenon-124
Enriched Xe-124 for the production of high purity I-123 using a CF 42 cyclotron, P32
Xenon-133
Xenon particle dose to major airways from inhaled gas, P39
Dynamic SPECT with Xe-133: regional cerebral blood flow in patients with unilateral cerebrovascular disease, 441
Measurement of regional myocardial perfusion with Xe-133, P68
New non-invasive method of evaluating portal-systemic shunting by computer quantitation of hepatic and pulmonary activity after rectal delivery of Xe-133, P67
Nitrogen-13 and xenon-133 ventilation studies, 1175
Regional heterogeneity of myocardial blood flow detected and quantified by Xe-133 washout analysis in patients with CAD, P29
Re: preparation of sterile Xe-133 in saline for tissue perfusion studies, 1050 (le)
Re: preparation of sterile Xe-133 in saline for tissue perfusion studies (reply), 1051 (le)
Rest and exercise right ventricular function from gated xenon scans, P37
Ventilation cine-scintigraphy by parameter estimation, P89
Ventilator-driven xenon ventilation studies, 810
Xe-133 rebreathing system for ventilation studies on ventilator-assisted patients, 1132
X-ray fluorescence
Re: thyroid iodine content measured by x-ray fluorescence in amiodarone-induced thyrotoxicosis, 536 (le)
Re: thyroid iodine content measured by x-ray fluorescence in amiodarone-induced thyrotoxicosis (reply), 537 (le)
Yttrium-90
Yttrium-90 monoclonal antibody as potential agent for radioimmunotherapy, P111
Zinc-63
Radiation dosimetry for Zn-63 for IV, oral and jejunal tube administration using a compartment model, P40